

AUCTION

HEAVY MACHINING & FABRICATION FACILITY CLOSING

Featuring: Large Capacity CNC & Manual Machine Tools & Grinders; Pressbrakes; Bender; Positioner; Jib Cranes; Forklifts; Rolling Stock; More!



72" CINCINNATI HYPRO VERTICAL BORING MILL



NORTON 14" X 192" PLAIN CYLINDRICAL GRINDER



VIEW OF TABLE-TYPE HORIZONTAL BORING MILLS



MONARCH MDL. 2516X120 SERIES 80 ENGINE LATHE

Read Partial Terms and Conditions on Back Page of Brochure



BULLARD 50" VERTICAL TURRET LATHE

At the Premises of
LENHARDT TOOL & DIE COMPANY

3100 East Broadway
ALTON, ILLINOIS 62002
(See Directions on Back Page)

AUCTION:
WED., JANUARY 18
10:00 A.M.

BUYER'S PREMIUM:
15% ON-SITE • 18% WEBCAST

INSPECTION:

Tuesday, January 17,
9:00 A.M. to 4:00 P.M.
& Morning of Sale

On-Site Bidding in
Alton, Illinois or Bid Via
Webcast at

BidSpotter.com

Sale Conducted By:

PLANT & MACHINERY INC.

AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE

PMI, IL Lic. #444.000219

Ron Moore, IL Lic. #441.000726

HOUSTON • DALLAS • ST. LOUIS

Headquarters:

1304 Langham Creek Drive, Suite 454
Houston, Texas 77084

PHONE: (713) 691-4401

FAX: (713) 672-7905

E-MAIL: pmi@pmi-auction.com
WEBSITE: www.pmi-auction.com



SELLERS 6" FLOOR-TYPE HORIZONTAL BORING MILL



CNC LUCAS MDL. 542B CNC TABLE-TYPE HORIZONTAL BORING MILL



72" CINCINNATI HYPRO VERTICAL BORING MILL

FLOOR-TYPE HORIZONTAL BORING MILLS

SELLERS, 6" spndl. dia., 14' horiz. column travel, approx. 9' vert. head travel, spds.: 4.4–270 RPM, approx. 25 HP spndl. drive motor, S/N N.A.

SELLERS, 5" spndl. dia., approx. 10' vert. travel, 10' horiz. travel, spds.: 5.8–334 RPM (Downtown Location – To be sold by photo. You will get driving directions when you register).

CNC TABLE-TYPE HORIZONTAL BORING MILLS

LUCAS MDL. 542B, 44" x 86" tbl., Allen Bradley 8400MP CNC control, 72" X-axis travel, approx. 60" Y-axis travel, approx. 60" Z-axis (saddle) travel, CAT-50 spndl. taper, S/N N.A.

GIDDINGS & LEWIS MDL. 70E4-T-3X, Allen Bradley 9 Series CNC control, 48" x 98" tbl., 4" spndl. dia., 72" cross travel, 60" vert. travel, approx. 54" L. travel, hardened and ground bedways, #50 NST spndl. taper w/pwr. drawbar, S/N 400-141-68.

TABLE-TYPE HORIZONTAL BORING MILLS

5" GIDDINGS & LEWIS MDL. 350T, spndl. spds.: 7.5–975 RPM, 5" spndl. dia., 48" x 98" tbl., 84" cross travel, 48" vert. travel, approx. 60" L. travel, outboard suppt., 3-axis D.R.O., S/N 9317.

OHIO, 5" spndl. dia., 51-3/4" x 96" tbl., approx. 60" vert. travel, approx. 72" horiz. travel, approx. 60" L. travel, spds.: 5.3–300 RPM, pendant control, Reliance 30 HP DC variable spd. drive, S/N M400.

4" GIDDINGS & LEWIS MDL. 340T, 48" x 98" tbl., 84" cross travel, approx. 60" vert. travel, approx. 72" L. saddle travel, 3-axis D.R.O., outboard suppt., S/N 6195.

4" GIDDINGS & LEWIS MDL. 340T, 4" spndl. dia., 36" x 74" tbl., 60" tbl. cross travel, approx. 60" vert. travel, approx. 84" L. saddle travel, main spndl. spds.: 7.5–450 RPM, aux. spndl. spds.: 25–1,500 RPM, 5-axis D.R.O., 12" x 62" sliding parts suppt., outboard suppt., spndl. adapter, S/N 6240.

4" GIDDINGS & LEWIS MDL. 340T, 48" x 74" tbl., 60" cross travel, 48" vert. travel, approx. 60" L. travel, outboard suppt., 2-axis D.R.O., S/N 5379.

4" GIDDINGS & LEWIS MDL. 340T, 36" x 62" tbl., 48" cross travel, 48" vert. travel, 3-axis D.R.O., outboard suppt., S/N 6366.

VERTICAL BORING MILL

CINCINNATI HYPRO, 72" tbl., approx. 76" swing, twin swivel boring rams on rail, side head, spds.: 1.1–135 RPM, approx. 60" ht. under crossrail, S/N 6228.

VERTICAL TURRET LATHES

BULLARD 50" SPIRAL DRIVE, approx. 48" under rail, 54" sw. to side head, 5-pos. vert. turret, spds.: 4–60 RPM, 25 HP main sgl. drive motor, built-in 4-jaw chuck, coolant base, S/N 22714.

KING 42", plain tbl. w/(4) top jaws, side head, approx. 36" under rail, spds.: 3–90 RPM, S/N N.A.

BORING MILL ACCESSORIES

59"W. X 24"L. X 12" HT. T-SLOTTED CAST IRON FLOOR PLATE; **60"W. X 15"L. X 14" THK. CAST IRON FLOOR PLATE** w/level pockets; **24"W. X 72" HT. X 24" DP. FABRICATED STEEL ANGLE PLATES** (matched pair of two); **30" X 30" X 26" FABRICATED STEEL ANGLE PLATES** (matched pair of two); **24" X 48" X 24" ANGLE PLATES** (matched pair of two); **8"W. X 36" HT. X 24" DP. ANGLE PLATES** (matched set of four); **8"W. X 48" X 24" DP.** (matched set of four); **78"W. X APPROX. 24"L. CAST IRON PLANER** currently used as a floor plate; **SEVERAL TILTING FIXTURE PLATES.**

CNC VERTICAL MACHINING CENTERS

BROWN & SHARPE SYSTEM MDL. 2000VC, Bendex System 5M CNC control, 30" x 81" tbl., CAT-40 spndl. taper, 36-station ATC, drilled and tapped sub-plate, S/N 517-3-301.

BROWN & SHARPE SYSTEM MDL. 1500VMC, Brown & Sharpe Bendex System 5M CNC control, 30" x 60" tbl., 60" X-axis travel, CAT-40 spndl. taper, 24-station ATC, S/N 517-3-321.

REPUBLIC LAGUN MDL. 4824, new 1998, Delta Dynapath CNC control, 24" x 48" tbl., 24-station ATC, CAT-40 spndl. taper, S/N 42866.

HORIZONTAL MACHINING CENTER

BURGMASER MDL. HTC-330, G.E. Mark Century 1050 CNC control, 39" x 85-3/4" tbl., 3-station ATC, CAT-50 spndl. taper, tbl. outriggers, S/N 246027.



CNC GIDDINGS & LEWIS MDL. 70E4-T-3X CNC TABLE-TYPE HORIZONTAL BORING MILL



CNC REPUBLIC LAGUN MDL. 4824 CNC VERTICAL MACHINING CENTER



BULLARD 50" VERTICAL TURRET LATHE



CNC

PROFITURN 50 44" X 136" CNC LATHE



LIBERTY 44" X 144" OPEN-SIDE PLANER



**D.C. MORRISON
KEYSEATER**

AUCTION: WEDNESDAY, JANUARY 18 • 10:00 A.M.

PLANER MILL

GRAY 32"W. X APPROX. 20'L., side planning head, Romulus Tool approx. 20 HP vert. milling spndl., S/N N.A. (Downtown Location – To be sold by photo. You will get driving directions when you register).

OPEN-SIDE PLANER

LIBERTY, 44"W. x 144"L. tbl., approx. 48" under rail, rail head, side head, 25 HP tbl. drive motor.

VERTICAL MILLING MACHINES

JET, 9" x 42" tbl., belt driven head, spds.: 80–2,722 RPM, 2-axis D.R.O., 1 HP motor, S/N 806485.

BRIDGEPORT, 9" x 42" tbl., Bridgeport shaping attach., S/N 37720.

BRIDGEPORT MDL. 2J, 9" x 42" tbl., spds.: 60–4,200 RPM, chrome ways, S/N 121109.

PILGRIM MDL. JS-2V, 9" x 42" tbl., 2-axis D.R.O., S/N 79149.

MILWAUKEE MDL. 2H VERTICAL, 10" x 50" tbl., spds.: 35–1,400 RPM, #50 NST spndl. taper, S/N 37-3666.

RADIAL ARM DRILLS

CINCINNATI BICKFORD 7' X 19" SUPER SERVICE, S/N 6E-325 (Downtown Location – To be sold by photo. You will get driving directions when you register).

CARLTON 4' X 13", spds.: 12–1,200 RPM, #5 MT spndl. taper, pwr. head traverse, pwr. clamping, plain box tbl., S/N 3A4010.

GIDDINGS & LEWIS 4' X 9" CHIPMASTER, spds.: 90–1,800 RPM, plain box tbl., S/N 951-00150-63.

AMERICAN HOLE WIZARD 4' X 13", L-base, spds.: 25–2,000 RPM, plain box tbl., (2) wing extensions, S/N N.A.

VERTICAL SLOTTERS

ROCKFORD HYDRAULIC, 24" ram stroke, 28" dia. built-in rotary tbl., tilting ram, S/N N.A.

PRATT & WHITNEY MDL. B, 6" stroke, 19-1/2" dia. built-in rotary tbl., S/N 226.

KEYSEATER

D. C. MORRISON, accessories, hold-down and wide selection of sgl. tooth cutters, S/N KR793477.

CNC LATHES

LODGE & SHIPLEY PROFITURN 50 44" x 136", G.E. 1050 CNC control, 44" sw. over bed, 136" dist. btwn. centers, 38-1/2" sw. over carriage, 28" sw. over crossslide, horiz. 6-pos. turret, steadyrest, 9" dia. spndl. hole, 50 HP spndl. drive motor, chip conveyor, S/N 50472.

GIDDINGS & LEWIS NUMERITURN 42" X 80", Giddings & Lewis 800 CNC control, 15" hyd. chuck, S/N 532-164-80.

LEBLOND TAPE TURN II, 32" x 120", G.E. 1050 CNC control, approx. 32" sw. over bed, 120" dist. btwn. centers, 6-pos. horiz. turret, chip conveyor, S/N TCNEC-973.

LEBLOND TAPETURN REGAL 24" X 60", G.E. 1050 CNC control, 5" spndl. thru hole, 24-1/2" dia. 4-jaw chuck, 3-jaw chuck, tailstock, chip conveyor, steadyrest, S/N TCHS1122.

MAZAK DYNATURN MDL. 15L, Fanuc System 5T CNC control, hyd. tailstock, 6" chuck, chip conveyor, S/N 40707.

ENGINE LATHES

PROGRESS 68" X 30" MDL. TP260/4, spds.: 8.3–500 RPM, belt sanding attach., steadyrest, rapid traverse, S/N N.A.

MEUSER 54" X 120", 39" sw. over crossslide, 3" spndl. hole, spds.: 4–400 RPM, inch/metric thdng., 39-1/2" dia. 4-jaw chuck, pwr. feed compound, remote pendant control, S/N M6-40390.

NILES 40" X 20", spds.: 3.8–309 RPM, steadyrest, S/N 22409.

MONARCH MDL. 2516X120, Series 80, 25" swing, 25" dia. 4-jaw chuck, 3.15" spndl. hole, spds.: 10–1,250 RPM, hyd. shift headstock, (2) steady rests, rapid traverse, S/N 46547.

TARNOW 20" X 60" GAP BED, 10" sw. over crossslide, taper attach., 3-jaw and 4-jaw chucks, steadyrest, S/N 3275.

MONARCH 12" X 30" MDL. 12C, spds.: 13–550 RPM, S/N 9427.

HARDINGE MDL. DV59 PRECISION, collet closer, cabinet base, S/N N.A.

On-Site Bidding in Alton, Illinois or Bid Via Webcast at BidSpotter.com



**ROCKFORD AND PRATT & WHITNEY
VERTICAL SLOTTERS**



**AMERICAN 4' X 13"
RADIAL ARM DRILL**



MEUSER 54" X 120" ENGINE LATHE



96" BLANCHARD VERTICAL ROTARY SURFACE GRINDER



NORTON 14" X 192" PLAIN CYLINDRICAL GRINDER



HANCHETT 36" X 84" OPEN-SIDE SURFACE GRINDER

ROTARY SURFACE GRINDERS

96" BLANCHARD, 96" dia. tbl., 100" swing, 42" dia. segmented wheel, 60 HP spndl. drive motor, external coolant system, S/N 1449.

42" BLANCHARD MDL. 18-42, approx. 12" ht. under new wheel, 18" segmented wheel, approx. 25 HP motor, S/N 6827.

SURFACE GRINDERS

HANCHETT 36" X 84" OPEN-SIDE HORIZONTAL SURFACE GRINDER, approx. 20" ht. under new wheel, 30" x 4" max. wheel size, electromagnetic chuck w/neutrofier, Encyclon Cylonic coolant filter system, S/N 0S35.

BROWN & SHARPE 8" X 24" NO. 5 HYDRAULIC SURFACE GRINDER, electromagnetic chuck, S/N N.A.

TAFT PIERCE 5" X 10" HAND FEED SURFACE GRINDER, S/N N.A.

CYLINDRICAL GRINDERS

NORTON 14" x 192" PLAIN, 15" actual swing, 30" dia. x 3" max. wheel size, large qty. 2-pt. steadyrests, center grinding attach., swivel dresser, tailstock mtd. dresser, large qty. grinding dogs, variable spd. wheelhead motor, S/N 21114.

LANDIS MDL. 14X363R UNIVERSAL, 12" max. wheel size, 5 HP wheel drive motor, variable spd. live/dead workhead w/swivel mount, S/N 840-23.

MISCELLANEOUS GRINDERS

HEALD MDL. 172 INTERNAL GRINDER, 36" dia. faceplate, swivel workhead w/DC variable spd. drive, Redhead spndl., S/N 23276.

GARDNER MACHINE NO. 6 DOUBLE DISC GRINDER, 24" disc w/tilting tbl.; U.S. ELECTRICAL TOOL H.D. PEDESTAL GRINDER, 7-1/2 HP motor; BOYAR SCHULTZ NO. 2 VERTICAL PROFILE GRINDER; H.D. 5 HP PEDESTAL GRINDER w/cast iron stand; POWERMATIC DOUBLE-END CARBIDE GRINDER, 1/2 HP motor, cast iron stand; POWERMATIC H.D. PEDESTAL GRINDER, 2 HP motor, cast iron; HAMMOND CHIP BREAKER/GRINDER.

PRESSES

FARQUHAR APPROX. 300 T. CAP. HYDRAULIC TRAVELLING COLUMN STRAIGHTENING PRESS, approx. 24" ram stroke, approx. 20" main cylinder dia., 31-1/2"W. x approx. 30"L. bed, pwr. travel, 2-post design, 36" dist. btwn. posts, assorted straightening equipment, Stock Order 13134PG, S/N 1717.

LENHARDT TOOL AND DIE HYDRAULIC STRAIGHTENING PRESS, 30"W. x 114-1/2"L. bed, heavy fabricated steel construction, currently eqpd. w/Enerpac 200 T. (est.) cap. and 100 T. (est.) cap. hyd. cylinders on sliding saddles.

LENHARDT/CUSTOM HYDRAULIC STRAIGHTENING PRESS, 18"W. x 93"L. bed, Enerpac approx. 150 T. cylinder on sliding ram.

UP-ACTING HYDRAULIC PRESS, 102" btwn. columns, 4-post design, adj. bed ht., up to approx. 72" open, 40 HP unitized hydraulics.

APPROX. 50 T. CAP. H-FRAME SHOP PRESS, adj. bed ht., 42" dist. btwn. uprights.

COIL REEL

AMERICAN STEEL LINE 6,000-LB. CAP., 36" max. coil width, S/N 4104-3/73 (Downtown Location - To be sold by photo. You will get driving directions when you register).

SAWS

MARVEL MDL. 9 HACKSAW, 2" blade, H.D. infeed roller conveyor, mechanical stop, S/N 99112-1.

DOALL 36" MDL. V36 VERTICAL BANDSAW, 28" tilting tbl., blade welder and grinder, variable spd., S/N N.A.

WELLS 12" MDL. 1200 HORIZONTAL BANDSAW, S/N N.A.

EMERSON 10" MDL. 10-2000S HORIZONTAL BANDSAW, 1" blade, infeed roller conveyor, S/N 2235P0002.

TOLEDO BEAVER 20" SPEEDCUT-20 ABRASIVE CUT-OFF SAW, bar suppt., fabricated steel stand, S/N 200-101-01868.

HIGH-SPEED SHEAR

PRODUCTION MACHINERY CO., 24" max. width, air clutch, pwrdr. rollers, S/N 475-120 (Downtown Location - To be sold by photo. You will get driving directions when you register).



LANDIS MDL. 14X363R UNIVERSAL CYLINDRICAL GRINDER



LENHARDT CUSTOM HYDRAULIC STRAIGHTENING PRESS



VERSON MDL. 115-12 MECHANICAL PRESS BRAKE

AUCTION: WEDNESDAY, JANUARY 18 • 10:00 A.M.

IRONWORKER

METAL MUNCHER APPROX. 60 T. CAP. MDL. MM61BC, S/N 22621275.

MECHANICAL PRESSBRAKE

VERSON MDL. 115-12, bolt-on bed angles, 21' ttl. bed length, 36" R&L bed and ram extensions, mechanical clutch w/air activation, S/N 4002.

OXY. FUEL BURNING MACHINE

HEATH MDL. M6D ELECTRIC EYE STYLE, coordinate drive system, cantilever, 72" max. burning width, 20' max. burning length, (2) oxy. fuel torches w/motorized holders, S/N 7162.

POWER TURNING ROLLS

PANDJIRIS POWER TURNING ROLL SET, approx. 5 T. cap., 3"W. X 12" dia. wheels, adj. centers, pwr. drive.

PANDJIRIS APPROX. 30 T. CAP. POWER AND IDLER TURNING ROLL SET, variable spd. drive, dual 4" x 16" wheels, mtd. to rail cart.

HYDRAULIC GEAR PULLERS

ENERPAC 100 T. CAP. MDL. EPH1002, 2-jaw, portable base, adj. ht. stand.

ENERPAC MDL. 100TB-1, Enerpac 100 T. cap. hyd. cylinder retrofit, on portable stand.

MISCELLANEOUS WELDING EQUIPMENT

HYPERTERM POWERMAX MDL. 1000 PORTABLE PLASMA CUTTER w/torch; LINCOLN MDL. LN8 SUB-ARC WELDING TRACTOR, flux tank, feeder, running gear; XAT TRACK TORCH, 10' track, perm. magnetic mount, S/N 15624-232; PHOENIX DRY ROD ELECTRODE STABILIZING OVEN; QTY. OF WELDING WIRE; TIG WELDING WIRE; ELECTRODES; LARGE SELECTION OF H.D. WELDING TBLS. in various sizes; HEAVY CAPACITY FABRICATED STEEL HORSES; LARGE QTY. OF ROLLER PIPE STANDS.

WELDING POSITIONERS

CULLEN FRIESTADT 14,000-LB. CAP. MDL. 140, adj. ht. base, 65" sq. platen, variable spd. rotation, S/N 338.

CULLEN FRIESTADT APPROX. 4,000-LB. CAP., 42" dia. rd. platen, S/N M859.

PANDJIRIS 3,000-LB. CAP. MDL. 30-6, 24" sq. platen, adj. ht. base, S/N 800-4563-4.

PANDJIRIS APPROX. 3,000-LB. CAP., 36" dia. rd. platen, variable spd. drive, foot pedal control.

PANDJIRIS APPROX. 2,000-LB. CAP., 36" sq. platen, foot pedal control.

ARONSON MDL. HD20B-PTVR2, 2,000-lb. cap. @ 6" L.C., adj. ht. base, casters, 24" dia. rd. platen, S/N 841182.

PANDJIRIS APPROX. 500-LB. CAP., 16" sq. platen, on roller stand.

WELDING MACHINES

LINCOLN IDEALARC MDL. DC600 WELDER, 600 amps @ 44 v., 100% duty cycle, Lincoln LN8 sub-arc wire feed w/flux tank and running gear, multi-process switch, S/N U1951103049.

(3) MILLER DIMENSION MDL. 652 MIG WELDERS, 650 amps @ 44 v., 100% duty cycle, S/N KK149687 and S/N KK130023 w/Miller 24V constant speed wire feeder on stand, S/N KK130022 w/Miller 60 Series wire feeder.

LINCOLN IDEALARC MDL. R3S600 WELDER, 600 amps @ 44 v., 80% duty cycle, S/N AC389272.

(4) MILLER DIMENSION MDL. 400 WELDERS, 400 amps @ 36 v., 100% duty cycle, S/N KG227063, S/N KE754162, S/N KD457150, S/N KC262928 w/running gear.

MILLER DIMENSION MDL. 302 MIG WELDER, 300 amps @ 32 v., 100% duty cycle, Miller 60 Series wire feeder on cart, S/N KJ077466.

MILLER SYNCROWAVE MDL. 351 TIG WELDER, 350 amps @ 34 v., 40% duty cycle, foot pedal, cooler, TIG torch, S/N KD395572.



METAL MUNCHER MDL. MM61BC
HYDRAULIC IRONWORKER



CULLEN FRIESTADT 14,000-LB. CAP.
WELDING POSITIONER



MILLER 650 AMP MIG WELDER



< HYPERTERM PORTABLE
PLASMA CUTTER

> MILLER SYNCROWAVE 351
TIG WELDER

INSPECTION:

Tuesday,
January 17,
9:00 A.M. to
4:00 P.M.
& Morning of Sale



HYDRAULIC GEAR PULLERS




PARTIAL VIEW OF PRECISION INSTRUMENTS



ASSORTED ANGLE PLATES



POWER TOOLS



AUCTION

AUCTION: WEDNESDAY, JANUARY 18 • 10:00 A.M.

At the Premises of
LENHARDT TOOL & DIE COMPANY

3100 E. Broadway
ALTON, ILLINOIS 62002
(See Directions on Back Page)

PRECISION INSTRUMENTS

MBC SUPPLY MDL. 6639-2030 HARDNESS TESTER; STARRETT 60" TO 66" INTERCHANGEABLE ANVIL MICROMETER; ENDMILLS up to 3" dia.; SHELL MILLS; FACEMILLS; SIDE CUTTING MILLS; TAPS; THREAD PLUG GAUGES; 48" X 96" X 14" THK. GRANITE SURFACE PLATE, Grade B w/heavy fabricated stand; 48" X 72" X 12" THK. GRANITE SURFACE PLATE, Grade B, on fabricated steel stand.

MISCELLANEOUS MACHINES

ENGIS DIAFORM PANTOGRAPH WHEEL DRESSER in case; ENERPAC H.D. ELECTRIC DRIVEN HYDRAULIC POWER SUPPLY; (4) ENERPAC HYDRAULIC JACK CYLINDERS up to 100 T. cap.; FAMCO MDL. 3-1/2GR GEARED RATCHET-STYLE LEVER TYPE ARBOR PRESS w/fabricated stand; H-FRAME HAND PUMP ARBOR PRESS, adj. ht. bed, outboard lever type; SUNNEN MDL. MA HONE; PEXTO 36" SLIP ROLL, wire grooves, fabricated stand; PEXTO 36" MDL. 1376 FOOT SHEAR, S/N 146.

BLAST CABINET

PROFINISH MDL. PF2636 EMPIRE GLOVE BOX-STYLE, 26" x 36" x 26" cabinet, recirculating media system, dust collector, S/N 2008.

AIR COMPRESSOR

GARDNER DENVER MDL. ECHQJF ROTARY SCREW, new 1990, S/N M50446.

REFRIGERATED AIR DRYER

DONALDSON AIR CELL MDL. VF1600, 1,600 CFM cap., S/N V1SP-MI4638.

RAW MATERIAL

ROUND RAW MATERIAL STOCK; HEAVY WALL PIPE; COLD ROLL AND HOT ROLL BARS; ANGULAR STRUCTURAL STEEL, sorted on racks.

MISC. SHOP & WAREHOUSE EQUIPMENT

KURT 6" MILLING VISES; 8" H.D. MILLING VISES; TROYKE 24" ROTARY TBL.; BRIDGEPORT 18" ROTARY TBL.; HUGE QTY. OF CAT-40 AND CAT-50 SPINDLE TAPER TOOLING; TITLING ANGLE PLATES; TILTING VISES up to 6"; ASSORTED 3-JAW AND 4-JAW CHUCKS; (2) CAT-50 TAPER RIGHT ANGLE ATTACHMENTS; HUGE ASSORTMENT OF TURNING TOOLS; LARGE QTY. OF H.D. STEEL FABRICATED HORSES in various sizes; GIDDINGS & LEWIS H.D. RIGHT ANGLE ATTACHMENT; (2) CINCINNATI 15" DIVIDING HEADS w/tailstock; H.D. INDEXABLE DRILLS; LARGE SELECTION OF INDEXABLE BORING BARS; QUALIFIED TURNING TOOLHOLDERS; ALORIS TOOLPOST w/holders; LIVE CENTERS incl. bullnose and extended tip; JACOBS DRILL CHUCKS; TREPANNING TOOLS; LARGE SELECTION OF CARBIDE INSERTS; EXTENDED LENGTH INTERNAL GRINDING ATTACHMENT for lathe mount; TRANSMILL PORTABLE MILLING MACHINE; HUGE ASSORTMENT OF MICROMETERS up to 48" cap.; VERNIER CALIPERS up to 60" cap.; END MEASURING RODS; TORQUE WRENCHES; PRECISION SQUARES; DIAL TYPE HT. GAUGES up to 24"; (6) SUNNEN PORTABLE HONE SETS—(2) SN75, JN95, AN815, SNJ10, UNMARKED, incl. large qty. of honing stones; HUGE ASSORTMENT OF SET-UP EQUIPMENT incl. strap clamps, toe clamps, studs, bolts, nuts, eyebolts, H.D. swivel eyebolts; 36" DIA. BOX FAN; LINE BORING BARS NO. 6 MT w/accessories; 36" H.D. ROTARY TBL.; MILWAUKEE DIE FILER.

POWER & HAND TOOLS

WIDE SELECTION OF PNEUMATIC AND ELECTRIC POWER TOOLS, INCL. PNEUMATIC RIGHT ANGLE GRINDERS BY PORTER CABLE AND CLEMCO; DYNABRADE SANDERS; INGERSOLL RAND AND PORTER CABLE AIR IMPACT WRENCHES; INGERSOLL RAND 1" DRIVE AIR IMPACT WRENCH; BIAK SCRAPER; STRIP SANDERS; MAKITA STRIP SANDERS; MILWAUKEE STRAIGHT SHAFT GRINDERS; BOSCH 4" AND 6" RIGHT ANGLE GRINDERS; MATAVO 6" RIGHT ANGLE GRINDERS; MILWAUKEE 3/4" H.D. DRILL; SKIL MAGNETIC BASE DRILL; LARGE SELECTION OF BENCH VISES; H.D. FORGED C-CLAMPS AND EXTENDABLE ANVIL C-CLAMPS.

REPAIR PARTS INVENTORY

HUGE ASSORTMENT OF STEEL MILL REPAIR PARTS incl. bushings, bearings, bearing stock, shives, sleeves, shafts, plates, fasteners, lock nuts, 100's of bearings and seals.



PRECISION BORING HEADS



HUGE ASSORTMENT OF BEARINGS



VISES, ANGLE PLATES AND FIXTURES

FORKLIFTS

GERLINGER 18,000-LB. CAP., LPG pwr., 2-stage mast, 3-wheel design, dual front pneu. tires, 10' forks, side shift, S/N N.A.

HYSTER 15,200-LB. CAP. MDL. S155XL, LPG pwr., 15,200-lb. cap. @ 20" L.C., 14,900-lb. cap. @ 24" L.C., 3-stage mast, 162" max. lift, side shift, pwr. forks, cushion tires, S/N B024D02618P.

HYSTER 15,000-LB. CAP. MDL. RT150, LP pwr., 48" forks, dual front solid tires, S/N RT85652.

HYSTER APPROX. 10,000-LB. CAP. MDL. S100E, LP pwr., 2-stage mast, 42"L. forks, S/N C004D06346D.

HYSTER APPROX. 10,000-LB. CAP., LPG pwr., 2-stage mast, 42" forks, cushion tires, S/N N.A.



HYSTER LPG FORKLIFT



HYSTER ELECTRIC FORKLIFT

NISSAN 7,350-LB. CAP. MDL. ENDURO 80, LPG pwr., 7,350-lb. cap. @ 24" L.C., side shift, cushion tire, S/N KCUGH02P900670.

HYSTER APPROX. 4,000-LB. CAP., LPG pwr. (currently out of service).

ELECTRIC FORKLIFTS

(2) **HYSTER 11,050-LB. MAX. CAP. MDL. E100XLS**, 111" max. lift ht., 36 v., S/N C09B-D03717U, S/N C09BD03719U, currently missing battery pack.



2 T. ABELL HOWE FREE-STANDING JIB CRANE

FREE-STANDING PEDESTAL JIB CRANES

ABELL HOWE 3 T. X APPROX. 18' REACH, approx. 10' ht. under hook, P&H heavy lift wire rope hoist w/pwr. trolley.

ABELL HOWE 2 T. X 15' REACH, approx. 10' ht. under hook, Coffing 2 T. elec. chain hoist w/pwr. trolley.

INDUSTRIAL EQUIPMENT CO. 3 T. X APPROX. 12' REACH, 10' ht. under rail, Ingersoll 3 T. wire rope hoist.

ABELL HOWE 2 T. X APPROX. 12' REACH, 8' ht. under hook, Jet 2 T. elec. chain hoist.

ABELL HOWE 2 T. X APPROX. 12' REACH, 8' ht. under hook, Ingersoll 2 T. air hoist.

ABELL HOWE 2 T. X 12' REACH, 10' ht. under rail.

ABELL HOWE 1 T. X APPROX. 16' REACH, 10' ht. under hook.

COLUMN-MOUNTED JIB CRANES

(5) 1/2 T. CAP., assorted reaches, various elec. chain hoists.



JLG SELF-PROPELLED SCISSOR LIFT

TRUCKS

FORD FLATBED, Fuller trans., 20' steel deck bed, 2-spd. trans-axle, ODO: 127,000 miles, VIN 1FDZU82E7VVA11344.

FORD MDL. F-350XL FLATBED, 5-spd. manual trans., 108" x 96" wood deck bed w/side rails, ODO: 194,000 miles, IL Lic. No. 96944J, VIN 1FDKF37G1SNA63301.

FORD MDL. F-250 HEAVY-DUTY PICKUP, auto. trans., 8' bed, IL Lic. No. MCHSHOP, VIN 1FTHF25H8VEC46901.

SCISSOR LIFT

JLG COMMANDER SCISSOR MDL. CM-2033, 17' max. travel ht., 20' max. platform ht., 750-lb. cap. max. load, self-propelled battery, extendable pulpit, S/N C012792.

ELECTRIC VEHICLES

TAYLOR DUNN MDL. B12-80 PLATFORM TRUCK, 54"W. x 90"L. steel deck w/bottle racks, 36 v., S/N 114433.

TAYLOR DUNN PLATFORM TRUCK, 40"W. x 72"L. bed, 36 v., built-in charger, S/N N.A.

EZ-GO MDL. C403 GOLF CART, S/N 1584887.

MATERIAL HANDLING EQUIPMENT

EXTENDABLE FORKLIFT BOOM up to 12' reach, unknown cap.; (2) **H.D. FORKLIFT BOOMS; STRAPS; NYLON STRAPS; CHAIN LINK METAL STRAPS; H.D. LIFTING CHAINS; WIRE ROPE SLINGS; BAR LIFTERS; PLATE CLAMPS; HYDRAULIC JACKS; SIMPLEX MECHANICAL SCREW JACKS; TIER DROP STYLE PALLET RACK** up to 10' beams x 12' ht.



STEEL MILL REPAIR PARTS



FORD FLATBED PICKUP TRUCK

INSPECTION:

Tuesday,
January 17,
9:00 A.M. to
4:00 P.M.
& Morning of Sale

**On-Site Bidding in
Alton, Illinois or
Bid Via Webcast at**

BidSpotter.com

PLANT & MACHINERY INC.
AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE

P.O. Box 19100
Houston, TX 77224-9100

DATED MATERIAL - PLEASE DELIVER



PUBLIC INVITED
AUCTION: WED., JAN. 18 • 10:00 A.M.



Presorted
First Class Mail
U.S. Postage
PAID
Eugene, Oregon
Permit No. 17

**ATTENTION: PLANT MANAGER
OR EQUIPMENT BUYER**

**HEAVY MACHINING
& FABRICATION FACILITY
CLOSING**

**Featuring: Large Capacity CNC
& Manual Machine Tools & Grinders;
Pressbrakes; Bender;
Positioner; Jib Cranes; Forklifts;
Rolling Stock; More!**



DIRECTIONS & LODGING

FROM ST. LOUIS INTERNATIONAL AIRPORT: Exit airport using I-70 E toward St. Louis and proceed approx. one mile. Merge onto I-170 N via Exit 238B and proceed approx. three miles. Merge onto I-270 E via Exit 10B toward Chicago and proceed approx. 5-1/2 miles. Take the MO-367 N Exit #31B, toward Alton, Illinois. Merge onto Lewis and Clark Blvd. and proceed approx. 5 miles. Lewis and Clark Blvd. becomes US-67 N/US Hwy. 67 and crosses into Illinois. Turn right onto Il 143/River Heritage Parkway and immediately turn left onto Broadway Connector/IL-140. Proceed to auction site on the left hand side, 3100 E. Broadway, Alton, Illinois 62002. Watch for auction signs.

- Hampton Inn & Suites**..... (618) 433-8999
1904 Homer M Adams Pkwy., Alton, Illinois 62002
- Comfort Inn**..... (618) 465-9999
11 Crossroads Court, Alton, Illinois 62002
- Best Western**..... (844) 442-3938
1900 Homer M Adams Pkwy., Alton, Illinois 62002

UNABLE TO ATTEND?

Bid on-line in real time at **BidSpotter.com**
TO PARTICIPATE YOU MUST:

1. Register at www.BidSpotter.com. Use the link to BidSpotter on PMI's website calendar. **DO IT NOW.**
2. Either send wire transfer, or, overnight delivery service a cashier's check deposit in the amount of \$3,000 (U.S. Bidders) or \$10,000 (Foreign Bidders) to:
Plant & Machinery Inc.
1304 Langham Creek Drive, Suite 454, Houston, TX 77084
Wire transfer instructions can be found at pmi-auction.com

You must be registered and have your deposit in the hands of Plant & Machinery, Inc. at least 24 hours prior to the start of the auction. Failure to register and/or failure to send your deposit to Plant & Machinery, Inc. may disqualify you from bidding. **DON'T WAIT.**
If you need assistance, don't hesitate to call (713) 691-4401.
ALL WEBCAST BIDS ARE SUBJECT TO AN 18% BUYER'S PREMIUM.

**FINANCE
YOUR AUCTION
PURCHASE**

Conserve Your Cash &
Increase Your Bidding Power
**AuctionLea\$e Provides
M&E Financing**
**With Approvals from
\$5,000 to \$999,000**
(800) 438-1470
Apply Online:
www.AuctionLease.com

PARTIAL TERMS & CONDITIONS

A 15% Buyer's Premium Will Apply On-site.
An 18% Buyer's Premium Will Apply to Webcast Bids. See Above Rules for Participation.
Everything will be sold to the highest bidder or bidders for cash in accordance with the auctioneer's Customary Terms of Sale, copies of which will be posted on the premises.
ALL PAYMENTS MUST BE MADE BY CASH, CASHIER'S CHECK, WIRE TRANSFER OR COMPANY CHECK WITH BANK LETTER GUARANTEEING PAYMENT TO PLANT & MACHINERY INC.
Here is an example of what your letter should be: *Mr. "Customer Name" is a customer of this bank. This bank will guarantee unqualified payment to PMI on the account listed herein up to the amount of \$_____. This letter is good until February 20, 2017.*
In default of payment of bills in full within the time therein specified, the Auctioneer in addition to all other remedies allowed by law, may retain all monies received as deposit or otherwise, as liquidated damages. All items must be removed by the time announced at the start of the sale.
Lots not paid for and/or removed within the time allowed may be resold at public or private sale without further notice, and any deficiency, together with all expenses and charge of resale, will be charged to the defaulting purchaser.
The buyer acknowledges that he or an agent has inspected all of the assets upon which he will be bidding and/or does purchase.
Buyer agrees to accept assets purchased "AS IS," WITH "ALL FAULTS" AND "WITH REMOVAL AT BUYER'S RISK AND EXPENSE." THE AUCTIONEER EXPRESSLY DISCLAIMS ON THE

PART OF THE AUCTIONEER AS AGENT AND THE SELLER, ANY WARRANTY AS TO FITNESS OR USABILITY OF ALL THE ASSETS, AND THE BUYER EXPRESSLY WAIVES ANY CLAIM IN RESPECT TO ANY POSSIBLE FUTURE USE OF ANY ASSET PURCHASED FOR ANY PURPOSE WHATSOEVER.
The buyer does hereby assume and does agree to indemnify and hold the auctioneer harmless from any future claim which shall pertain to the fitness or use of that asset as being purchased. Riggers, movers, electricians and buyers performing work at the Auction Site must provide PMI with evidence of insurance. The insurance coverage must be at a level acceptable to PMI and to the seller. PMI reserves the right to withdraw items, alter the order of the sale, accept bids from the seller, and group lots as it may deem appropriate. This auction may include consignment items.
Although all information has been obtained from sources deemed reliable, the auctioneer and seller make no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained, or contained in our catalog. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the auction. Although it is not likely, auction sales are subject to cancellation or postponement. Kindly contact auctioneer prior to attendance.
These terms and conditions may be modified or supplemented by language in the catalog available at the sale site or by announcement at the start of the sale. Bidders should be attentive to those announcements and to the catalog language.