



# AUCTION

## COMPLETE MACHINING & FABRICATING FACILITY CLOSURE DUE TO RETIREMENT

Featuring: Late-Model Manual Machine Tools, Fabricating Machines, Welders, Shop Tools & Much, Much More



< MAGNA-MILL  
4" HORIZ.  
BORING  
MILL



POREBA 36" X 236" GAP BED ENGINE LATHE

2000  
LARGE  
CAPACITY

At the Premises of  
**SPECIALTY MACHINE  
& WELDING SERVICE, INC.**  
345 Hawkins Crossing Drive  
MERIDIAN, MISSISSIPPI 39301  
*(See Directions on Back Page)*

**AUCTION:  
THURSDAY  
MAY 7  
10:00 A.M.**

**INSPECTION**  
Wednesday, May 6  
9:00 A.M. to 4:00 P.M.  
& Morning of Sale

**BUYER'S  
PREMIUM:**  
**15% ON-SITE**  
**18% WEBCAST**

**On-Site Bidding in Meridian, Mississippi  
or Bid Via Webcast at [BidSpotter.com](http://BidSpotter.com)**



2006

>  
WYSONG  
10' X 250 T.  
CAP.  
HYDRAULIC  
PRESS-  
BRAKE

<  
IMCAR  
4" X 4" X 1/2"  
ANGLE  
BENDING  
ROLL

*Read Partial Terms and Conditions on Back  
Page of Brochure*



Sale Conducted By:

**PLANT & MACHINERY INC.**

AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE

PMI MS Lic. #417F • Ron Moore, MS Lic. #425

HOUSTON • DALLAS • ST. LOUIS

**Headquarters:**  
**1304 Langham Creek Drive, Suite 454**  
**Houston, Texas 77084**

**PHONE: (713) 691-4401**

**FAX: (713) 672-7905**

**E-MAIL: [pmi@pmi-auction.com](mailto:pmi@pmi-auction.com)**  
**WEBSITE: [www.pmi-auction.com](http://www.pmi-auction.com)**



### TABLE TYPE HORIZONTAL BORING MILL

**MAGNA-MILL MDL. HBM-4T**, new 1996, 4" spndl. dia., No. 50 NST spndl. taper, spds.: 9–1,000 RPM, 15 HP spndl. drive motor, 24.8" spndl. travel, 64.96" headstock vert. travel, 70.86" tbl. cross travel, 64.96" tbl. long. travel, 43.3" x 55.1" tbl., 8,800 lb. max. tbl. load, angular milling attach., rotating spndl. suppt., facing head, assorted change gears, pwr. drawbar, Heidenhain 3-axis D.R.O., full function pendant, telescoping way guards, built-in tbl. outriggers, S/N 140437695.



**MAGNA-MILL  
RIGHT ANGLE HEAD**



**PARTIAL VIEW OF  
BORING MILL  
ACCESSORIES**

### BORING MILL ACCESSORIES

**(3) SETS OF FABRICATED ANGLE PLATES:** (1) 16"W. x 59"Ht. x 28" D. dbl. sided, (1) 16"W. x 37"Ht. x 19"D. and (1) 8"W. x 20"Ht. x 11-1/2" D.; **(2) SINGLE FABRICATED ANGLE PLATES:** (1) 20"W. x 16"Ht. x 12"D. and (1) 36"W. x 24"Ht. x 12"D.; **46-3/4"W. X 11"D. X 16"HT. PRECISION RISER; CRITERION NO. 50 TAPER BORING HEAD; NA-REX CONTINUOUS FEED BORING ATTACHMENT** w/accessories.



**POREBA 36" X 236" GAP BED ENGINE LATHE**

### ENGINE LATHES

**POREBA 36" X 236" GAP BED**, Mdl. TPK90A1X6M, new 2000, 4.1" spndl. hole, spds.: 18–900 RPM, inch/metric thdng., 36-1/2" sw. over bed, 236" dist. btwn. centers, 49" sw. in gap, 25" sw. over crossslide, approx. 18" length of gap, 24-1/2" dia. 3-jaw chuck, 6-way pwr. rapid traverse, taper attach., (2) roller jaw steadyrests, machine guarding, 6-way pwr. feed (pwr. compound), 31-1/2" dia. 4-jaw chuck, S/N 7402-02-26006-00.

**SUMMIT 30" X 160"**, 33" sw. over bed, approx. 25" sw. over crossslide, 4.15" spndl. hole, spds.: 14–1,010 RPM, inch/metric thdng., taper attach., pwr. rapid traverse, 12" dia. 3-jaw chuck.

**TOOLMEX-WAFUM 25" X 120"**, Mdl. TUR-630/118, new 2006, 4.15" spndl. hole, spndl. spds.: 20–1,800 RPM, inch/metric thdng., taper attach., 24.8" sw. over bed, 14.6" sw. over saddle, 120" dist. btwn. centers, 16" dia. 3-jaw chuck, 20 HP main drive motor, steadyrest, followrest, S/N 060025.

**TOOLMEX-WAFUM 25" X 120"**, Mdl. TUR630M, new 1993, 4.1" spndl. hole, spds.: 20–1,800 RPM, inch/metric thdng., taper attach., 24.8" sw. over bed, 14.6" sw. over saddle, 120" dist. btwn. centers, 12" dia. 3-jaw chuck, 20 HP main drive motor, S/N 50238.

**SUMMIT 19" X 80" GAP BED**, 4-1/8" spndl. hole, 19" sw. over bed, 10-3/4" sw. over crossslide, 27" sw. over gap, 15-3/8" gap length, inch/metric thdng., taper attach., steadyrest, followrest, 12" dia. 3-jaw chuck, spndl. spds.: 22–1,500 RPM, S/N 03255661.

**SUMMIT 16" X 80" GAP BED**, spds.: 25–2,000 RPM, 2-1/8" spndl. hole, inch/metric thdng., taper attach., followrest, steadyrest, 10" dia. 3-jaw chuck, 12" dia. 4-jaw chuck, S/N S2P092.



**SUMMIT 30" X 160" ENGINE LATHE**



**TOOLMEX/WAFUM 25" X 120"  
ENGINE LATHE**



**TOOLMEX/WAFUM 25" X 120" ENGINE LATHE**





**SUMMIT 19" X 80" GAP BED ENGINE LATHE**



**LAGUN MDL. FTV-5 VERTICAL TURRET MILLING MACHINE**



**LAGUN MDL. FTV-4 VERTICAL TURRET MILLING MACHINE**



**ACER VERTICAL TURRET MILLING MACHINE**

**AUCTION: THURSDAY, MAY 7  
10:00 A.M.**

**VERTICAL TURRET MILLING MACHINES**

**LAGUN MDL. FTV-5 RAM TYPE VERT. TURRET MILLING MACHINE**, new 1997, 11" x 58" tbl. pwr. feed on all axis, 31.5" X, 13.58" Y, 15.7" Z travels, 6" quill travel, variable spndl. spds.: 70-4,200 RPM, No. 40 NST spndl. taper, Newall 2-axis D.R.O., H&G ways, coolant tray, S/N 42860.

**LAGUN MDL. FTV4**, new 1985, 11" x 58" tbl., pwr. feed in all directions, variable spndl. spds.: 70-4,200 RPM, Anilam 2-axis D.R.O., coolant tray, H&G ways, S/N 22063.

**ACER ULTIMA MDL. 4VK**, 10" x 50" tbl., 30" X, 12" Y, 16" Z travels, variable spndl. spds.: 70-3,600 RPM, long. pwr. feed, 2 HP drive, 5" quill travel, H&G ways, Fagor 2-axis D.R.O., S/N 9412843A.

**SUMMIT MDL. V244**, 10" x 44" tbl., H&G ways, belt driven head, spds.: 78-4,800 RPM, S/N 1004.

**KEYSEATER**

**DAVIS MDL. 15**, overarm supt., 2 HP drive motor, 31" x 20" tbl., S/N 15-117.

**LARGE QUANTITY OF KEYSEAT CUTTERS AND BUSHINGS** (to be offered separately).

**RADIAL ARM DRILLS**

**IKEDA 4' X 13"**, Mdl. RM1375, spds.: 30-1,500 RPM, No. 5 MT spndl. taper, 18" x 26 1/2" x 16" plain box tbl., S/N 83142.

**SUMMIT 3' X 9"**, Mdl. 31H, spds.: 70-2,350 RPM, 18" x 18" x 18" plain box tbl., pwr. elevation, S/N 0409.

**DRILL GRINDER**

**RUSH MACHINERY MDL. 382**, new 2000, 1 HP direct drive spndl., grinds from 3/16" to 3-1/8" drills, coolant system, assorted accessories, S/N 2473.

**MISCELLANEOUS MACHINERY**

**ENCO MDL. 30 COMBINATION MILLING AND DRILLING MACHINE**, 8-1/4" x 28-3/4" tbl., 5" quill stroke, 1 HP drive motor, spds.: 100-2,500 RPM, S/N 946173.

**ORBIT 3/4" MDL. OR-2501F DRILL PRESS**, No. 3 MT spndl. taper, elevating tbl. mechanism, S/N D2-600005.

**SEVERAL PEDESTAL AND BENCH GRINDERS.**



**DAVIS MDL. 15 KEYSEATER**



**SUMMIT 3' x 9" RADIAL DRILL**



**IKEDA 4' X 13" RADIAL ARM DRILL**



**RUSH MACHINERY DRILL GRINDER**

**MACHINE SHOP ACCESSORIES**

**H.D. MILLING VISES** up to 8" by Kurt and others; **LIVE CENTERS**; **ASSORTED LATHE CHUCKS**; **JACOB DRILL CHUCKS**; **R8, NO. 40 NST AND NO. 50 NST TAPER TOOLHOLDERS**; **LARGE QTY. OF STANDARD AND ADJ. H.D. FORGED C-CLAMPS**; **STUDS**; **T-NUTS**; **TOE CLAMPS**; **WIDE ASSORTMENT OF**

**PUNCHES AND DIES**; **SCROLL DRIVE CIRCULAR SAWS**; **PORTABLE BANDSAWS**; **NIBBLERS**; **RIGHT ANGLE GRINDERS**; **ROUTERS**; **ABRASIVE CUT-OFF SAWS**; **BENCH VISES**; **WIDE ARRAY OF QUICK CHANGE TOOLPOSTS AND TOOLHOLDERS** for lathes; **HUGE ASSORTMENT OF CUTTING TOOLS INCL. TAPER SHANK DRILLS** up to 3"; **REAMERS**, **ENDMILLS**, **CORNER ROUNDING MILLS**, **EXTENDED LENGTH DRILLS**, **TURNING TOOLS**, **THREADING DIES**, **TAPS OF ALL SIZES**, **GRINDING WHEELS**, **MILLING CUTTERS**, **HONING EQUIPMENT**, **MUCH MUCH MORE!**





2006



### ANGLE BENDING ROLL

**IMCAR MDL. CPHV100 HYDRAULIC**, new 2006, 12.4" roll dia., 15 HP drive, 0-23 FPM roll speed, 4" x 1" flats/hard, 7" x 1-3/8" flats/easy, 3" rd. bar, 2-1/2" sq. bar, 4" sched. 40 pipe, 4" x 1/2" angles/leg out, 4" x 3/8" angles/leg in, digital roll position, control pendant, standard rolls, multiple sets of pipe rolls, (4) adj. height roller material stands, S/N B3070447.




WYSONG 10' X 250 T. CAP. HYDRAULIC PRESSBRAKE

### PRESSBRAKE

**WYSONG 250 T. X 10' MDL. 250-120**, new 1989, hydro-mechanical design, 7" stroke, 3" adj., 16" max. die space, 8'-6" dist. btwn. housings, foot pedal control, 3-spd. hydraulics, adj. ram stops, S/N HP829-104.

### LARGE SELECTION OF PRESSBRAKE TOOLING

LARGE AIR BEND DIES; APPROX. (10) SETS OF GOOSENECK AND ACUTE ANGLE PUNCHES.



PARTIAL VIEW OF PRESSBRAKE DIES

### SHEARS

**WYSONG 10-1/2" MDL. HS510 HYDRAULIC**, front operated pwr. backgauge w/indicator, R.H. and L.H. suppt. arms, S/N HFS7-102.

**WYSONG 52" X 14 GA. MDL. H1452**, manual backgauge, front conveyor system, foot pedal control, S/N H1-166.



WYSONG 52" X 14 GA. POWER SHEAR



WYSONG 10' X 1/2" CAP. HYDRAULIC SHEAR



At the Premises of  
**SPECIALTY MACHINE  
 & WELDING SERVICE, INC.**

**345 Hawkins Crossing Drive  
 MERIDIAN, MISSISSIPPI 39301**

*(See Directions on Back Page)*

**AUCTION: THURSDAY, MAY 7 • 10:00 A.M.**

**INSPECTION:**

Wednesday, May 6, 9:00 A.M.  
 to 4:00 P.M. & Morning of Sale

**BUYER'S PREMIUM:**

**15% ON-SITE • 18% WEBCAST**



**RICHARDS MULTI-FORM BENDING MACHINE**



**MUBEA HYDRAULIC IRONWORKER**



**L-TEC OXY/FUEL/  
 PLASMA CUTTING  
 MACHINE**

**MULTI-FORM BENDER**

**RICHARDS MDL. 44 HB**, 5/16" x 4" bending cap., assorted bending dies, hand lever control, aux. tbl., S/N 64944HB.

**HYDRAULIC  
 IRONWORKER**

**MUBEA MDL. HPSN-750**, 19-3/4" x 1/2" flat shear, 6" x 6" x 1/2" angle shear, 1-7/8" rd. bar shear, 83 T. cap. punch unit, 1-1/4" thru 13/16" material, 19-1/2" punch throat depth, coper/notcher attach., foot pedal control, S/N 0157787429945.

**OXY. FUEL/  
 PLASMA BURNER**

**L-TEC MDL. CM-50-60 CANTILEVER STYLE**, L-Tec Mdl. AST optical tracer unit, (2) oxy. fuel burning heads, plasma burning head, twin 48" x 60" pattern tpls., flat type dry burning tbl., L-Tec Mdl. PCM150 plasma pwr. supply, S/N 92-510-3222.

**BANDSAWS**

**(2) DOALL MDL. C916-M HORIZONTAL**, 9" rd. cap., 9" x 16" rect. cap., 1" blade, 2 HP blade drive motor, infeed and outfeed roller conveyers, S/N 501-93310, S/N 438-85682.

**DOALL MDL. 2013-V VERT.**, 24" sw. tilting tbl., S/N 457-86190.

**MISCELLANEOUS  
 FABRICATING MACHINERY**

**CHICAGO DREIS & KRUMP 4' X 12 GA. MDL. BPO-412-6 BOX AND PAN BRAKE**, fingers, S/N 322101-M.

**HAUSFELD NO. 2 BAR AND TUBE BENDER**, fabricated layout tbl., assorted dies.

**NOR SERVICE CO. POWER COMBINATION MACHINE**, 12" throat depth, pneu. roll pressure regulator, 1 HP gear drive, foot pedal control, S/N ARC-D12-002SP.

**VICTOR MDL. VMC100 TRACK TORCH**, assorted track, oxy. fuel cutting head, S/N CM195191.

**NIAGARA 36" BENCH MTD. BAR FOLDER.**



**DOALL VERTICAL BANDSAW**



**POWER COMBINATION MACHINE**



**DOALL C-916M HORIZONTAL BANDSAW**



**DOALL C-916M HORIZONTAL BANDSAW**



**CHICAGO BOX AND PAN BRAKE**

At the Premises of  
**SPECIALTY MACHINE  
 & WELDING SERVICE, INC.**

**345 Hawkins Crossing Drive  
 MERIDIAN, MISSISSIPPI 39301**

*(See Directions on Back Page)*

**AUCTION: THURSDAY, MAY 7 • 10:00 A.M.**

**INSPECTION:**

Wednesday, May 6, 9:00 A.M. to  
 4:00 P.M. & Morning of Sale

**BUYER'S PREMIUM:**

**15% ON-SITE • 18% WEBCAST**

**FLATBED TRUCK**

**1993 FORD MDL. F-350XL**, 4-spd. manual trans.  
 w/overdrive, gasoline engine, 84"W. x 144" steel  
 bed, 5th wheel ball, standard tow hitch, MS Li-  
 cense No. B1651634, VIN 1FDJF37H2REA09777.



**FORD F-350 FLAT BED TRUCK**



**MILLER BIG 40G PORTABLE WELDER**



**CUSTOM 300 T. CAP. HYDRAULIC  
 H-FRAME PRESS**

**H-FRAME HYDRAULIC  
 PRESSES**

**CUSTOM 300 T. CAP.**, 71" dist. btwn. up-  
 rights, 26"W. bed, adj. cross head and bed,  
 Enerpac elec. driven hyd. pwr. supply, ap-  
 prox. 84" max. dist. btwn. ram and bed.

**CUSTOM 150 T. CAP.**, 62" dist. btwn. up-  
 rights, adj. cross head and bed, 22"W. bed,  
 Simplex elec. driven hyd. pump, approx.  
 66" max. dist. btwn. ram and bed.



**CUSTOM 150 T. CAP. HYDRAULIC  
 H-FRAME PRESS**

**WELDERS & PLASMA CUTTERS**

**MILLER MDL. BIG 40G PORTABLE WELDER**, gasoline pwrd., 350 amps @ 34 v., 60% duty cycle, 3 KW  
 generator, S/N KA877859.

**LINCOLN IDEALARC MDL. DC600 MIG WELDER**, 600 amps @ 44 v., 100% duty cycle, multi-process  
 switch, Lincoln Mdl. LN7 wire feeder, running gear and leads.

**(2) L-TEC MDL. 450 MIG WELDER**, 450 amps @ 55 v., 100% duty cycle, L-Tec mig 35-wire feeder, mig  
 gun, leads, S/N D92P-25839, S/N D92P-30449.

**MILLER MDL. CP300 MIG WELDER**, 300 amps @ 32 v., 100% duty cycle, Miller Mdl. EX extended reach  
 wire feed, Miller Mdl. XP30 mig gun, running gear, S/N KA748290.

**MILLER DIALARC MDL. 250 AC/DC WELDER**, 250 amps @ 30 v., fabricated stand, S/N JH221427.

**(2) MILLER DIALARC MDL. HF WELDERS**, 250 amps @ 30 v., 40% duty cycle, tig torch, running gear,  
 S/N JJ397591, S/N JF861174 w/skid frame.

**MILLER SYNCROWAVE MDL. 250 TIG WELDER**, 250 amps @ 30 v., 40% duty cycle, TIG torch, S/N  
 KD541849.

**MILLER MDL. LMSW-52T SPOT WELDER**, 2.5 KVA, 50% duty cycle, 6" throat, Miller floor stand and foot  
 pedal operation, S/N KF8025065.

**L-TEC MDL. PCM1500 PLASMA POWER SUPPLY.**

**HEAVY DUTY WELDING TABLES**

**(2) 66-1/2" X 60" W/1" SLATTED STEEL TOP; 66-1/2" X 134" W/1" SLATTED STEEL TOP; 51"W. X 111"**  
**W/1/4" STEEL ROLLED EDGE SOLID TOP.**

**72"L. FABRICATED STEEL HORSES**, heavy I-beam construction.



**MILLER MIG WELDING MACHINE**



**MILLER AND L-TEC WELDERS**



**LINCOLN 600 AMP  
 MIG WELDING MACHINE**



# COMPLETE MACHINING & FABRICATING FACILITY CLOSURE DUE TO RETIREMENT

Featuring: Late-Model Manual Machine Tools, Fabricating Machines, Welders, Shop Tools & Much, Much More



On-Site Bidding in Meridian,  
Mississippi or Bid Via Webcast at  
[BidSpotter.com](http://BidSpotter.com)



4" OSTER MDL. 754 PIPE THREADER



2" OSTER MDL. 655 PIPE THREADER



RIDGID PIPE THREADING HEAD

## PIPE THREADING EQUIPMENT

**TELEDYNE LANDIS "OSTER" MDL. 784 PIPE AND BOLT THREADER**, 1/2" to 4" pipe cap., 3/8" to 3" bolt cap., self-opening die head, outboard vise pipe cut-off, Victaulic grooving attach., sgl. point pipe cut-off and chamfer tool, spds.: 16-51 RPM, S/N 784-ADF22.

**OSTER MDL. 655 "PIPEMASTER" PIPE AND BOLT THREADER**, 2-1/2" hole, (4) Oster Quad II quick change die heads, roller pipe cut-off, fabricated steel stand, foot pedal control, S/N ACD3643.

**RIDGID MDL. 161 H.D. PIPE THREADING HEAD**, 4" to 6" head, H.D. welded steel suppt. tbl., flexible drive shaft.

**RIDGID H.D. PIPE THREADING HEAD**, 2-1/2 to 4" head, 1/8" to 2" pipe and conduit, 1/4" to 2" bolt and rod.

**LARGE ASSORTMENT OF THREADING DIES FOR OSTER AND RIDGED PIPE THREADERS** (to be offered separately).

## SHOP FURNISHINGS

**DOUBLE SIDED CANTILEVER MATERIAL STORAGE RACKS; H.D. WELDED STEEL WORKBENCHES; ROLLING CARTS; ASSORTED ROLLER CONVEYOR; MATERIAL STANDS; MILWAUKEE MAGNETIC BASE DRILL.**

## HORIZONTAL RECIPROCATING TYPE AIR COMPRESSORS

(2) **AJAX ELECTRIC MDL. 707**, 10 HP motor, 60 gal. horiz. tank, S/N 7-46-395.

## MATERIAL HANDLING EQUIPMENT

**PLATE CLAMPS; STRAPS; CHAIN; TIE-DOWN STRAPS; V BLOCKS; BANDING CART.**

## ROLLING GANTRY CRANE

**CUSTOM 40"W. X 12'-9" HT. UNDER RAIL**, 3,000 lb. cap., Yale 3 T. cap. elec. chain hoist w/pwr. trolley, pwr. bridge motion, approx. 37' pwr'd. gantry travel on floor mtd. track, full function pendant control.



## FORKLIFTS

**NISSAN ENDURO**, 8,000 lbs. @ 24" L.C., 130" max. lift, large dia. front cushion tires, 48"L. forks, load grate, S/N BF03-920292.

**NISSAN ENDURO**, LPG engine, 5,000 lbs. @ 24" L.C., 130" max. lift, load grate, 48"L. forks, cushion tires, S/N KCP802P901179.



NISSAN FORKLIFTS



PARTIAL VIEW OF POWER TOOLS

## PROXY BIDS

If you cannot attend this sale or bid online we will bid on your behalf. Contact Houston office at (713) 691-4401 for instructions, or go to our website at [www.pmi-auction.com](http://www.pmi-auction.com).

**PLANT & MACHINERY INC.**  
AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE

P.O. Box 19100  
Houston, TX 77224-9100

**DATED MATERIAL - PLEASE DELIVER**



**PUBLIC INVITED**  
**AUCTION: THURSDAY, MAY 7 • 10:00 A.M.**



Presorted  
First Class Mail  
U.S. Postage  
PAID  
Eugene, Oregon  
Permit No. 17

**ATTENTION: PLANT MANAGER  
OR EQUIPMENT BUYER**

**COMPLETE MACHINING  
& FABRICATING FACILITY  
CLOSURE DUE TO  
RETIREMENT**

**Featuring: Late-Model Manual Machine Tools,  
Fabricating Machines, Welders, Shop Tools  
& Much, Much More**



**DIRECTIONS**

**FROM JACKSON-MEDGER WILEY EVERS INT'L AIRPORT:** Exit airport using International Dr., Old Brandon Rd., MS-475 and US-80 E. Merge onto I-20 E toward Meridian off of US-80 E and go approx. 81 miles. Merge onto MS-39 N/Hwy. 39 N via Exit 154B toward Dekalb and go approx. 1/2 mile. Take the Russell Dr. ramp and turn right onto Russell Dr./US-80 E/US-11 N. Go approx. one mile and turn right onto Hawkins Crossing Dr. Go to auction site, 345 Hawkins Crossing Dr., Meridian, MS 39301.

**LODGING**

Hilton Garden Inn.....(601) 485-3506  
109 US Highway 11 and 80, Meridian, MS 39301  
Drury Inn and Suites.....(601) 483-5570  
110 Highway 11 and 80, Meridian, MS 39301  
Hampton Inn.....(601) 483-3000  
103 US Highway 11 and 80, Meridian, MS 39301

**UNABLE TO ATTEND?**

Bid on-line in real time at **BidSpotter.com**  
**TO PARTICIPATE YOU MUST:**

1. Register at [www.BidSpotter.com](http://www.BidSpotter.com). Use the link to BidSpotter on PMI's website calendar. **DO IT NOW.**
2. Either wire transfer, or overnight delivery service a cashier's check deposit in the amount of \$3,000 (U.S. Bidders) or \$10,000 (Foreign Bidders) to: **Plant & Machinery Inc.**  
1304 Langham Creek Drive, Suite 454, Houston, TX 77084  
Wire transfer instructions can be found at [pmi-auction.com](http://pmi-auction.com)  
**You must be registered and have your deposit in the hands of Plant & Machinery, Inc. at least 24 hours prior to the start of the auction. Failure to register and/or failure to send your deposit to Plant & Machinery, Inc. may disqualify you from bidding. DON'T WAIT.**

If you need assistance, don't hesitate to call (713) 691-4401.  
**ALL WEBCAST BIDS ARE SUBJECT TO AN 18% BUYER'S PREMIUM.**

**FINANCE  
YOUR AUCTION  
PURCHASE**

Conserve Your Cash &  
Increase Your Bidding Power

**AuctionLea\$e Provides  
M&E Financing**

**With Approvals from  
\$5,000 to \$999,000**

**(800) 438-1470**

**Apply Online:**  
[www.AuctionLease.com](http://www.AuctionLease.com)

**PARTIAL TERMS & CONDITIONS**

A 15% Buyer's Premium Will Apply On-site.  
An 18% Buyer's Premium Will Apply to Webcast Bids. See Above Rules for Participation.

Everything will be sold to the highest bidder or bidders for cash in accordance with the auctioneer's Customary Terms of Sale, copies of which will be posted on the premises.

**ALL PAYMENTS MUST BE MADE BY CASH, CASHIER'S CHECK, WIRE TRANSFER OR COMPANY CHECK WITH BANK LETTER GUARANTEEING PAYMENT TO PLANT & MACHINERY INC.**

Here is an example of what your letter should be: *Mr. "Customer Name" is a customer of this bank. This bank will guarantee unqualified payment to PMI on the account listed herein up to the amount of \$\_\_\_\_\_. This letter is good until June 8, 2015.*

In default of payment of bills in full within the time therein specified, the Auctioneer in addition to all other remedies allowed by law, may retain all monies received as deposit or otherwise, as liquidated damages. All items must be removed by the time announced at the start of the sale.

Lots not paid for and/or removed within the time allowed may be resold at public or private sale without further notice, and any deficiency, together with all expenses and charge of resale, will be charged to the defaulting purchaser.

The buyer acknowledges that he or an agent has inspected all of the assets upon which he will be bidding and/or does purchase.

Buyer agrees to accept assets purchased **"AS IS," WITH "ALL FAULTS" AND "WITH REMOVAL AT BUYER'S RISK AND EXPENSE."** THE AUCTIONEER EXPRESSLY DISCLAIMS ON THE PART

OF THE AUCTIONEER AS AGENT AND THE SELLER, ANY WARRANTY AS TO FITNESS OR USABILITY OF ALL THE ASSETS, AND THE BUYER EXPRESSLY WAIVES ANY CLAIM IN RESPECT TO ANY POSSIBLE FUTURE USE OF ANY ASSET PURCHASED FOR ANY PURPOSE WHATSOEVER.

The buyer does hereby assume and does agree to indemnify and hold the auctioneer harmless from any future claim which shall pertain to the fitness or use of that asset as being purchased. Riggers, movers, electricians and buyers performing work at the Auction Site must provide PMI with evidence of insurance. The insurance coverage must be at a level acceptable to PMI and to the seller. PMI reserves the right to withdraw items, alter the order of the sale, accept bids from the seller, and group lots as it may deem appropriate. This auction may include consignment items.

Although all information has been obtained from sources deemed reliable, the auctioneer and seller make no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained, or contained in our catalog. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the auction. Although it is not likely, auction sales are subject to cancellation or postponement. Kindly contact auctioneer prior to attendance.

These terms and conditions may be modified or supplemented by language in the catalog available at the sale site or by announcement at the start of the sale. Bidders should be attentive to those announcements and to the catalog language.