

# AUCTION

## PRESSURE VESSEL FABRICATION FACILITY

Featuring: Wide Array of Late-Model Welding & Material Handling Equipment; 12' X 12' Aronson Manipulators; Late-Model Miller & Lincoln Welders; 25,000-Lb. Caterpillar Diesel Forklift; Grove RT Crane; Sliding Shell Stress Relief Furnace & Much, Much More!  
Plus Real Estate to Be Auctioned Subject to Confirmation of the High Bid (See Pg. 7)



>  
ROLLING  
FRAME  
STRESS  
RELIEF  
FURNACE



<  
RANSOME 12' X 12'  
SUB-ARC MANIPULATOR

>  
30 T. JOE FULLER  
POWER TURNING  
ROLL SETS



At the Premises of  
**CARBERRY  
FABRICATION, INC.**  
2512 WEST REMINGTON ROAD  
ODESSA, TEXAS 79763  
*(See Directions on Back Page)*

### INSPECTION

Tues. & Wed.  
February 2 & 3  
9:00 A.M.  
to 4:00 P.M.  
& Morning of Sale

**BUYER'S PREMIUM**  
15% ONSITE  
18% WEBCAST

2008

5  
AVAILABLE

**THURSDAY, FEBRUARY 4  
10:00 A.M.**

**On-Site Bidding in Odessa, Texas or Bid Via Webcast at [BidSpotter.com](http://BidSpotter.com)**



<  
GROVE  
MDL. RT58D  
ROUGH  
TERRAIN CRANE

Read Partial  
Terms and  
Conditions on  
Back Page of  
Brochure

>  
CATERPILLAR  
25,000-LB.  
DIESEL  
FORKLIFT



Sale Conducted By:

**PLANT & MACHINERY INC.**  
AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE

Ron Moore, Texas Lic. #7314  
HOUSTON • DALLAS • ST. LOUIS


Headquarters:  
1304 Langham Creek Drive, Suite 454  
Houston, Texas 77084

PHONE: (713) 691-4401

FAX: (713) 672-7905

E-MAIL: [pmi@pmi-auction.com](mailto:pmi@pmi-auction.com)  
WEBSITE: [www.pmi-auction.com](http://www.pmi-auction.com)


At the Premises of  
**CARBERY FABRICATION, INC.**  
 2512 WEST REMINGTON ROAD  
 ODESSA, TEXAS 79763  
*(See Directions on Back Page)*




**RANSOME 90 T. POWER AND IDLER SET**



**VANGUARD HGZ40 40 T. POWER AND IDLER SET**



**RANSOME 30 T. POWER AND IDLER SET**



**RANSOME 15 T. POWER TURNING ROLL SET**

**POWER & IDLER TURNING ROLL SETS**

- RANSOME 90 T. CAP.**, variable spd.
- CUSTOM APPROX. 60 T. CAP.**, (4) 20" dia. x 6"W. rubber tires, geared roller drive, control pendant.
- VANGUARD 40 T. CAP MDL. HGZ40**, self-adjusting.
- (5) JOE FULLER 30 T. CAP.**, new 2008, 20" dia. x 6"W. rubber tires, S/N 909, S/N's N.A.
- (2) RANSOME 30 T. CAP. MDL. BPRR**, 45 T. rotation load cap., 20" dia. x 6"W. sgl. rubber tires, pendant control, S/N 3534179, S/N 010890.
- RANSOME 30 T. CAP. MDL. BPRR**, 45 T. rotation load cap., S/N 3527192 (power unit only).
- CUSTOM APPROX. 30 T. CAP.**, 20" dia. x 6"W. rubber tires, pendant control.
- RANSOME 30 T. CAP.**, variable spd.
- ARONSON. 20 T. CAP. MDL. WRD-203**, 12" dia. x 3"W. triple rubber tires w/overload discs, S/N 77203.
- JOE FULLER 20 T. CAP.**, 12" dia. x 3"W. triple rubber tires w/overload discs, variable spd. control w/pendant.
- ARONSON APPROX. 10 T. CAP. MDL. WRD10-524**, 12" dia. x 4"W. rubber tires w/overload discs, S/N 78524.
- CUSTOM APPROX. 10 T. CAP.**, 16" dia. x 5"W. rubber tires, pendant control.
- PRESTON EASTON 10 T. CAP**, variable spd.
- PANDJIRIS 5 T. CAP. MISSOURI MULE MDL. MM15**, 16" dia. x 3"W. rubber tires, S/N N.A.
- (2) RANSOME 3 T. CAP. MDL. FA3PR**, foot pedal control, on fabricated metal stand, S/N 0626503, S/N 0626510.
- ARONSON WRU 5,000-LB.** w/extra idler on 20' track.
- CUSTOM FIT-UP ROLL**, 8" dia. x 14"L. rolls, adj. roll centers w/pwr. drive.

**On-Site Bidding in Odessa, Texas or Bid  
 Via Webcast at [BidSpotter.com](http://BidSpotter.com)**



**SAMPLE VIEW OF POWER TURNING ROLL SETS**



**ARONSON WRU 5,000-LB. DRIVER AND IDLER ROLL SET**



**THURSDAY, FEBRUARY 4 • 10:00 A.M.**

**Real Estate to Be Offered for Sale by Auction  
 Subject to Confirmation of High Bid – See Page 7**



LINCOLN DC 1000 WELDER



MILLER GOLDSTAR 452 WELDING POWER SUPPLY



LINCOLN DC600 WELDING POWER SUPPLY

AS NEW AS  
2007

11  
AVAILABLE

2013

**WELDING POWER SUPPLIES**

**MILLER MDL. GPS1000 MULTIPLE OPERATOR**, 1,000 amps @ 76 v. output, 100% duty cycle, S/N JB484798.

**LINCOLN DC 1000.**

**LINCOLN MDL. SA800 MOTOR/GENERATOR WELDER**, 800 amps @ 44 v. output, 60% duty cycle, Lincoln LN8 wire feeder on buggy, S/N A810579.

**LINCOLN MDL. DC600**, new 2013, 600 amps @ 44 v. output, 100% duty cycle, S/N U1130308324.

**(2) LINCOLN MDL. R2R-500**, 500 amps @ 40 v. output, 60% duty cycle, S/N AC494334, S/N AC439805.

**(11) MILLER GOLDSTAR MDL. 452**, 450 amps @ 38 v. output, 60% duty cycle, S/N LC336186, S/N LH190441C, S/N LG300618C, S/N LB314756, S/N LF470900C, S/N LC433645, S/N LH190436C, S/N LH190438C, S/N LH190439C, S/N LH190434C, S/N LH190440C.

**(2) LINCOLN MDL. R3R-400**, 400 amps @ 40 v. output, 100% duty cycle, S/N AC475224, S/N AC508003.

**LINCOLN MDL. R3S-400**, 400 amps @ 40 v. output, 100% duty cycle, S/N AC387415.

**MISCELLANEOUS WELDING EQUIPMENT**

**LINCOLN MDL. LT7 SUB-ARC WELDING TRACTOR**, flux box, wire feed, wire reel; **KOIKE MDL. IK-12 BEATLE TRACK TORCH**, assorted track, oxy. fuel cutting head, S/N 873039; **PHOENIX MDL. 150 DRY ROD ELECTRODE OVEN**, Type 300, 1,000 watt.

**GEARED HEAD DRILL**

**POWERMATIC**, spds: 85–3,240 RPM, adj. height table.

**PRESSURE WASHER**


**HUSQVARNA**, 3,300 PSI, gasoline engine, hose cart, wand and running gear.

2008



30 T. JOE FULLER POWER TURNING ROLL SETS

5  
AVAILABLE



20 T. JOE FULLER POWER TURNING ROLL SETS



TANK FIT-UP ROLL



<  
**RANSOME  
12' X 12'  
SUB-ARC  
MANIPULATOR**



**2013**

>  
**LINCOLN  
RANGER  
GASOLINE  
POWERED  
WELDER**

**WELDING MANIPULATOR**

**RANSOME MDL. 1212**, 12' x 12' travels, track base w/14' travel, spare track base section, Lincoln Mdl. NA3N sub-arc weld controller, Weld Engineering heated flux box, Lincoln Mdl. DC1000 pwr. supply, 1,000 amps @ 44 v. output, 100% duty cycle, S/N U1020513846, (2) add'l. 20' track sections, S/N 6220969.

**PORTABLE  
WELDING MACHINE**

**LINCOLN RANGER MDL. 225**, new 2013, 225 amps DC @ 25 v. output, 40% duty cycle, 200 amps DC @ 20 v. output, 100% duty cycle, Kohler Command Pro 23 HP gasoline engine, 53.3 H.O.M., S/N U113-0110517.

**PLASMA CUTTERS**

**LINDE PLASMARC MDL. PGM250**, 250 amps, running gear.

**HOBART SMOOTHCUT MDL. 120**, 120 amps, running gear and torch.

**MILLER MDL. SPECTRUM 875 PORTABLE**, torch and ground lead.

**CIRCULAR BEVELLING  
EQUIPMENT**

**MATHEY MDL. 3SA**, S/N 1495; **MATHEY MDL. 4SA**, S/N 680; **MATHEY MDL. 20SA**, S/N 7430; **CUSTOM 30"**; **MATHEY MDL. 21-8**, **H&M MDL. 2-12**, S/N 303H12.

**HYDRAULIC IRONWORKER**

**EDWARDS 55 T. CAP. MDL. JAWS IV**, 1-3/8" hole in 1/2" plate cap., 4" x 4" x 1/4" angle cap., brake attach., foot pedal control, S/N 12235598.

**HYDROSTATIC  
TEST EQUIPMENT**

**COMPLETE HYDROSTATIC TESTING FACILITY**, incl.: Goulds centrifugal filler pump, 2-piston pressure pump w/approx. 20 HP drive motor, large qty. of blind flanges and gaskets for hydrostatic testing, Victaulik couplings, assorted accessories, 1,000-barrel and 500-barrel carbon steel ground water storage tank.



**AUCTION**

At the Premises of

**CARBERY FABRICATION, INC.**  
**2512 WEST REMINGTON ROAD**  
**ODESSA, TEXAS 79763**

*(See Directions on Back Page)*



**LINCOLN SUB-ARC WELDING TRACTOR**



**55 T. EDWARDS HYDRAULIC IRONWORKER**



<  
**PIPE BEVELING SADDLES**

**INSPECTION**

Tuesday  
& Wednesday  
February 2 & 3  
9:00 A.M.  
to 4:00 P.M.  
& Morning of Sale

**Real Estate to Be Offered  
for Sale by Auction Subject  
to Confirmation of High Bid  
- See Page 7**





**POLE TRUCK**

**INTERNATIONAL HARVESTER TRANSTAR MDL. F4370**, 88,952-lb. G.V.W.R., heavy steel bed, roller tail, Tulsa Mdl. 20203 goose winch, collapsible A-frame, VIN D2137HGB11820.

**70' x 14' x 15'**



**ROLLING FRAME STRESS RELIEF FURNACE**

**GOOSENECK TRAILER**

**CUSTOM**, tandem-axle, 30'L. wood deck, landing gear, TX License No. 53V-LBC.

**STATION WAGON**

**CHEVROLET CAVALIER.**

**FREE STANDING PEDESTAL JIB CRANE**

**GORBEL 2 T. X 28' REACH**, approx. 16' ht. under rail (currently disassembled).

**MATERIAL HANDLING EQUIPMENT**

**PLATE CLAMPS; CHAINS; SLINGS; NYLON STRAPS; WIRE ROPE CHOKERS; CLEAVISES; EYE BOLTS; FORGED C-CLAMPS; FORGED HOOKS; JET 1-1/2 T. CAP. COME-ALONG.**



**SAND BLAST TOWER**



**ROLLING FRAME STRESS RELIEF FURNACE**

**STRESS RELIEVING FURNACE**

**CUSTOM BUILT SLIDING SHELL 70'L. X 14'W. X 15' HT.**, (16) burners, suitable for 12" dia. x 70' vessels, (2) pc. sliding clam shell w/rails, Eclipse gas valves and burners, Foxboro chart recorders and controls are located in independent portable building, Protectal safety equip.



**> INTERIOR VIEW OF ROLLING FRAME STRESS RELIEF FURNACE**

**THURSDAY, FEBRUARY 4  
10:00 A.M.**

**On-Site Bidding in Odessa, Texas or Bid  
Via Webcast at [BidSpotter.com](http://BidSpotter.com)**

**MISCELLANEOUS SHOP & WAREHOUSE EQUIPMENT**

**WIDE ARRAY OF WELD THREADED AND WELD TYPE PIPE FITTINGS; HOSES; FASTENERS; VALVES; BRACKETS; NUMBER/LETTER STENCILS; PEDESTAL FANS; RIDGID PIPE THREADING EQUIP.; 1" PNEUMATIC IMPACT WRENCH; BOTTLE JACKS; DEWALT RIGHT ANGLE GRINDERS; HOGAN HOLOMATIC MAGNETIC BASE DRILL; ATRA ACE MDL. WA500 MAGNETIC BASE DRILL; ENERPAC PORTABLE HYDRAULIC UNITS; JACK HEADS; COMBINATION WRENCHES; ADJ. WRENCHES; SCREWDRIVERS; HAMMERS; PIPE WRENCHES; LEVELS; TUBE BENDERS; KNOCK-OUT UNITS; PNEUMATIC NEEDLE SCALERS; SOCKETS; IMPACT SOCKETS; STRIKER WRENCHES; H.D. FABRICATED STEEL WELDING TBLS.; 8' STEPLADDERS; EXTENSION LADDERS.**



**ASSORTED POWER TOOLS**



GROVE MDL. RT58D ROUGH TERRAIN CRANE

### ROUGH TERRAIN CRANE

**GROVE MDL. RT58D**, 3-section boom, dual-hoists, diesel engine, L2/G2 17.5-25 rough terrain tires, 18' detachable fly boom, S/N 84650.

### FORKLIFTS

**TAYLOR 26,000-LB. CAP. MDL. WPY-25**, diesel engine, sgl.-stage mast, 8'L. forks, S/N 3092 (currently not running).

**CATERPILLAR 25,000-LB. CAP. MDL. DP115**, diesel engine, 146" max. lift, 80"W. fork carriage, side shift, pwr. fork positioning, air brakes, S/N 4DP10071.

**CATERPILLAR 18,000-LB. CAP. MDL. V180**, 18,000-lb. cap. @ 24" L.C., 218" max. lift, 6'L. forks, S/N 17V504 (currently not running).

**TOYOTA 8,000-LB. CAP. MDL. 7FGCU35**, 2005, LPG, 89" triple-stage mast, 187" lift ht., cushion tires, side shift, 42" forks, S/N 62757.

**HYSTER 5,000-LB. CAP. MDL. S50FT**, 2011, LPG, 89" triple-stage mast, 200" lift ht., cushion tires, side shift, 42" forks, S/N F187V19716J.

### TANKS

**8' DIA. X APPROX. 40' HT.**, fabricated steel base.

**8' DIA. X 12'L.**, cone bottom, fabricated steel frame.

**6' DIA. X 18'L.**, cone bottom, skid frame.

**6' DIA. X APPROX. 12' HT.**, cone bottom, sand-blast hopper, fabricated steel frame.

**(3) 6' DIA. X 6'L.**, cone bottom, various openings.

### RAW MATERIAL & PARTS

**CARBON STEEL TANK HEADS, ASSORTMENT OF CARBON STEEL SHEET AND PLATE, ASSORTED WELSPIND ROD AND WIRE, TANK HATCHES, FASTENERS OF ALL DESCRIPTIONS.**



At the Premises of

## CARBERY FABRICATION, INC.

2512 WEST REMINGTON ROAD  
ODESSA, TEXAS 79763

*(See Directions on Back Page)*

**AUCTION: THURSDAY,  
FEBRUARY 4 • 10:00 A.M.**



ASSORTED CONE BOTTOM TANKS



< ASSORTED  
TANK HEADS

> CONE BOTTOM  
TANK



CATERPILLAR 25,000-LB. DIESEL FORKLIFT







**KYOCERA  
DOCUMENT CENTER**

### OFFICE FURNITURE & EQUIPMENT

**HIGH-QUALITY WOOD OFFICE FURNISHINGS**, incl.: secretarial desk and credenza, executive desk w/matching credenza and 2-drawer file cabinet, assorted upholstered side chairs; **HEWLETT-PACKARD DESIGNJET 500 INK JET DRAWING PRINTER**; **KYOCERA 3050CI DOCUMENT PROCESSING CENTER**; (2) **FIRE KING LEGAL SIZE FIREPROOF CABINETS**.

**INSPECTION:** Tues. & Wed., February 2 & 3  
9:00 A.M. to 4:00 P.M. & Morning of Sale



**HIGH-QUALITY OFFICE FURNITURE**



### HIGH BAY FABRICATING FACILITY

**OFFERED AT THE BEGINNING OF THE AUCTION AND SUBJECT TO SELLER'S ACCEPTANCE OF THE HIGH BID.**

**49'-4"W. X 200'L. MAIN BUILDING**, 25'-5" ht. under crane, approx. 45' crane span; Crane No. 1—Proserv 20 T. cap., top running dbl.-girder, dbl.-end drive, pendant control, S/N A6319; Crane No. 2—Shaw-Box 20 T. cap., top running, box girder design, new Stahl 20 T. cap. integrated hoist unit, new pendant control; Main Bay—33' eave ht., 20'W. x 16' ht. steel roll-up door on one end, 20'W. x 25' ht. roller sliding doors at other end, crane may exit facility and have 50' outdoor runway; Small Fabrication Bay—48'W. x 100'L., (4) 16' x 16' roll-up doors (opposed), 16' x 16' roll-up door, Gaffey

5 T. cap. top running dbl.-girder bridge crane, pendant control, AC pwrld., center drive, (2) Halbert 2 T. cap. column mtd. jib cranes w/DeMag 2 T. cap., 17' reach, gas heated, 19' eave ht., H.D. electrical service in both bays, plumbed for welding gas, motion detector alarm system, high bay HID lighting, side skylights; Out Building—24'-10"W. x 44'L., 15' eave ht., 12'W. x 14' ht. roll-up door.

### OFFICE BUILDING

**ATTACHED TO MAIN BUILDING**, 47'-8"W. x 24' dp., lobby, (2) side offices, kitchen and executive wash room.

**NO BUYER'S PREMIUM ON REAL ESTATE – ONSITE BIDDING ONLY**



**SMALL FABRICATION BAY**



**INTERIOR VIEW OF MAIN FABRICATION BAY**

**PLANT & MACHINERY INC.**  
AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE

P.O. Box 19100  
Houston, TX 77224-9100



**PUBLIC INVITED**  
**AUCTION: THURS., FEB. 4 • 10:00 A.M.**

Presorted  
First Class Mail  
U.S. Postage  
PAID  
Eugene, Oregon  
Permit No. 17

**DATED MATERIAL – PLEASE DELIVER**



**ATTENTION: PLANT MANAGER  
OR EQUIPMENT BUYER**



Real Estate to Be Offered for Sale by Auction Subject to Confirmation of High Bid – See Page 7

**PRESSURE VESSEL  
FABRICATION FACILITY**

Featuring: Wide Array of Late-Model Welding & Material Handling Equipment; 12' X 12' Aronson Manipulators; Late-Model Miller & Lincoln Welders; 25,000-Lb. Caterpillar Diesel Forklift; Grove RT Crane; Sliding Shell Stress Relief Furnace & Much, Much More!

Plus Real Estate to Be Auctioned Subject to Confirmation of the High Bid (See Pg. 7)



**DIRECTIONS**

**FROM THE MIDLAND INTERNATIONAL AIRPORT:** Exit airport using Sloan Field Blvd./TX-40 Loop/State Loop 217. Turn left onto S FM-1788/TX-349/FM-1788 and proceed approx. 1-1/2 miles. Turn right onto I-20 W and merge onto I-20 W. Proceed approx. 12 miles. Take Exit 115 toward FM-1882. Turn right onto S. Viceroy Avenue and immediately turn right onto W. Remington Road. Proceed to auction site on the left, 2512 W. Remington Road, Odessa, Texas 79763. Watch for auction signs.

**LODGING**

**Holiday Inn Express & Suites**.....(877) 410-6681  
5321 John Ben Sheppard Pkwy., Odessa, Texas 79762  
**Residence Inn by Marriott**.....(432) 563-2190  
7261 Tres Hermanas Blvd., Odessa, Texas 79765

**UNABLE TO ATTEND?**

Bid on-line in real time at [BidSpotter.com](http://BidSpotter.com)  
**TO PARTICIPATE YOU MUST:**  
1. Register at [www.BidSpotter.com](http://www.BidSpotter.com). Use the link to BidSpotter on PMI's website calendar. **DO IT NOW.**  
2. Either send wire transfer, or, overnight delivery service a cashier's check deposit in the amount of \$3,000 (U.S. Bidders) or \$10,000 (Foreign Bidders) to: **Plant & Machinery Inc.**  
1304 Langham Creek Drive, Suite 454, Houston, TX 77084  
Wire transfer instructions can be found at [pmi-auction.com](http://pmi-auction.com)  
You must be registered and have your deposit in the hands of Plant & Machinery, Inc. at least 24 hours prior to the start of the auction. Failure to register and/or failure to send your deposit to Plant & Machinery, Inc. may disqualify you from bidding. **DON'T WAIT.**  
If you need assistance, don't hesitate to call (713) 691-4401.  
**ALL WEBCAST BIDS ARE SUBJECT TO AN 18% BUYER'S PREMIUM.**

**FINANCE**

**YOUR AUCTION  
PURCHASE**  
Conserve Your Cash & Increase Your Bidding Power  
**AuctionLea\$e Provides  
M&E Financing**  
With Approvals from  
**\$5,000 to \$999,000**  
**(800) 438-1470**  
Apply Online:  
[www.AuctionLease.com](http://www.AuctionLease.com)

**PARTIAL TERMS & CONDITIONS**

A 15% Buyer's Premium Will Apply On-site.  
An 18% Buyer's Premium Will Apply to Webcast Bids. See Above Rules for Participation.  
Everything will be sold to the highest bidder or bidders for cash in accordance with the auctioneer's Customary Terms of Sale, copies of which will be posted on the premises.  
**ALL PAYMENTS MUST BE MADE BY CASH, CASHIER'S CHECK, WIRE TRANSFER OR COMPANY CHECK WITH BANK LETTER GUARANTEEING PAYMENT TO PLANT & MACHINERY INC.**  
Here is an example of what your letter should be: *Mr. "Customer Name" is a customer of this bank. This bank will guarantee unqualified payment to PMI on the account listed herein up to the amount of \$\_\_\_\_\_. This letter is good until March 3, 2016.*  
In default of payment of bills in full within the time therein specified, the Auctioneer in addition to all other remedies allowed by law, may retain all monies received as deposit or otherwise, as liquidated damages. All items must be removed by the time announced at the start of the sale.  
Lots not paid for and/or removed within the time allowed may be resold at public or private sale without further notice, and any deficiency, together with all expenses and charge of resale, will be charged to the defaulting purchaser.  
The buyer acknowledges that he or an agent has inspected all of the assets upon which he will be bidding and/or does purchase.  
Buyer agrees to accept assets purchased "AS IS," WITH "ALL FAULTS" AND "WITH REMOVAL AT BUYER'S RISK AND EXPENSE." THE AUCTIONEER EXPRESSLY DISCLAIMS ON THE PART

**OF THE AUCTIONEER AS AGENT AND THE SELLER, ANY WARRANTY AS TO FITNESS OR USABILITY OF ALL THE ASSETS, AND THE BUYER EXPRESSLY WAIVES ANY CLAIM IN RESPECT TO ANY POSSIBLE FUTURE USE OF ANY ASSET PURCHASED FOR ANY PURPOSE WHATSOEVER.**  
The buyer does hereby assume and does agree to indemnify and hold the auctioneer harmless from any future claim which shall pertain to the fitness or use of that asset as being purchased. Riggers, movers, electricians and buyers performing work at the Auction Site must provide PMI with evidence of insurance. The insurance coverage must be at a level acceptable to PMI and to the seller. PMI reserves the right to withdraw items, alter the order of the sale, accept bids from the seller, and group lots as it may deem appropriate. This auction may include consignment items.  
Although all information has been obtained from sources deemed reliable, the auctioneer and seller make no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained, or contained in our catalog. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the auction. Although it is not likely, auction sales are subject to cancellation or postponement. Kindly contact auctioneer prior to attendance.  
These terms and conditions may be modified or supplemented by language in the catalog available at the sale site or by announcement at the start of the sale. Bidders should be attentive to those announcements and to the catalog language.