



AUCTION

ALUMINUM RECYCLING FACILITY

Shredders, Furnaces, Dust Collection, Molding Lines, Large Quantity of Rolling Stock, More!



1,500 HP WILLIAMS SHREDDER



MDY ENGINEERING CORPORATION ROTARY HEARTH FURNACE

2001



BAGHOUSE DUST COLLECTOR

2001

At the Premises of
TEXAS TST, INC.
13 Industrial Street
SWEETWATER,
TEXAS 79556

(See Directions on Back Page)

AUCTION:
WEDNESDAY
OCTOBER 26
10:00 A.M.

INSPECTION:

Tues., October 25,
9:00 A.M. to
4:00 P.M. &
Morning of Sale

**BUYER'S
PREMIUM:**

15% ON-SITE
18% WEBCAST



TAYLOR TY300M
30,000-LB. CAP.
DIESEL FORKLIFT



JOHN DEERE
MDL 44E
ARTICULATED
FRONT-END
LOADER

**On-Site Bidding in
Sweetwater, Texas or
Bid Via Webcast at
BidSpotter.com**

*Read Partial Terms and
Conditions on Back Page
of Brochure*

Sale Conducted By:

PLANT & MACHINERY INC.

AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE

Ron Moore, Texas Lic. #7314

HOUSTON • DALLAS • ST. LOUIS

Headquarters:

1304 Langham Creek Drive, Suite 454
Houston, Texas 77084

PHONE: (713) 691-4401

FAX: (713) 672-7905

E-MAIL: pmi@pmi-auction.com
WEBSITE: www.pmi-auction.com



REAR VIEW OF SHREDDER



OVERALL VIEW OUTPUT OF SHREDDER SYSTEM



SHREDDER DUST COLLECTOR

SHREDDER SYSTEM

WILLIAMS 60X60, 1,500 HP 480 v. main drive motor, 200 HP aux. motor, upstream/downstream equipment including: 60"W. x 75'L. inclined rubber belt infeed conveyor, 24"W. inclined cleated belt discharge conveyor, Steinert eddy current magnetic separator, Industrial Magnetics, Inc. magnetic separator, approx. 150' of 24"W. trough belt downstream exit conveyor, 14-compartment pulse jet bag house, complete motor control center, spare rotor and belts.

ROTARY HEARTH FURNACE

MDY ENGINEERING CORPORATION 16 T. CAP., new 2001, gas fired, hyd. shell tilt and rotation, power charge door, central control pulpit w/PLC controls, Fisher gas controls, unitized hyd. system, swing-away launder chute, equipped w/General Kynimatic Mdl. Para-Mount II infeeding vibratory charge car.



GENERAL KYNIMATIC VIBRATORY PAN FEEDER



MDY ENGINEERING CORPORATION ROTARY HEARTH FURNACE

2001



HYDRAULIC SYSTEM OF MDY ENGINEERING CORPORATION ROTARY HEARTH FURNACE



REVERB FURNACE

2001

REVERB FURNACE

CUSTOM 110,000-LB. CAP., new 2001, firebrick lined, pwr'd. doors, gas fired, General Kynimatics Paramount II rail mtd. vibratory feeder car.

SHREDDER

AMERICAN PULVERIZER MDL. STT, S/N 5857.

SHAKER SCREENS

SIMPLICITY MDL. HS120C MULTI-DECK, S/N 1516-HS120C-2307.

MULTI-DECK MDL. HS95E, S/N 1412-HS95E-2308.



INGOT AND SOW POURING LINES



POURING LINE

MOTORIZED INGOT AND SOW POURING LINE, custom built, unitized control pulpit w/laundry system and ingot stripper section.

**AUCTION:
WEDNESDAY,
OCTOBER 26
10:00 A.M.**



2001



BAGHOUSE DUST COLLECTOR

**BAGHOUSE
DUST COLLECTOR**

GMD ENVIRONMENTAL SYSTEMS 10-COMPARTMENT SHAKER STYLE, new 2001, 80,000 CFM, 300 HP motor, 5" dia. bags, 10 gauge steel construction, 300 HP blower system, complete motor control unit for shakers and droppers, automated dampers for (3) furnaces, external walkways and ladders.



DUST COLLECTOR MOTOR CONTROL CENTER



KENWORTH TILT LIFT TRACTOR



53' VAN TRAILERS



MILLER BOBCAT WELDER

TILT LIFT TRACTOR

KENWORTH DAY CAB, new 1988, ODO: 740,000 miles, Chassis No. M515122.

VAN TRAILERS

STRICK 53'L., tandem-axle, landing gear, TX Lic. No. W79920, VIN N.A.

TRAILMOBILE 53'L., tandem-axle, landing gear, CA Lic. No. 4GM8266, VIN N.A.

FLATBED TRAILER

FRUEHAUF, double-axle, diamond plate steel deck, landing gear, 40' open top container.

CONTAINER TRAILER FRAMES

(2) **CUSTOM 40'**, triple-axle, landing gear, w/open top containers.

(2) **CUSTOM 20'**, triple-axle, landing gear, (1) w/open top container and (1) bare.

PORTABLE WELDERS

MILLER BOBCAT MDL. 225, new 2012, gas pwr'd., 225 amps @ 25 v., 100% duty cycle, S/N MB170277H.

LINCOLN SAE400 MDL. K1278-5, 400 amps @ 40 v., 60% duty cycle, mtd. to steel skid, S/N C1010300259.

GENERATOR

GENERAL ELECTRIC, 200 kW, Detroit diesel engine, skid-mounted, integral tank.

UTILITY TRACTORS

JOHN DEERE MDL. 301A, 60" hyd. driven sweeper head, 60" drag box w/tines, 3-pt. hitch, enclosed cab.

CASE MDL. 480C, w/60" hyd. driven sweeper head.

MASSEY FERGUSON, 48" bush hog, S/N 67-59.

TOW TRACTOR

JEEP FLIGHTLINE MDL. CJ10A TOW, diesel engine, 1,000-lb. max. payload, VIN 3VOTA24XXFM000722.

CARDBOARD BALER

SIELCO HYDRAULIC CARDBOARD BALER, S/N 11909461.



AMERICAN PULVERIZER SHREDDER AND DIESEL GENERATOR

AIR COMPRESSORS

(2) **INGERSOLL RAND MDL. EP50-PE**, new 2004, 215 CFM, air cooled, skid mtd., noise enclosure, S/N PG1239U04337, S/N PG1102U04287.

INGERSOLL RAND MDL. 650H-NG, new 1997, Caterpillar Mdl. 3306B diesel engine, 650 CFM, S/N 273182UFH874 (for parts use only).

INGERSOLL RAND MDL. SSRUP6-25-125 ROTARY SCREW, new 2006, 25 HP motor, 102 CFM, tank mtd., S/N PX6589U06068.

SAYLOR BEALL RECIPROCATING, new 1997, 15 HP motor, 90 gal. tank, tank mtd. (for parts use only).

INGERSOLL RAND PORTABLE, John Deere diesel engine, single-axle trailer, S/N 159421U97957.



INGERSOLL RAND MOUNTED ROTARY SCREW AIR COMPRESSOR

2006

At the Premises of
TEXAS TST, INC.
13 Industrial Street
SWEETWATER, TX 79556
(See Directions on Back Page)

INSPECTION: Tuesday, October 25, 9:00 A.M. to 4:00 P.M. & Morning of Sale



PETTIBONE 15 T. ROUGH TERRAIN CRANE



GROVE 500-LB. CAP. BOOM LIFT



JOHN DEERE MDL. 444E ARTICULATED FRONT-END LOADER

HYDRAULIC ROUGH TERRAIN CRANE

PETTIBONE 15,000-LB. CAP. MDL. 15B1WF, 20'-40' 3-section boom, hyd. outriggers, enclosed cab, rear stirring, S/N N.A.

TELEHANDLER

SQUARE SHOOTER 8,000-LB. CAP. MDL. SS842, John Deere diesel engine, 42" max. fork ht., S/N 96567.

BOOM LIFT

GROVE 500-LB. CAP. MDL. AMZ66, LP/gas pwr'd., 66' ht. basket, S/N 63813.

MOBILE CRANE

PETTIBONE MDL. 442B SPEED SWING, 4-wheel drive, tilt swivel boom system, roll-over protective structure, Detroit diesel engine, rail car hitch, S/N 2549.

ARTICULATED FRONT-END LOADERS

JOHN DEERE MDL. JD644A, 2-1/4 cu. yd. bucket, S/N 144737.

JOHN DEERE MDL. 544, S/N N.A.

JOHN DEERE MDL. 444E, bucket, S/N CK444EB001498.

JOHN DEERE MDL. 444G, S/N 444GX002443.

JOHN DEERE MDL. 444, S/N 009020T.

JOHN DEERE MDL. 344E, S/N CK344EB000229 (Unit No. 22).

CATERPILLAR MDL. H100XL, S/N 6MN00796 (Unit No. 40).

SKID STEER LOADER

BOBCAT MDL. 863, Bobcat Mdl. B950 jackhammer, S/N 56221911 (loader), S/N 562212111 (jackhammer).



SQUARE SHOOTER TELEHANDLER FORKLIFT



PETTIBONE MDL. 442B SPEED SWING CRANE SYSTEM



BOBCAT 863 SKID STEER LOADER W/JACKHAMMER



FORKLIFT AND LOADER REPAIR PARTS

FORKLIFT SCALE

APPROX. 8' X 16' w/digital readout box, safety railing and ramps.

PORTABLE TRUCK RAMP

COPPERLOY, aluminum w/aluminum side frames, bar grate steel deck, transport wheels.

REPAIR PARTS FOR FORKLIFTS

REPAIR PARTS FOR FORKLIFTS including starters, alternators, hyd. pumps electrical components.

SHIPPING CONTAINERS

SHIPPING CONTAINER/OFFICE, 8' x 30', aluminum/steel construction, (2) manual actuated slide-outs, (2) AC window units.

SHIPPING CONTAINER/OFFICE, 8' x 30', aluminum/steel construction, 5 T. self-contained AC system.

BUILDINGS

OFFICE BUILDING, 25' x 33', metal roof, (3) offices, (3) thru-wall HVAC, laminate flooring, Hardie board siding.

BUILDING, 12' x 8', build out for restroom, window unit AC.

STORAGE TANKS

LPG 15,000 GAL. STORAGE TANK, approx. 7' OD x 52' OAL, 250 PSI, approx. 75% full of propane.

DIESEL 500 GAL. STORAGE TANK, approx. 50% full, w/pump, w/containment tank.

CONCRETE RAILS

CONCRETE RAILS, approx. (7) 20'L., approx. (7) 10'L.



25' X 33' OFFICE BUILDING



15,000 GAL. CAP. LPG STORAGE TANK



FORKLIFT SCALE



TAYLOR TY300M 30,000-LB. CAP. DIESEL FORKLIFT



HYSTER H200H 20,000-LB. CAP. DIESEL FORKLIFT



TAYLOR TE155S 13,000-LB. CAP. DIESEL FORKLIFT

FORKLIFTS

TAYLOR 30,000-LB. CAP. MDL. TY300M, enclosed cab, 96" forks, wide fork carriage, rubber tires, S/N S-R2-14430.

HYSTER 30,000-LB. CAP. MDL. H300A, diesel pwr'd., 30,000-lb. cap. @ 28" L.C., 132" max. lift, 96" forks, S/N 41901695K.

HYSTER 20,000-LB. CAP. MDL. H200H, diesel pwr'd., 96"L. forks, dual-front solid tires, S/N C007P01764X.

(2) HYSTER 15,000-LB. CAP. MDL. H155XL, diesel pwr'd., dual-front solid rubber tires, S/N F006A09804V, S/N F006A9856V.

TAYLOR 13,000-LB. CAP. MDL. TE155S, diesel pwr'd., 60"L. forks, dual-front solid rubber tires, pwr. turnover attach., S/N S-B5-22260.

HYSTER 11,750-LB. CAP. MDL. H80C, diesel pwr'd., 54"L. forks, S/N C005D18149Y.

YALE 9,000-LB. CAP. MDL. GLC120VXNGSF085 CHARGE, 9,000-lb. cap. @ 24" L.C., 111" max. lift, electronic load controls, aux. hyd. output in (2) positions, S/N E818-V02339E.

YALE 7,600-LB. CAP. MDL. GLCOB0LGNAGAE0958CS, LPG pwr'd., 7,600-lb. cap. @ 24" L.C., 215" max lift, side shift, S/N B818D003617W.

(2) HYSTER 8,000-LB. CAP. MDL. H80XL, LPG pwr'd., 8,000-lb. cap. @ 20" L.C., 149" max. lift, S/N G005D02793R, S/N F005A07721J.

(2) HYSTER 8,000-LB. CAP. MDL. H80XL, LPG pwr'd., 54" forks, wide fork carriage, S/N G005D07962T, S/N G005D05172B.

HYSTER 8,000-LB. CAP. MDL. H80C, 60" forks, solid tires, S/N C005D23797E.

YALE 8,000-LB. CAP. MDL. GLC080LGNAGAE09S, LPG pwr'd., S/N B818D03857W.

CHAMP 6,000-LB. CAP. MDL. 350HLD, S/N CC703950.

YALE 5,000-LB. CAP. MDL. GLC005TENUAE082, S/N E187V-02339T.

HYSTER 4,800-LB. CAP. MDL. S50XM, LP pwr'd., 189" max. lift, cushion tire, S/N D187V261972.

(2) HYSTER 4,550-LB. CAP. MDL. S50FT, LP pwr'd., Monotrol trans., 171" max. lift, 42" forks, S/N F187V03374C, S/N F187V03369C.

CLARK MDL. C300-40, rotator attach. w/pwr. forks, S/N 356-470-4376-1179.

FURNACE TENDER FORKLIFT

YALE 8,000-LB. CAP. LPG, new 2000, with extended cab height, S/N N.A.



FURNACE TENDER FORKLIFT



HYSTER H300A 30,000-LB. DIESEL FORKLIFT



OVERALL VIEW OF FORKLIFTS



YALE 5,000-LB. CAP. FORKLIFT



HYSTER S50FT 4,550-LB. CAP. FORKLIFT



HYSTER H80XL 8,000-LB. LPG FORKLIFT

PLANT & MACHINERY INC.
AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE

P.O. Box 19100
Houston, TX 77224-9100

DATED MATERIAL - PLEASE DELIVER



PUBLIC INVITED
AUCTION: WED., OCTOBER 26 • 10:00 A.M.



Presorted
First Class Mail
U.S. Postage
PAID
Eugene, Oregon
Permit No. 17

**ATTENTION: PLANT MANAGER
OR EQUIPMENT BUYER**

**ALUMINUM
RECYCLING
FACILITY**
**Shredders, Furnaces,
Dust Collection,
Molding Lines,
Large Quantity of
Rolling Stock, More!**



DIRECTIONS & LODGING

FROM ODESSA, TEXAS AIRPORT: Exit airport using NE Loop 338/TX-338 Loop and proceed approx. 8 miles to E. Interstate 20. Merge onto E. Interstate 20 and proceed approx. 122 miles. Take Exit 243 toward Hillsdale Road/Robert Lee Street. Turn left onto S. Interstate 20. Take the first left on County Road 217. Take the first left onto N. Interstate 20 and the first right onto Industrial Street. Proceed to auction site, 13 Industrial Street, Sweetwater, Texas 79556. Watch for auction signs.

Hampton Inn – Big Springs..... (432) 264-9800
805 W. Interstate 20, Big Spring, Texas 79720

Comfort Inn.....(432) 267-4553
2900 E 1-20, Big Spring, Texas 79720

UNABLE TO ATTEND?

Bid on-line in real time at **BidSpotter.com**
TO PARTICIPATE YOU MUST:

1. Register at www.BidSpotter.com. Use the link to BidSpotter on PMI's website calendar. **DO IT NOW.**
 2. Either send wire transfer, or, overnight delivery service a cashier's check deposit in the amount of \$3,000 (U.S. Bidders) or \$10,000 (Foreign Bidders) to:
Plant & Machinery Inc.
1304 Langham Creek Drive, Suite 454, Houston, TX 77084
Wire transfer instructions can be found at pmi-auction.com
- You must be registered and have your deposit in the hands of Plant & Machinery, Inc. at least 24 hours prior to the start of the auction. Failure to register and/or failure to send your deposit to Plant & Machinery, Inc. may disqualify you from bidding. **DON'T WAIT.**

If you need assistance, don't hesitate to call (713) 691-4401.
ALL WEBCAST BIDS ARE SUBJECT TO AN 18% BUYER'S PREMIUM.

**FINANCE
YOUR AUCTION
PURCHASE**

Conserve Your Cash &
Increase Your Bidding Power

**AuctionLea\$e Provides
M&E Financing**

**With Approvals from
\$5,000 to \$999,000**

(800) 438-1470

Apply Online:
www.AuctionLease.com

PARTIAL TERMS & CONDITIONS

A 15% Buyer's Premium Will Apply On-site.
An 18% Buyer's Premium Will Apply to Webcast Bids. See Above Rules for Participation.

Everything will be sold to the highest bidder or bidders for cash in accordance with the auctioneer's Customary Terms of Sale, copies of which will be posted on the premises.

ALL PAYMENTS MUST BE MADE BY CASH, CASHIER'S CHECK, WIRE TRANSFER OR COMPANY CHECK WITH BANK LETTER GUARANTEEING PAYMENT TO PLANT & MACHINERY INC.

Here is an example of what your letter should be: *Mr. "Customer Name" is a customer of this bank. This bank will guarantee unqualified payment to PMI on the account listed herein up to the amount of \$_____. This letter is good until November 25, 2016.*

In default of payment of bills in full within the time therein specified, the Auctioneer in addition to all other remedies allowed by law, may retain all monies received as deposit or otherwise, as liquidated damages. All items must be removed by the time announced at the start of the sale.

Lots not paid for and/or removed within the time allowed may be resold at public or private sale without further notice, and any deficiency, together with all expenses and charge of resale, will be charged to the defaulting purchaser.

The buyer acknowledges that he or an agent has inspected all of the assets upon which he will be bidding and/or does purchase.

Buyer agrees to accept assets purchased **"AS IS," WITH "ALL FAULTS" AND "WITH REMOVAL AT BUYER'S RISK AND EXPENSE."** THE AUCTIONEER EXPRESSLY DISCLAIMS ON THE PART

OF THE AUCTIONEER AS AGENT AND THE SELLER, ANY WARRANTY AS TO FITNESS OR USABILITY OF ALL THE ASSETS, AND THE BUYER EXPRESSLY WAIVES ANY CLAIM IN RESPECT TO ANY POSSIBLE FUTURE USE OF ANY ASSET PURCHASED FOR ANY PURPOSE WHATSOEVER.

The buyer does hereby assume and does agree to indemnify and hold the auctioneer harmless from any future claim which shall pertain to the fitness or use of that asset as being purchased. Riggers, movers, electricians and buyers performing work at the Auction Site must provide PMI with evidence of insurance. The insurance coverage must be at a level acceptable to PMI and to the seller. PMI reserves the right to withdraw items, alter the order of the sale, accept bids from the seller, and group lots as it may deem appropriate. This auction may include consignment items.

Although all information has been obtained from sources deemed reliable, the auctioneer and seller make no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained, or contained in our catalog. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the auction. Although it is not likely, auction sales are subject to cancellation or postponement. Kindly contact auctioneer prior to attendance.

These terms and conditions may be modified or supplemented by language in the catalog available at the sale site or by announcement at the start of the sale. Bidders should be attentive to those announcements and to the catalog language.