



AUCTION

EXTREMELY WELL MAINTAINED FABRICATION EQUIPMENT

Featuring: Plate Rolls, Shears, Pressbrakes, Angle Bending Roll, Ironworkers, Material Handling, Vehicles, Portable Buildings, Construction Equipment, Scarab Offshore Boat, Much More! **PLUS PORTABLE MAN-CAMP LIVING QUARTERS – See Page 7**



CNC

CINCINNATI 230 T. X 12' HYD. PRESS BRAKE



2001

ASTEEL 16' X 1/4" HYD. PLATE SHEAR

JAMES
PROMECAM
1/2" X 157"
DOUBLE INITIAL
PINCH PLATE ROLL



At the Premises of
**GULF COAST
MANUFACTURING INC.**
1500 Woodward Blvd.
PORT ARTHUR, TEXAS 77640
(See Directions on Back Page)

**AUCTION:
THURSDAY
JULY 13
10:00 A.M.**

INSPECTION:

Wednesday, July 12,
9:00 A.M. to 4:00 P.M.
& Morning of Sale

BUYER'S PREMIUM:

**15% ON-SITE
18% WEBCAST**



2012

SUNRISE HYD. IRONWORKER



CUSTOM 500 T. UP-ACTING
HYD. PRESS



SCARAB 34' OFFSHORE OUTBOARD FISHING/SPEEDBOAT

On-Site Bidding in Port Arthur, Texas or Bid Via Webcast at BidSpotter.com

Read Partial Terms and Conditions on Back Page of Brochure

Sale Conducted By:

PLANT & MACHINERY INC.
AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE

Ron Moore, Texas Lic. #7314
HOUSTON • DALLAS • ST. LOUIS

Headquarters:

1304 Langham Creek Drive, Suite 454
Houston, Texas 77084

PHONE: (713) 691-4401

FAX: (713) 672-7905

E-MAIL: pmi@pmi-auction.com
WEBSITE: www.pmi-auction.com

2001



ASTEEL 16' X 1/4" HYD. PLATE SHEAR



WYSONG 100 T. X 6'
HYD. PRESS BRAKE

PRESSBRAKES

CINCINNATI 230 T. CAP. MDL. CB230 HYDRAULIC, 10'-6" btwn. housings, 12' overall, Hurco Autobend 7 CNC backgauge, light curtain safety device, 4-way die and punch set, 3-spd. hydraulics, floor standing, S/N 42110.

WYSONG 100 T. CAP. MDL. THS100-72 HYDRAULIC, 72" overall length, 54" dist. btwn. housings, 8" stroke, 9" adj., 17" die space, light curtain safety device, foot pedal and control pedestal, stroke controls, S/N TH6-114.

CUSTOM APPROX. 50 T. CAP. H-FRAME HYDRAULIC, 48" max. width, integrated hyd. unit, manual backgauge, lower 4-way die unit, heavy fabricated steel construction.

BANTAM 12 T. CAP. MDL. B512 AIR OPERATED PRESSBRAKE, 60" max. length, 60" dist. btwn. housings, manual backgauge, assorted tooling, foot pedal control, S/N A8144.

BENDING BRAKES

CHICAGO 8' X 1/4" SIZE 186 POWER LEAF, mechanical drive, S/N 77213.

CHICAGO 10' X 14 GA. MDL. W38 BOX AND PAN, on fabricated stand, S/N 108036.

PROFORMER 10' X 16 GA. HAND APRON, heavy fabricated steel base.

SQUARING SHEARS

ASTEEL 16' X 1/4" MDL. MSH16250 HYDRAULIC SHEAR, new 2001, programmable backgauge, 5' L.H. squaring arm, adj. blade gap, S/N N.A.

PEARSON 10' X 1/4" MECHANICAL SHEAR, pivot design, foot treadle control, adj. blade gap, S/N N.A.

WYSONG 8'L. X 12 GA. MDL. 1296 SHEAR, foot treadle control, manual backgauge, S/N P5-207.

WHITNEY JENSEN APPROX. 52" X 12 GA. HYDRAULIC SHEAR, S/N N.A.

WYSONG 36"L. X 16 GA. MDL. 1636 FOOT SHEAR.



CNC

CINCINNATI 230 T. X 12' HYD. PRESS BRAKE

HYDRAULIC IRONWORKER

SUNRISE 66 T. CAP. MDL. IW-66S, new 2012, 7/8" x 3/8" punching cap., 10" x 3/8" flat shearing cap., 5" x 5" x 1/2" angle shearing cap., 1-1/2" rd. bar shearing cap., 2-station design, dual elec. foot pedals, coper attach., assorted punches and dies, elec. trigger stop, S/N 12046947.



CHICAGO 8' X 1/4" POWER LEAF BRAKE



WYSONG 8' X 12 GA. POWER SHEAR



PEARSON 10' X 1/4" PLATE SHEAR



CNC

PIRANHA 140 T. CAP. HYD. PUNCH



JAMMES PROMECAM 1/2" X 157" DOUBLE INITIAL PINCH PLATE ROLL



CNC

SUNRISE CNC HYD. PLATE PUNCH

2012

HYDRAULIC SINGLE-END PUNCH

PIRANHA 140 T. CAP. MDL. SEP140, 20" throat depth, 92"L. punch tbl., integrated hydraulics, foot pedal control, S/N SEP140-003.

CNC PUNCHING MACHINE

SUNRISE 60 T. CAP. MDL. PMNC-60LT, new 2012, Omron programmable linear material feed, ball roller tbl., foot pedal control, S/N 12097339.

DOUBLE INITIAL PINCH PLATE ROLLS

JAMMES PROMECAM 13' X 1/2", 157" max. bending cap., 1/2" max. material thickness, 12-1/2" dia. top and bottom rolls, 10" front and rear rolls, hyd. drive, hyd. drop end, joystick controls, pwr. adjustment.

ROUND0 6' X 3/16" MDL. PAS185, control pedestal w/digital roll position indicators, hyd. drop end, hyd. drive, S/N 853552.

INITIAL PINCH BENDING ROLLS

G.M.C. MDL. HBR-0425, new 2000, 4' x 1/4" cap., S/N 14-10299.

MILTON MDL. I3 POWER SLIP FORMING MACHINE, 10 ga., 4-1/2" rolls dia., 50" roll length, wire grooves, foot pedal control, S/N 1556.

BIRMINGHAM MDL. W01 MANUAL, 1-1/2mm x 1,300mm, 51" max. bending length, wire grooves, fabricated steel stand.

On-Site Bidding in Port Arthur, Texas or Bid Via Webcast at BidSpotter.com



SUNRISE HYD. IRONWORKER

2012



ROUND0 6' X 3/16" DOUBLE INITIAL PINCH PLATE ROLL



G.M.C. 4' X 1/4" INITIAL PINCH PLATE ROLL



BUFFALO NO. 2 VERT. ANGLE BENDING ROLL



CUSTOM 500 T. UP-ACTING HYD. PRESS



DENNISON C-FRAME HYD. PRESS

AUCTION: THURSDAY, JULY 13 • 10:00 A.M.

INSPECTION: Wednesday, July 12, 9:00 A.M. to 4:00 P.M. & Morning of Sale

VERTICAL ANGLE BENDING ROLL

BUFFALO NO. 2, 5-3/8" roll travel, 5" x 3/8" leg-out angle @ 60°, 3-1/2" x 5/8" leg in angle @ 48°, 9" x 1-1/4" @ 30° flat-on-flat, 2-3/4" rd. bending cap. @ 30°, large selection of tooling incl. pipe dies, flat dies and assorted pieces, S/N U2096.

UP-ACTING C-FRAME FLANGING & DISHING PRESS

CUSTOM APPROX. 500 T. CAP., 21" F-B x 52" R-L ram area, 8" F-B x 30" R-L bed area, 30 HP unitized hyd. system w/directional valves, large qty. of flanging and dishing dies.

MISCELLANEOUS FABRICATING EQUIPMENT

METAL MUNCHER MDL. PS4800 HYDRAULIC GUILLOTINE SHEAR, 1" x 18", 3/4" x 24", 1/2" x 36" and 3/8" x 48" cap., built-in hydraulics, foot pedal operation, hyd. hold-downs, S/N S8107378.

W.A. WHITNEY MDL. 600-4 ANGLE SHEAR, approx. 5" x 5" x 3/8" cap., independent hyd. unit, S/N 608-480.

DENNISON 35 T. CAP. MDL. FWL35-15M-C361 C-FRAME HYDRAULIC PRESS, 15" stroke, 22"W. x 16" F-B bed, rear mtd. hydraulics, S/N 26597.

HORIZONTAL BANDSAWS

HYDMECH MDL. S-20 MITERING, 13"H. X 18"W. rect. cap. @ 90 deg., 3 HP motor, 1" blade size, 45-330 FPM speeds, roller tbl., hyd. vise, S/N 60699445.

JFC MDL. 330, 13" rd. cutting cap. @ 0 deg., 12" rd. cutting cap. @ 45 deg., 5" x 19" rect. cutting cap. @ 0 deg., 9" x 12" rect. cutting cap. @ 45 deg., 1" blade size, 2 HP drive, assorted spare blades, S/N 594094.

MISCELLANEOUS SAWS

GROB MDL. NS24 VERTICAL BANDSAW, 24" throat depth, tilting tbl., S/N 2634.

HABERLE 14" (350mm) MDL. H350 METAL CUT-OFF SAW, new 1997, swivel head, S/N 17706.

DeWALT 12" ABRASIVE CHOP SAW; **STONE 20" MDL. M120 ABRASIVE CUT-OFF SAW**, 10 HP motor, vise, fabricated base; **12" ABRASIVE CUT-OFF SAW**; **DeWALT TRAVELING MITER SAW** w/wood stand; **SKIL PORTABLE TBL. SAW** w/rip fence and stand; **NORTHERN INDUSTRIAL 4-1/2" VERTICAL/HORIZONTAL METAL CUTTING BANDSAW**, on portable stand; **GREENLEE PORTABLE BANDSAW**, on roller stand; **SEARS 12" WOODCUTTING VERTICAL BANDSAW**.

POWER DRIVE COMBINATION MACHINES

PEXTO MDL. 1A, elec. foot pedal control, (8) individual pwr. drive heads for crimping, flanging and beading, on fabricated stand, S/N 1066.

NIAGARA MDL. 172, individual motor drive, flattening rolls.



METAL MUNCHER 4' X 3/8" HYD. GUILLOTINE SHEAR



WHITNEY HYD. ANGLE SHEAR



HYDMECH MDL. S-20 MITERING HORIZ. BANDSAW



CNC

XYZ CNC ROUTER



OOYA 4' x 13" RADIAL DRILL

**GULF COAST
MANUFACTURING INC.
PORT ARTHUR, TEXAS**

TWIN-SPINDLE CNC ROUTER

XYZ MDL. 5010, new 2012, 6'W. x 10'L., tbl. cap., 6" bridge clearance, (2) 3.7 kW router spindles, pneu. adj., vacuum tbl. w/Busch Mdl. Mink MM1252AV vacuum pump, S/N 4533-4423.

RADIAL ARM DRILLS

OOYA 4' x 13" MDL. RE2-1300, spds.: 32-1,985 RPM, pwr. clamping, 24" x 30" x 21" T-slotted box tbl., S/N OA7-1197RT.

HUGE QTY. OF MORSE TAPER DRILLS for the Ooya radial arm drill.

MISCELLANEOUS MACHINERY

DELTA ROCKWELL 15" MDL. 17-600 PEDESTAL DRILL PRESS, adj. ht. tbl.

JET 14" PEDESTAL DRILL PRESS, 5/8" cap., adj. ht. tbl.

ROCKWELL UNIDRILL JACKKNIFE PEDESTAL DRILL, dbl. swivel mount, approx. 24" depth to column, on T-slotted base.

BAILEIGH INDUSTRIAL 30 T. CAP. HYDRAULIC H-FRAME PRESS, 21" dist. btwn. frames, adj. ht. bed w/independent hyd. pwr. supply.

MASTER MDL. 2SP SPINDLE SANDER, assorted spdls. and bed plates, S/N 1227.

PIPE & BOLT THREADING MACHINES

OSTER MDL. 654, 2" pipe, 2" conduit, on fabricated stand, S/N AAN327.

OSTER MDL. 552, 1-1/8" to 2" pipe, 1/4" to 2" bolt, S/N 552-TH-3603.

PIPE EQUIPMENT

CURRENT TOOLS MDL. 77 PORTABLE CONDUIT BENDER, set of tooling, on portable frame; **GREENLEE MDL. 555 PORTABLE CONDUIT BENDER**, set of tooling; **LARGE SELECTION OF TOOLING FOR GREENLEE CONDUIT BENDERS; LARGE QTY. OF OSTER THREADING DIES; (4) RIDGID POWER DRIVE THREADING HEADS; (8) RIDGID NO. 460 AND NO. 40A TRI-STAND PIPE VISES; WIDE SELECTION OF RIDGID MANUAL THREADING HEADS; PIPE CUT-OFFS; REAMERS; ACCESSORIES; (9) CIRCULAR PIPE CLAMPS** – sizes from 24" up to approx. 36"; **HOT TAP UNIT FOR PIPE DRILLING** w/assorted cutters; **CUSTOM HORIZONTAL BENDER**, 3" vert. die arrangement, built-in hyd. unit.

WELDING MACHINES

(2) MILLER MDL. CP302 POWER SOURCE WELDER, 300 amps @ 32 v., 100% duty cycle, new and unused Miller 22A, 24 v. wire feeder unit, S/N MC250201V, S/N MC250200V w/aluminum spool gun.

MILLER MILLERMATIC MDL. 252 INTEGRATED MIG WELDER, 200 amps @ 28 v., 60% duty cycle, built-in wire feeder, S/N ME190467N.

HOBART BETAMIG MDL. 200 MIG WELDER, 200 amps @ 28 v., 60% duty cycle, integrated wire feeder, S/N 87WS14412.

MILLER MDL. LMSW-52T SPOT WELDER, 4,850 secondary amps @ 18" throat, on fabricated frame, S/N ME270133K.

MILLER DIVERSION MDL. 180 PORTABLE TIG WELDER, portable running gear, S/NMD280997J.

WELDING EQUIPMENT

LINCOLN MDL. 625 TOMAHAWK PORTABLE PLASMA CUTTER, S/N N.A.; **PHOENIX TYPE 300 DRY ROD ELECTRODE OVEN; LARGE HEAVY-DUTY FABRICATED STEEL WELDING TBL.** w/1-1/2" steel top.



OSTER PIPE THREADERS



POWER CONDUIT BENDERS



PARTIAL VIEW OF WELDING MACHINES



MARATHON 50 KVA DIESEL GENERATORS



SAMPLE VIEW OF PORTABLE MAN-CAMP LIVING QUARTERS



ASSORTED AIR COMPRESSORS



VIEW OF GASOLINE GENERATORS



SHOP FANS AND AIR CIRCULATORS

STATIONARY DIESEL GENERATORS
 (2) MARATHON MDL. 361PS13600 ELECTRIC MAGNA PLUS SYNCHRONOUS AC, 40 kW, 50.0 KVA, driven by Isuzu diesel engines, frame mtd.

PORTABLE GENERATORS
 CRAFTSMAN, 5,600 watt, gasoline pwrd.
 BRIGGS & STRATTON, 5,550 watt, gasoline pwrd.
 POWERBACK, 5,250 watt, gasoline pwrd.
 PRAMAC, 5,000 watt, gasoline pwrd.

AIR COMPRESSORS
 INGERSOLL RAND MDL. T30, gasoline pwrd., 30 gal. horiz. air receiver.
 E.L. SMITH MDL. 82A-100, elec. pwrd., 1 HP motor, 30 gal. vert. tank.
 CENTRAL PNEUMATIC PORTABLE, elec. pwrd., 2 HP motor, 8 gal. horiz. tank.
 PORTABLE, gasoline pwrd., 30 gal. horiz. tank.

POWER TOOLS
 (2) POULAN PRO CHAIN SAWS; (2) MAGNETIC BASE DRILLS; (5) ELECTRIC HAND DRILLS; PNEUMATIC RIVETER; INGERSOLL RAND 2-1/2" DRIVE PNEUMATIC IMPACT WRENCH.

MISCELLANEOUS SHOP & WAREHOUSE EQUIPMENT
 TROYBILT 3,000 PSI PRESSURE WASHER, gas pwrd.; PORTABLE CONCRETE MIXER; (5) 8" AND 6" BENCH GRINDERS; (12) 24" DIA. PORTABLE CIRCULATORS on fabricated steel stands; LARGE QTY. OF FABRIC AND LEATHER GLOVES; WELDING HOODS; (2) TRAIL BOSS ALUMINUM DIAMOND PLATE PICKUP TOOLBOXES; 2" GALVANIZED CHICKEN WIRE (on one pallet); AUTOMOTIVE CREEPER; (6) GATE VALVES – sizes from 2-1/2" to 8"; ASSORTED 5 HP AND 10 HP ELECTRIC MOTORS (on one pallet); HAND NOTCHING AND MANUAL RATCHET PUNCH HEADS; MANUAL ANGLE SHEAR; WHITNEY BAR BENDER; METAL CYCLONE FENCING; LARGE QTY. OF CRYOGENIC COLD SHOES (new and installed); LARGE NYLON ROPE; APPROX. (12) OVERHEAD HANDLING STEEL CHIP BUCKETS.

ELECTRIC WINCH
 BEEBE BROTHERS MDL. 1300B20, 1,300-lb. cap. @ 20 FPM, on frame.

On-Site Bidding in Port Arthur, Texas or Bid Via Webcast at
BidSpotter.com



COLD SHOE CRYOGENIC SUPPORTS

UNUSED!

PORTABLE MAN-CAMP LIVING QUARTERS

(MOST ARE LOCATED OFF-SITE TO BE SOLD BY PHOTO)

- (19) 10' X 32' 12-MAN SLEEPER UNITS
- (1) 10' X 32' LAUNDRY/OFFICE UNIT
- (1) 10' X 32' GALLEY/DINER UNIT
- PLUS APPROX. (75) BUNK BEDS

NOTE: One galley unit, one sleeper unit and the bunk beds will be onsite at the Port Arthur auction site for bidders to inspect. The other items (18 sleeper units and one laundry/office unit) can be inspected on Tuesday, July 11 between 9:00 A.M. and 3:00 P.M. at 2717 Pete Seay Road, Sulphur, Louisiana 70663 or other times by appointment by calling (337) 263-5455.



CASE 580B ROUGH TERRAIN FORKLIFT

ROUGH TERRAIN FORKLIFT

CASE MDL. 580B, diesel pwr'd., triple-stage mast, 42" forks, approx. 6,000-lb. cap., 19.5L-24 rough terrain tubeless tires, S/N N.A.

FORKLIFTS

YALE 8,000-LB. CAP. MDL. GLC080VXNSE100, new 2011, LPG, 100" triple-stage mast, 218" lift height, forks, S/N E818V03757J.

(2) YALE 6,000-LB. CAP., MDL. GLP060VXEVS093, new 2006, LPG, 93" triple-stage mast, 199" lift height, side shift, forks, S/N B875B06927D, S/N B875B07698D.

YALE 3,000-LB. CAP. MDL. GLP030, new 2000, LPG, 90" lift height, forks, S/N A810V05654X.

ELECTRIC FORKLIFTS

(2) YALE 2,900-LB. CAP. MDL. ERP030THN36TE094 3-WHEEL, 216" load ht. @ 24" L.C., 36 v., side shift w/chargers, no forks, S/N F807N03823D, S/N F807N03826D.

ELECTRIC STAND-UP FORK TRUCK

YALE 2,000-LB. CAP. MDL. ESC020ABN24SE077, 2,000-lb. cap. @ 24" L.C., 72" max. ht., S/N N536857.

FLATBED PICKUP TRUCK

2013 CHEVROLET MDL. 3500HD, diesel, 13,200-lb. G.V.W.R., 8' x 12' diamond plate steel deck w/rub rails and stake pockets, ODO: 107,000 miles, TX License No. FCN8474, VIN 1GB3CZCG0DF126383.

PORTABLE TRUCK RAMP

BLUFF MFG. 16,000-LB. CAP. MDL. 16SYS7030, galvanized steel, S/N 219247.

MISC. HANDLING EQUIPMENT

(2) MILITARY GRADE 2,000 GAL. CAP. STAINLESS STEEL OVAL FUEL TANKS, used to hold diesel fuel; (5) MANUAL CHAIN FALLS – up to 3 T. cap.; 1-1/2 T. CAP. COME-ALONG; LARGE QTY. OF ADJUSTABLE HT. JACK STANDS; TRANSMISSION JACK; (2) ALDON TRAILER STABILIZING JACKS.

KITCHEN EQUIPMENT

BAR-B-QUE KING 2-STAGE REVOLVING OVEN; FWE FOOD WARMER; MANITOWOC ICE MACHINE; B.K. INDUSTRIES PRESSURE COOKER; ELECTRIC 6-BURNER RANGE.



SCARAB 34' OFFSHORE OUTBOARD FISHING/SPEEDBOAT



STAINLESS STEEL DIESEL STORAGE TANKS



CHEVROLET 3500 DIESEL FLATBED TRUCK

2013



BLACKJACK 224 CENTER CONSOLE BOAT

OFFSHORE BOAT

SCARAB "SUPER SPORT" MDL. 340, 34' center console, twin Mercury 225 salt water outboard motors, Quick Silver stainless steel mirage propellers, ACE triple axle trailer, Ray Marine electronics, front cubby cabin.

CENTER CONSOLE BOAT

BLACKJACK MDL. 224, Yamaha 250 4-stroke outboard engine, stainless propeller, Minn Kota Rip Tide trolling motor, McClain tandem axle trailer.

PLANT & MACHINERY INC.
AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE

P.O. Box 19100
Houston, TX 77224-9100

DATED MATERIAL - PLEASE DELIVER

**EXTREMELY WELL
MAINTAINED FAB. EQUIP.**

**Featuring: Plate Rolls, Shears, Pressbrakes,
Angle Bending Roll, Ironworkers, Material Handling,
Vehicles, Portable Buildings, Construction
Equipment, Scarab Offshore Boat, Much More!
PLUS PORTABLE MAN-CAMP LIVING QUARTERS -
See Page 7**



PUBLIC INVITED
AUCTION: THURSDAY, JULY 13 • 10:00 A.M.



**ATTENTION: PLANT MANAGER
OR EQUIPMENT BUYER**

Presorted
First Class Mail
U.S. Postage
PAID
Eugene, Oregon
Permit No. 17

PMI AUCTION
PORT ARTHUR, TEXAS

2012



XYZ CNC ROUTER

DIRECTIONS & LODGING

FROM GEORGE BUSH INTERCONTINENTAL AIRPORT: Exit airport using John F. Kennedy Blvd. Merge onto TX-8 Beltway E which will become Sam Houston Tollway E. Proceed approx. 14 miles. Merge onto I-10 E toward Beaumont. Proceed approx. 47-1/2 miles. Merge onto TX-73 E via Exit 828 toward Winnie/Port Arthur. Proceed approx. 25 miles. Merge onto TX-73 N toward Port Arthur/Groves and proceed approx. 4 miles. Merge onto US-69 S/US-96 S/US-287 S and proceed approx. 2.21 miles. This road will become Woodworth Blvd. and the sale site will be on your left at 1500 Woodworth Blvd., Port Arthur, Texas 77640.

- La Quinta Inn & Suites Port Arthur** (409) 722-8383
7540 Memorial Blvd., Port Arthur, Texas 77640
- Holiday Inn Port Arthur Park Central** (409) 724-5000
2929 Jimmy Johnson Blvd., Port Arthur, Texas 77642
- Hampton Inn & Suites Port Arthur** (855) 605-0317
7660 Memorial Blvd., Port Arthur, Texas 77642-8055

UNABLE TO ATTEND?

Bid on-line in real time at **BidSpotter.com**
TO PARTICIPATE YOU MUST:

1. Register at www.BidSpotter.com. Use the link to BidSpotter on PMI's website calendar. **DO IT NOW.**
2. Either send wire transfer, or, overnight delivery service a cashier's check deposit in the amount of **\$3,000** (U.S. Bidders) or **\$10,000** (Foreign Bidders) to:
Plant & Machinery Inc.
1304 Langham Creek Drive, Suite 454, Houston, TX 77084
Wire transfer instructions can be found at pmi-auction.com

You must be registered and have your deposit in the hands of Plant & Machinery, Inc. at least 24 hours prior to the start of the auction. Failure to register and/or failure to send your deposit to Plant & Machinery, Inc. may disqualify you from bidding. **DON'T WAIT.**
If you need assistance, don't hesitate to call (713) 691-4401.
ALL WEBCAST BIDS ARE SUBJECT TO AN 18% BUYER'S PREMIUM.

**FINANCE
YOUR AUCTION
PURCHASE**

Conserve Your Cash &
Increase Your Bidding Power
**AuctionLea\$e Provides
M&E Financing**
**With Approvals from
\$5,000 to \$999,000**
(800) 438-1470
Apply Online:
www.AuctionLease.com

PARTIAL TERMS & CONDITIONS

A 15% Buyer's Premium Will Apply On-site.
An 18% Buyer's Premium Will Apply to Webcast Bids. See Above Rules for Participation.
Everything will be sold to the highest bidder or bidders for cash in accordance with the auctioneer's Customary Terms of Sale, copies of which will be posted on the premises.
ALL PAYMENTS MUST BE MADE BY CASH, CASHIER'S CHECK, WIRE TRANSFER OR COMPANY CHECK WITH BANK LETTER GUARANTEEING PAYMENT TO PLANT & MACHINERY INC.
Here is an example of what your letter should be: *Mr. "Customer Name" is a customer of this bank. This bank will guarantee unqualified payment to PMI on the account listed herein up to the amount of \$_____. This letter is good until July 14, 2017.*
In default of payment of bills in full within the time therein specified, the Auctioneer in addition to all other remedies allowed by law, may retain all monies received as deposit or otherwise, as liquidated damages. All items must be removed by the time announced at the start of the sale.
Lots not paid for and/or removed within the time allowed may be resold at public or private sale without further notice, and any deficiency, together with all expenses and charge of resale, will be charged to the defaulting purchaser.
The buyer acknowledges that he or an agent has inspected all of the assets upon which he will be bidding and/or does purchase.
Buyer agrees to accept assets purchased **"AS IS," WITH "ALL FAULTS" AND "WITH REMOVAL AT BUYER'S RISK AND EXPENSE."** THE AUCTIONEER EXPRESSLY DISCLAIMS ON THE

PART OF THE AUCTIONEER AS AGENT AND THE SELLER, ANY WARRANTY AS TO FITNESS OR USABILITY OF ALL THE ASSETS, AND THE BUYER EXPRESSLY WAIVES ANY CLAIM IN RESPECT TO ANY POSSIBLE FUTURE USE OF ANY ASSET PURCHASED FOR ANY PURPOSE WHATSOEVER.
The buyer does hereby assume and does agree to indemnify and hold the auctioneer harmless from any future claim which shall pertain to the fitness or use of that asset as being purchased. Riggers, movers, electricians and buyers performing work at the Auction Site must provide PMI with evidence of insurance. The insurance coverage must be at a level acceptable to PMI and to the seller. PMI reserves the right to withdraw items, alter the order of the sale, accept bids from the seller, and group lots as it may deem appropriate. This auction may include consignment items.
Although all information has been obtained from sources deemed reliable, the auctioneer and seller make no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained, or contained in our catalog. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the auction. Although it is not likely, auction sales are subject to cancellation or postponement. Kindly contact auctioneer prior to attendance.
These terms and conditions may be modified or supplemented by language in the catalog available at the sale site or by announcement at the start of the sale. Bidders should be attentive to those announcements and to the catalog language.