

TTF, LLC AUCTION CATALOG		
<u>LOT</u>	<u>QTY</u>	<u>DESCRIPTION</u>
1	1	LOT OF TUB & STORAGE UNITS (2), w/rivets
2	1	LOT OF NUTS, BOLTS, SCREWS & WASHERS
3	1	LOT OF NUTS, BOLTS, SCREWS & WASHERS
4	1	LOT OF SANDING DEVICES, ABRASIVE WHEELS, STIR STICKS, PLUMBING FITTINGS, NAILS, ETC.
5	1	LOT OF PNEUMATIC HOSES & FITTINGS
6	1	LOT OF TEFLON COATED WIRE, WELDING RODS & STAINLESS STEEL CABLE
7	1	LOT OF LOCKDOWN FIXTURES
8	1	LOT OF HAND TOOLS, DRILL BITS & HOLE SAWS
9	1	LOT OF DRILL BITS & ROUTER BITS
10	1	LOT OF SERVO MOTORS & DIRECTIONAL VALVE
11	1	LOT OF FORMED STAINLESS STEEL TUBING
12	1	LOT OF 48" STEEL RULERS (2), 12" STEEL RULE, TIE-DOWN BANDING TOOL & CRIMPER
13	1	LOT OF ELECTRIC CABLES (3) & EXTENSION CORDS
14	1	TONNEAU COVER, w/hardware (for short bed pickup truck)
15	1	MILLING VISE, KURT 6"
16	1	MILLING VISE, KURT 6"
17	1	TABLE VISE SET (2 PC.)
18	1	SHEETMETAL BRAKE, ROLL & SHEAR COMBINATION, CENTRAL MACHINERY, 30"W. x 20 ga. max. material thickness, 5/32, 11/64 & 7/30 seconds wire forming grooves, lever operated shear, pressbrake, slip roll & extra shear
19	1	TEST GAUGE
20	1	HARDNESS TESTER, ROCKWELL, w/weights & log
21	1	SHRINKING HAMMER, TM TECHNOLOGIES MDL. M-1, assorted mandrels & accessories, S/N B1158
22	1	LOT OF PLASTIC TUBS
23	1	WHEELING & RAISING MACHINE (ENGLISH WHEEL), U.S. INDUSTRIAL TOOL MDL. US1001, 43" throat depth, roller stand, assorted rolls, S/N 11932
24	1	PORTABLE BANDSAW, CENTRAL MACHINERY, on wheels
25	1	BEAD BLAST CABINET, ECONOLINE
26	1	MANUAL TUBING BENDER
27	1	DRILL PRESS, CRAFTSMAN 17", on stand
28	1	MANUAL METAL STRETCHER, CENTRAL MACHINERY
29	1	LOT OF METAL SHRINKERS (2), on fabricated stand
30	1	SANDBLASTER, SPEEDAIRE, 120 lb. cap.
31	1	PLANER, RIDGID 12", on stand
32	1	RADIAL ARM SAW, CRAFTSMAN, 2.75 HP motor, on stand
33	1	BANDSAW, DELTA 16", on stand
34	1	BANDSAW/SANDER, BUFFALO 14", Mdl. 81000, on stand
35	1	DUST COLLECTOR SYSTEM, CENTRAL MACHINERY
36	1	FLOOR BUFFER, CLARKE
37	1	PRESSURIZED WATER TANK, FLOTEC MDL. FP7120, H.D. (new in box)
38	1	LOT OF WORKTABLES (10), assorted
39	1	PANEL SAW, MILWAUKEE, 2-1/2 HP motor, 66" x 144" frame

<u>LOT</u>	<u>QTY</u>	<u>DESCRIPTION</u>
40	1	ROTARY SCREW AIR COMPRESSOR, INGERSOLL RAND MDL. SSR125HAACC13F , 125 CFM, 35 HP motor, mtd. to 90 gal. tank, add'l. 80 gal. vert. air receiver, air cooled, S/N A2416U83B
41	1	REFRIGERATED AIR DRYER, AIRTEK
42	1	SPRAY BOOTH, CUSTOM , built w/20' connex shipping containers, sgl. end doors
43	1	SPRAY BOOTH, CUSTOM , built w/20' connex shipping containers, sgl. end doors
44	1	LOT OF MISC. FABRICATED ITEMS IN CRATES (contents of pallet rack only - pallet rack not included)
45	1	FOOT SHEAR, TENNSMITH 48" X 16 GA. , Mdl. 152-16, rear mtd. backgauge, S/N 1722
46	1	APRON BRAKE, TENNSMITH 16 GA. , Mdl. HB9716, 96" overall bending length, S/N 17627
47	1	PAINT SHAKER , air pwr'd.
48	1	PAINT MIXER , air controlled
49	1	FABRICATED RACK (for storage)
50	1	LOT OF SHELVING , w/heat sealer, abrasives, bench mount shear, etc.
51	1	LOT OF METAL SCRAP (in one barrel)
52	1	LOT OF PLYWOOD, LUMBER, CONCRETE MIX, 4X4 CRATE (on pallet rack)
53	1	LOT OF MISC. CRATED & BOXED PARTS (contents of three pallet racks only - pallet racks not included)
54	1	LOT OF ALUMINUM MANUFACTURED PARTS (in crates on pallet)
55	1	LOT OF HAMMER DIES , for military & commercial aircraft applications (to be sold after Lot 59)
56	1	LOT OF METAL TUBING, ANGLE IRON, ETC. (on two fabricated stands)
57	1	ROPE DROP HAMMER, ROHR 3,000 LB. CAP. , 48" x 65" bed, 36" x 48" slide area, 48" drop travel, heavy cast steel construction
58	1	ROPE DROP HAMMER, ROHR 1,000 LB. CAP. , 36" x 48" bed, 24" x 32" ram area, 42" drop travel, rope drive system
59	1	MEZZANINE UNIT (for Rohr rope drop hammers)
60	1	DRY TYPE TRANSFORMER, ACME , 480 v. primary, 208/120 v. secondary, 30 KVA
61	1	DOWN DRAFT SANDING TABLE, CUSTOM
62	1	TENSILE TESTER
63	1	LOT OF MISC. CRATED & BOXED PARTS (on two pallet racks only - pallet racks not included)
64	1	VACUUM SHEETLIFTER, VACU-LIFT MDL. 3200-10-3-4 , 10'L., 1,800 lb. max. cap., (6) vacuum cups, onboard vacuum pump, S/N 90-20-2140-1
65	1	AIR CONDITIONING/HEATING UNIT, TRANE
66	1	BARREL TURNER, CUSTOM (for mixing liquid)
67	1	MARDI GRAS TRAILER
68	1	OVEN SHELL
69	1	LOT OF SCRAP METAL
70	1	ROTARY SCREW AIR COMPRESSOR, CURTIS TOLEDO MDL. RS30E-AE-E12 , new 2006, 30 HP motor, 130 CFM @ 125 PSI, air cooled, S/N 03H060011
71	1	AUXILLARY RECEIVER TANK , 120 gal. cap.

<u>LOT</u>	<u>QTY</u>	<u>DESCRIPTION</u>
72	1	LOT OF GLASS TUBING (in one crate)
73	1	CNC LASER, CINCINNATI 5' X 10' , Mdl. CL-7, G.E. Fanuc 11M CNC control, auto. pallet change system, Rofinsinar Mdl. RS1200 - 1,200 watt resonator, spare CNC control & spare laser resonator, S/N 47069
74	1	LIFTING DEVICE
75	1	LOT OF POWDERED SODIUM BICARBONATE, ARM & HAMMER , in (5) 50 lb. bags
76	1	LOT OF MISC. CRATED & BOXED PARTS (on pallet rack section - items on ground level & pallet rack not included)
77	1	CHILLER UNIT, APPLICATION ENGINEERING MDL. DLA-7-1/2-0 , 55 deg. min. temp., S/N 89E047
78	1	LOT OF FABRICATED METAL SCREENS
79	1	LOT OF SHELVING UNITS (4) , w/contents
80	1	LOT OF SHIPPING CRATES (12) , w/manufactured aluminum airplane flaps
81	1	BOTTOM DROP HEAT TREAT FURNACE, GM INDUSTRIES MDL. HT01 , elec. fired, 4' x 4' x 6' work zone, 600 deg. to 1,100 deg. F operating range, +/- 10 deg. F. tolerance, digital temp.
82	1	HYDRAULIC PRESS, PROGRESSIVE HYDRAULICS 500 T. CAP. SLAB FRAME , 52" F-B x 57" R-L. bed area, 36" F-B x 57" R-L ram area, 58-1/4" dist. btn. uprights, toggle action hydraulics, top mtd. hyd. system, roller table feed, dual cyl. design, 8" x 14" pass through windows, S/N N.A.
83	1	LOT OF FABRICATED METAL SHELVING , w/contents (located on cart)
84	1	LOT OF MISC. CRATED & PALLETIZED ITEMS (contents of four pallet racks - pallet racks not included)
85	1	GARMENT CABINET, EXCHANGE MASTER , for employee clothing
86	1	HYDRAULIC PRESS, LAKE ERIE 800 T. CAP. 4-POST , 44" F-B x 96" R-L bed & ram area, 5" thk. full size upper & lower bolster w/provision for heating, light curtain safety device, 98" R-L x 20-1/2" tie rod space, approx. 26" stroke, top mtd. hyd. system, provision for steam heated platens, 28.5" ram dia., operator's control pedestal, S/N N.A.
87	1	HYDRAULIC PRESS, ELMS 500 T. CAP. 4-POST , 25-3/4" R-L x 38-1/2" F-B ram & bed area, approx. 14" stroke, 20" R-L x 9" dist. btn. posts, integral hyd. system w/20 HP drive motor & reservoir base, S/ J-7994.
88	1	LOT OF MOLDS (in one box) & CART w/welding accessories
89	1	HORIZONTAL CHEST TYPE FREEZER
90	1	WOODEN STORAGE CABINET
91	1	MATERIAL DISPENSING RACK , w/material rolls
92	1	ELECTRIC FIRED AUTOCLAVE, CUSTOM , 53-1/2" shell dia., 120" L X 52" W X 42" H cap., controls & accessories
93	1	ELECTRIC FIRED AUTOCLAVE, CUSTOM , 53-1/2" shell dia., 120" L X 52" W X 42" H cap., controls & accessories
94	1	LOT CONSISTING OF CUSTOM CART & CONTENTS OF SHELF
95	1	LOT OF HEATING/AIR CONDITIONING UNITS (2) , BARD MFG. CO. (suitable for outdoor use)
96	1	CNC ROUTING MACHINE, EKTROM-CARLSON , PC based CNC control system, 180" X-axis travel, 48" Y-axis travel, heavy fabricated frame construction, timing belt, bridge drive, approx. 3 KW unitized motor drive spdl., #40 quick change adapter
97	1	ACCESSORY CART

<u>LOT</u>	<u>QTY</u>	<u>DESCRIPTION</u>
98	1	ACCESSORY CART
99	1	CNC VERTICAL MILL, LAGUNMATIC MDL. 320 , 11" x 58" table, Delta 20 CNC control system, including outboard PC based control unit, pwr. knee elevation, manual pulse coder, CAT-40 spdl. taper, S/N 30546
101	1	CNC VERTICAL MILL, LAGUNMATIC MDL. 320 , 11" x 58" table, Delta 20 CNC control system, pwr. knee elevation, manual pulse coder, CAT-40 spdl. taper, S/N 28827
102	1	LOT OF CAT-40 TAPER SPDL. TOOLING
103	1	CNC HYDRO-MECHANICAL PRESSBRAKE, TRI-ACRO 72" X 14 GA. , Mdl. 35-6, 23.31 T. punching cap., Autogauge CNC99 CNC backgauge, dual palm button controls, S/N 1338P
104	1	FUEL TANK , on elevated fabricated frame w/fuel nozzle
105	1	PNEUMATIC PRESS TYPE SPOT WELDER, SCIAKY MDL. RMC01STQ-75-36-10 , 75 KVA @ 50% duty cycle, 50,000 peak secondary amps, 10" x 40" throat, Sciaky solid state control system, foot pedal control, S/N 10082
106	1	FABRICATED RACK (for welding tank storage)
107	1	CARTRIDGE STYLE DUST COLLECTOR, DONALDSON TORIT MDL. DFT4-16 , 4-compartment, 16-element, fabricated steel stand, controls, S/N TG92550/001
108	1	COOLING UNIT, APPLICATION ENGINEERING
109	1	LOT OF PRESSBRAKE PUNCHES & DIES
110	1	CANTILEVER RACK , modular construction, sgl. sided, 48" cantilever, (3) columns, spacers
111	1	REAR DRAFT SPRAY BOOTH, JBI 118"W. X 72" DP. X 96" HT. , dry filter rear exhaust system, employs 20" sq. filters, JBI controls, galvanized panel construction, explosion proof fluorescent lighting, drying & preparation vestibule
112	1	MANUAL PLATING LINE , (6) approx. 48" x 96" carbon steel tanks w/rubber liners, associated pumps & filters; several plating racks w/overhead handling system; Dynapower Corp. Mdl. SD22-01500152-CKLX-6XXX rectifier, 240 v. input, 15 v. output, 1,500 amp, digital control system, S/N 43953-001-001; Hayward Pro-Grid Mdl. D.E cartridge filter w/cartridge holder; CM 600 lb. cap. overhead handling system w/pwr. trolley & overhead rail; Yale ½ T. cap. overhead bridge crane w/fabricated frame, (3) plating racks with roller support stands.