| | | KNUST-GODWIN CATALOG |
|------------|-----|---|
| LOT | QTY | DESCRIPTION |
| 1 | 1 | ULTRASONIC CLEANING SYSTEM, ULTRASONIC POWER |
| | | CO. MDL. 51-15-133 4-STATION , 16"W. x 20'L. x 16" dp. tank, |
| | | pre-wash tank, chemical wash tank, rinse station, D.I. water |
| | | rinse, S/N 00900036 |
| 2 | 1 | HEAT SHRINKING MACHINE, THERMOGRIP, ISG 3000, |
| | | KENNAMETAL, TTI SG30005 |
| 3 | 1 | STEAM CLEANER, HYDRO-TEK PRO MDL. HN20005E2H, |
| | | 2,000 PSI @ 4.8 GPM, 210 deg. F. max. temp, gas fired |
| | | |
| 4 | 1 | DRILL PRESS, JET, 1-1/2 HP, S/N 9040597 |
| 5 | 1 | DRILL PRESS, CONTINENTAL, 3/4 HP, S/N 009011 |
| 6 | 1 | DRILL PRESS, DELTA ROCKWELL, 1/2 HP motor, S/N 117- |
| | | 9335 |
| 7 | 1 | GRINDER, BALDOR, 5 HP, H.D., S/N 04848-36 |
| 8 | 1 | GRINDER, BALDOR, 1/2 HP |
| 9 | 1 | GRINDER, DAYTON, 1/3 HP |
| 10 | 1 | GUN DRILL GRINDER, ACCU-FINISH, S/N AB00115 |
| 11 | 1 | GUN DRILL GRINDER, ACCU-FINISH, S/N AB29603 |
| 11A | 1 | GUN DRILL GRINDER, ACCU-FINISH, S/N N.A. |
| 12 | 1 | COMBINATION SANDER/BUFFER, DELTA ROCKWELL, 3/4 |
| | | HP |
| 13 | 1 | VISE, H.D., on pedestal |
| 14 | 1 | VISE, WILTON, H.D., on pedestal |
| 15 | 1 | COLD ROLL TOOL, for API threads, I.D./O.D. |
| 16 | 1 | SHOP PRESS, WESTARD 25 T. CAP. MDL. 1MZJ4 |
| 17 | 1 | TOOLBOX, CRAFTSMAN, 16-drawer |
| 18 | 1 | FREE STANDING OVERHEAD CRANE SYSTEM, 1/4 T. X |
| ' | • | 17'W., 12' uprights, aluminum, 1/4 T. cap. hoist |
| 19 | 1 | HORIZONTAL BANDSAW, DAKE MDL. SE712, S/N 4760684 |
| | | |
| 20 | 1 | WET SAW, SCOTCHMAN 15", H.D. |
| 21 | 1 | RADIAL ARM SAW, CRAFTSMAN 10", w/laser track |
| 22 | 1 | LOT OF CASTER WHEELS (on one pallet) |
| 23 | 1 | LOT OF WORK GLOVES (approx. 450 pairs) |
| 24 | 1 | LOT OF WORK GLOVES (approx. 450 pairs) |
| 25 | 1 | LOT OF FLOOR BUFFERS, SPEED SHINE |
| 26 | 1 | INTERNAL TIG WELDING MACHINE, consisting of: Miller |
| | ' | Syncrowave Mdl. 300 welding pwr. source w/cooler, Stenning |
| | | Instruments video weld monitor, 72" max. weld depth, |
| | | Cyclomatic seam tracking system, horiz. rotating fixture, assorted |
| | | leads & accessories |
| 26A | 1 | WELDING MACHINE, MILLER DIALARC MDL. HF, 250 amps |
| | ' | @ 30 v., 100% duty cycle, S/N JE742241 |
| 27 | 1 | DUAL DRAW COMBINATION REAR & DOWNDRAFT |
| | • | CLEANING SYSTEM, integrated dust collector |
| 28 | 1 | FLOW CLEAN BENCH, CLEAN AIR PRODUCTS |
| 29 | 1 | FILTRATION UNIT, OKUMA-HOWA (new) |
| 30 | 1 | FILTRATION UNIT, OKUMA-HOWA (new) |
| <u>3</u> U | I | FILTRATION UNIT, ORUMA-HOWA (Hew) |

| DESCRIPTION 31 1 FILTRATION UNIT, OKUMA-HOWA (new) 32 1 FILTRATION UNIT, OKUMA-HOWA (new) 33 1 MACHINE CHILLER 34 1 WELDING CHILLER, REMCOR MDL. CH951A 35 1 WELDING CHILLER, REMCOR MDL. CH951A 36 1 WELDING CHILLER, REMCOR MDL. CH951A 37 1 AIR DRYER, SPEEDAIRE 38 1 AIR DRYER, SPEEDAIRE 39 1 AIR DRYER, SPEEDAIRE 40 1 SELF-CONTAINED COOLANT RECONDITIONING SYSTEM, KOOLANT WIZARD 41 1 EXHAUST FAN, CARNES MDL. LRDA36W3GJNG141L 42 1 EXHAUST FAN, CARNES MDL. LRDA36W3GJNG141L 43 1 OPTICAL COMPARATOR, MITUTOYO MDL. PH350, S/N 301 44 1 O.D. MICROMETER, STARRETT, 18" to 24" 45 1 O.D. MICROMETER, STARRETT, 18" to 24" 46 1 TRI MICROMETER, 7" to 8" 47 1 BORE GAUGE, MITUTOYO, .02" to .2" 48 1 LOT OF AIR GAUGES, FEDERAL 49 1 TRAVEL INDICATOR, STARRETT, 0" to 10" 50 1 LD. MICROMETER, STARRETT, 8" to 32" 51 1 DEPTH GAUGE, MITUTOYO 52 1 GRANITE STEP BLOCK, MOJAVE 53 1 DEPTH GAUGE, MITUTOYO 54 1 COMPARATOR 55 1 ULTRASONIC THICKNESS GAUGE, GE PANAMETRICS 370L PLUS 56 1 DC MILIGAUSS METER, ALPHALAB 57 1 MICRO CONDUCTIVITY METER, OMEGA 58 1 PROFILOMETER, MITUTOYO, 2" to 4" 59 1 PLUG GAUGE SET 60 1 LOT OF METRIC DELTRONIC PINS 61 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10110 62 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10110 63 1 HEIGHT GAUGE 66 1 HEIGHT GAUGE 67 1 MACHINE INDICATOR LEVEL 68 1 TELEVISION, SANYO 30" 69 1 OVERHEAD BRIDGE CRANE, OSBORN INDUSTRIES 5 T. X 38'SPAN, top running, sgl. girder, Spacemaster unitized wire rope hoist, 19' ht. under bridge, pendant control, variable spd. motions, S/N 95982 | | | KNOST-GODWIN CATALOG |
|---|-----|-----|--|
| 1 FILTRATION UNIT, OKUMA-HOWA (new) 33 1 MACHINE CHILLER 34 1 WELDING CHILLER, REMCOR MDL. CH951A 35 1 WELDING CHILLER, REMCOR MDL. CH951A 36 1 WELDING CHILLER, REMCOR MDL. CH951A 37 1 AIR DRYER, SPEEDAIRE 38 1 AIR DRYER, SPEEDAIRE 39 1 AIR DRYER, SPEEDAIRE 40 1 SELF-CONTAINED COOLANT RECONDITIONING SYSTEM, KOOLANT WIZARD 41 1 EXHAUST FAN, CARNES MDL. LRDA36W3GJNG141L 42 1 EXHAUST FAN, CARNES MDL. LRDA36W3GJNG141L 43 1 OPTICAL COMPARATOR, MITUTOYO MDL. PH350, S/N 301 44 1 O.D. MICROMETER, STARRETT, 18" to 24" 45 1 O.D. MICROMETER, MITUTOYO, 7" to 8" 46 1 TRI MICROMETER, "IT 0 8" 47 1 BORE GAUGE, MITUTOYO, .02" to .2" 48 1 LOT OF AIR GAUGES, FEDERAL 49 1 TRAVEL INDICATOR, STARRETT, 8" to 32" 50 1 LD. MICROMETER, STARRETT, 8" to 32" 51 1 DEPTH GAUGE, HOLE CHEK 54 1 LOT OF O.D. MICROMETERS, YUASA 60" 55 1 ULTRASONIC THICKNESS GAUGE, GE PANAMETRICS 370L PLUS 56 1 DC MILIGAUSS METER, ALPHALAB 57 1 MICRO CONDUCTIVITY METER, OMEGA 58 1 PROFILOMETER, MITUTOYO, 2" to 4" 59 1 PLUG GAUGE SET 60 1 LOT OF METRIC DELTRONIC PINS 61 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10110 62 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10110 63 1 HEIGHT GAUGE, BROWN & SHARPE 65 1 HEIGHT GAUGE 66 1 HEIGHT GAUGE 67 1 MACHINE INDICATOR LEVEL 68 1 TELEVISION, SANYO 30" 69 1 OVERHEAD BRIDGE CRANE, OSBORN INDUSTRIES 5 T. X 38' SPAN, top running, sgl. girder, Spacemaster unitized wire rope hoist, 19' ht. under bridge, pendant control, variable spd. | LOT | QTY | DESCRIPTION |
| 33 1 MACHINE CHILLER 34 1 WELDING CHILLER, REMCOR MDL. CH951A 35 1 WELDING CHILLER, REMCOR MDL. CH951A 36 1 WELDING CHILLER, REMCOR MDL. CH951A 37 1 AIR DRYER, SPEEDAIRE 38 1 AIR DRYER, SPEEDAIRE 39 1 AIR DRYER, SPEEDAIRE 40 1 SELF-CONTAINED COOLANT RECONDITIONING SYSTEM, KOOLANT WIZARD 41 1 EXHAUST FAN, CARNES MDL. LRDA36W3GJNG141L 42 1 EXHAUST FAN, CARNES MDL. LRDA36W3GJNG141L 43 1 OPTICAL COMPARATOR, MITUTOYO MDL. PH350, S/N 301 44 1 O.D. MICROMETER, STARRETT, 18" to 24" 45 1 O.D. MICROMETER, MITUTOYO, 7" to 8" 46 1 TRI MICROMETER, T' to 8" 47 1 BORE GAUGE, MITUTOYO, .02" to .2" 48 1 LOT OF AIR GAUGES, FEDERAL 49 1 TRAVEL INDICATOR, STARRETT, 8" to 32" 50 1 LD. MICROMETER, STARRETT, 8" to 32" 51 1 DEPTH GAUGE, HOLLE CHEK 54 1 LOT OF O.D. MICROMETERS, YUASA 60" 55 1 ULTRASONIC THICKNESS GAUGE, GE PANAMETRICS 370L PLUS 56 1 DC MILIGAUSS METER, ALPHALAB 57 1 MICRO CONDUCTIVITY METER, OMEGA 58 1 PROFILOMETER, MITUTOYO, 2" to 4" 59 1 PLUG GAUGE SET 60 1 LOT OF METRIC DELTRONIC PINS 61 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10110 62 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10110 63 1 HEIGHT GAUGE, BROWN & SHARPE 65 1 HEIGHT GAUGE 66 1 HEIGHT GAUGE 67 1 MACHINE INDICATOR LEVEL 68 1 TELEVISION, SANYO 30" 69 1 OVERHEAD BRIDGE CRANE, OSBORN INDUSTRIES 5 T. X 38' SPAN, top running, sgl. girder, Spacemaster unitized wire rope hoist, 19' ht. under bridge, pendant control, variable spd. | | | , , |
| 1 WELDING CHILLER, REMCOR MDL. CH951A 1 WELDING CHILLER, REMCOR MDL. CH951A 36 1 WELDING CHILLER, REMCOR MDL. CH951A 37 1 AIR DRYER, SPEEDAIRE 38 1 AIR DRYER, SPEEDAIRE 39 1 AIR DRYER, SPEEDAIRE 40 1 SELF-CONTAINED COOLANT RECONDITIONING SYSTEM, KOOLANT WIZARD 41 1 EXHAUST FAN, CARNES MDL. LRDA36W3GJNG141L 42 1 EXHAUST FAN, CARNES MDL. LRDA36W3GJNG141L 43 1 OPTICAL COMPARATOR, MITUTOYO MDL. PH350, S/N 301 44 1 O.D. MICROMETER, STARRETT, 18" to 24" 45 1 O.D. MICROMETER, MITUTOYO, 7" to 8" 46 1 TRI MICROMETER, MITUTOYO, .02" to .2" 48 1 LOT OF AIR GAUGES, FEDERAL 49 1 TRAVEL INDICATOR, STARRETT, 0" to 10" 50 1 LD. MICROMETER, STARRETT, 8" to 32" 51 1 DEPTH GAUGE, MITUTOYO 52 1 GRANITE STEP BLOCK, MOJAVE 53 1 DEPTH GAUGE, HOLE CHEK 54 1 LOT OF O.D. MICROMETERS, YUASA 60" 55 1 ULTRASONIC THICKNESS GAUGE, GE PANAMETRICS 370L PLUS 56 1 DC MILIGAUSS METER, ALPHALAB 57 1 MICRO CONDUCTIVITY METER, OMEGA 58 1 PROFILOMETER, MITUTOYO, 2" to 4" 59 1 PLUG GAUGE SET 60 1 LOT OF METRIC DELTRONIC PINS 61 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10110 62 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10060 63 1 HEIGHT GAUGE, MITUTOYO 64 1 HEIGHT GAUGE, MITUTOYO 65 1 HEIGHT GAUGE, MITUTOYO 66 1 HEIGHT GAUGE, BROWN & SHARPE 66 1 HEIGHT GAUGE, MITUTOYO 67 1 MACHINE INDICATOR LEVEL 68 1 TELEVISION, SANYO 30" 69 1 OVERHEAD BRIDGE CRANE, OSBORN INDUSTRIES 5 T. X 38" SPAN, top running, sgl. girder, Spacemaster unitized wire rope hoist, 19' ht. under bridge, pendant control, variable spd. | | | |
| 1 WELDING CHILLER, REMCOR MDL. CH951A 1 WELDING CHILLER, REMCOR MDL. CH951A 1 AIR DRYER, SPEEDAIRE 38 1 AIR DRYER, SPEEDAIRE 39 1 AIR DRYER, SPEEDAIRE 40 1 SELF-CONTAINED COOLANT RECONDITIONING SYSTEM, KOOLANT WIZARD 41 1 EXHAUST FAN, CARNES MDL. LRDA36W3GJNG141L 42 1 EXHAUST FAN, CARNES MDL. LRDA36W3GJNG141L 43 1 OPTICAL COMPARATOR, MITUTOYO MDL. PH350, S/N 301 44 1 O.D. MICROMETER, STARRETT, 18" to 24" 45 1 O.D. MICROMETER, MITUTOYO, .02" to .2" 46 1 TRI MICROMETER, 7" to 8" 47 1 BORE GAUGE, MITUTOYO, .02" to .2" 48 1 LOT OF AIR GAUGES, FEDERAL 49 1 TRAVEL INDICATOR, STARRETT, 6" to 10" 50 1 LD. MICROMETER, STARRETT, 8" to 32" 51 1 DEPTH GAUGE, MITUTOYO 52 1 GRANITE STEP BLOCK, MOJAVE 53 1 DEPTH GAUGE, HOLE CHEK 54 1 LOT OF O.D. MICROMETERS, YUASA 60" 55 1 ULTRASONIC THICKNESS GAUGE, GE PANAMETRICS 370L PLUS 56 1 DC MILIGAUSS METER, ALPHALAB 57 1 MICRO CONDUCTIVITY METER, OMEGA 58 1 PROFILOMETER, MITUTOYO, 2" to 4" 59 1 PLUG GAUGE SET 60 1 LOT OF METRIC DELTRONIC PINS 61 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10110 62 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10060 63 1 HEIGHT GAUGE, MITUTOYO 64 1 HEIGHT GAUGE, MITUTOYO 65 1 MACHINE INDICATOR LEVEL 66 1 HEIGHT GAUGE 67 1 MACHINE INDICATOR LEVEL 68 1 TELEVISION, SANYO 30" 69 1 OVERHEAD BRIDGE CRANE, OSBORN INDUSTRIES 5 T. X 38" SPAN, top running, sgl. girder, Spacemaster unitized wire rope hoist, 19" ht. under bridge, pendant control, variable spd. | | 1 | |
| 1 WELDING CHILLER, REMCOR MDL. CH951A 37 1 AIR DRYER, SPEEDAIRE 38 1 AIR DRYER, SPEEDAIRE 39 1 AIR DRYER, SPEEDAIRE 40 1 SELF-CONTAINED COOLANT RECONDITIONING SYSTEM, KOOLANT WIZARD 41 1 EXHAUST FAN, CARNES MDL. LRDA36W3GJNG141L 42 1 EXHAUST FAN, CARNES MDL. LRDA36W3GJNG141L 43 1 OPTICAL COMPARATOR, MITUTOYO MDL. PH350, S/N 301 44 1 O.D. MICROMETER, STARRETT, 18" to 24" 45 1 O.D. MICROMETER, MITUTOYO, 7" to 8" 46 1 TRI MICROMETER, 7" to 8" 47 1 BORE GAUGE, MITUTOYO, .02" to .2" 48 1 LOT OF AIR GAUGES, FEDERAL 49 1 TRAVEL INDICATOR, STARRETT, 6" to 32" 50 1 LD. MICROMETER, STARRETT, 8" to 32" 51 1 DEPTH GAUGE, MITUTOYO 52 1 GRANITE STEP BLOCK, MOJAVE 53 1 DEPTH GAUGE, HOLE CHEK 54 1 LOT OF O.D. MICROMETERS, YUASA 60" 55 1 ULTRASONIC THICKNESS GAUGE, GE PANAMETRICS 370L PLUS 56 1 DC MILIGAUSS METER, ALPHALAB 57 1 MICRO CONDUCTIVITY METER, OMEGA 58 1 PROFILOMETER, MITUTOYO, 2" to 4" 59 1 PLUG GAUGE SET 60 1 LOT OF METRIC DELTRONIC PINS 61 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10110 62 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10060 63 1 HEIGHT GAUGE, BROWN & SHARPE 66 1 HEIGHT GAUGE 67 1 MACHINE INDICATOR LEVEL 68 1 TELEVISION, SANYO 30" 69 1 OVERHEAD BRIDGE CRANE, OSBORN INDUSTRIES 5 T. X 38" SPAN, top running, sgl. girder, Spacemaster unitized wire rope hoist, 19" ht. under bridge, pendant control, variable spd. | | 1 | , |
| 37 1 AIR DRYER, SPEEDAIRE 38 1 AIR DRYER, SPEEDAIRE 39 1 AIR DRYER, SPEEDAIRE 40 1 SELF-CONTAINED COOLANT RECONDITIONING SYSTEM, KOOLANT WIZARD 41 1 EXHAUST FAN, CARNES MDL. LRDA36W3GJNG141L 42 1 EXHAUST FAN, CARNES MDL. LRDA36W3GJNG141L 43 1 OPTICAL COMPARATOR, MITUTOYO MDL. PH350, S/N 301 44 1 O.D. MICROMETER, STARRETT, 18" to 24" 45 1 O.D. MICROMETER, MITUTOYO, 7" to 8" 46 1 TRI MICROMETER, MITUTOYO, "0 to 2" 48 1 LOT OF AIR GAUGES, FEDERAL 49 1 TRAVEL INDICATOR, STARRETT, 0" to 10" 50 1 L.D. MICROMETER, STARRETT, 8" to 32" 51 1 DEPTH GAUGE, MITUTOYO 52 1 GRANITE STEP BLOCK, MOJAVE 53 1 DEPTH GAUGE, HOLE CHEK 54 1 LOT OF O.D. MICROMETERS, YUASA 60" 55 1 ULTRASONIC THICKNESS GAUGE, GE PANAMETRICS 370L PLUS 56 1 DC MILIGAUSS METER, ALPHALAB 57 1 MICRO CONDUCTIVITY METER, OMEGA 58 1 PROFILOMETER, MITUTOYO, 2" to 4" 59 1 PLUG GAUGE SET 60 1 LOT OF METRIC DELTRONIC PINS 61 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10110 62 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10060 63 1 HEIGHT GAUGE, MITUTOYO 64 1 HEIGHT GAUGE, MITUTOYO 65 1 HEIGHT GAUGE, MITUTOYO 66 1 HEIGHT GAUGE, BROWN & SHARPE 67 1 MACHINE INDICATOR LEVEL 68 1 TELEVISION, SANYO 30" 69 1 OVERHEAD BRIDGE CRANE, OSBORN INDUSTRIES 5 T. X 38" SPAN, top running, sgl. girder, Spacemaster unitized wire rope hoist, 19' ht. under bridge, pendant control, variable spd. | | 1 | · |
| 1 AIR DRYER, SPEEDAIRE 39 1 AIR DRYER, SPEEDAIRE 40 1 SELF-CONTAINED COOLANT RECONDITIONING SYSTEM, KOOLANT WIZARD 41 1 EXHAUST FAN, CARNES MDL. LRDA36W3GJNG141L 42 1 EXHAUST FAN, CARNES MDL. LRDA36W3GJNG141L 43 1 OPTICAL COMPARATOR, MITUTOYO MDL. PH350, S/N 301 44 1 O.D. MICROMETER, STARRETT, 18" to 24" 45 1 O.D. MICROMETER, MITUTOYO, 7" to 8" 46 1 TRI MICROMETER, MITUTOYO, .02" to .2" 48 1 LOT OF AIR GAUGES, FEDERAL 49 1 TRAVEL INDICATOR, STARRETT, 0" to 10" 50 1 LD. MICROMETER, MITUTOYO 52 1 GRANITE STEP BLOCK, MOJAVE 53 1 DEPTH GAUGE, MITUTOYO 52 1 GRANITE STEP BLOCK, MOJAVE 53 1 DEPTH GAUGE, HOLE CHEK 54 1 LOT OF O.D. MICROMETERS, YUASA 60" 55 1 ULTRASONIC THICKNESS GAUGE, GE PANAMETRICS 370L PLUS 56 1 DC MILIGAUSS METER, ALPHALAB 57 1 MICRO CONDUCTIVITY METER, OMEGA 58 1 PROFILOMETER, MITUTOYO, 2" to 4" 59 1 PLUG GAUGE SET 60 1 LOT OF METRIC DELTRONIC PINS 61 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10110 62 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10060 63 1 HEIGHT GAUGE, BROWN & SHARPE 66 1 HEIGHT GAUGE 67 1 MACHINE INDICATOR LEVEL 68 1 TELEVISION, SANYO 30" 69 1 OVERHEAD BRIDGE CRANE, OSBORN INDUSTRIES 5 T. X 38" SPAN, top running, sgl. girder, Spacemaster unitized wire rope hoist, 19' ht. under bridge, pendant control, variable spd. | | 1 | · |
| 1 AIR DRYER, SPEEDAIRE 1 SELF-CONTAINED COOLANT RECONDITIONING SYSTEM, KOOLANT WIZARD 1 EXHAUST FAN, CARNES MDL. LRDA36W3GJNG141L 2 1 EXHAUST FAN, CARNES MDL. LRDA36W3GJNG141L 3 1 OPTICAL COMPARATOR, MITUTOYO MDL. PH350, S/N 301 44 1 O.D. MICROMETER, STARRETT, 18" to 24" 45 1 O.D. MICROMETER, MITUTOYO, 7" to 8" 46 1 TRI MICROMETER, T to 8" 47 1 BORE GAUGE, MITUTOYO, .02" to .2" 48 1 LOT OF AIR GAUGES, FEDERAL 49 1 TRAVEL INDICATOR, STARRETT, 0" to 10" 50 1 I.D. MICROMETER, STARRETT, 8" to 32" 51 1 DEPTH GAUGE, MITUTOYO 52 1 GRANITE STEP BLOCK, MOJAVE 53 1 DEPTH GAUGE, HOLE CHEK 54 1 LOT OF O.D. MICROMETERS, YUASA 60" 55 1 ULTRASONIC THICKNESS GAUGE, GE PANAMETRICS 370L PLUS 56 1 DC MILIGAUSS METER, ALPHALAB 57 1 MICRO CONDUCTIVITY METER, OMEGA 58 1 PROFILOMETER, MITUTOYO, 2" to 4" 59 1 PLUG GAUGE SET 60 1 LOT OF METRIC DELTRONIC PINS 61 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10110 62 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10060 63 1 HEIGHT GAUGE, BROWN & SHARPE 65 1 HEIGHT GAUGE 66 1 HEIGHT GAUGE 67 1 MACHINE INDICATOR LEVEL 68 1 TELEVISION, SANYO 30" 69 1 OVERHEAD BRIDGE CRANE, OSBORN INDUSTRIES 5 T. X 38' SPAN, top running, sgl. girder, Spacemaster unitized wire rope hoist, 19' ht. under bridge, pendant control, variable spd. | - | 1 | · |
| 40 1 SELF-CONTAINED COOLANT RECONDITIONING SYSTEM, KOOLANT WIZARD 41 1 EXHAUST FAN, CARNES MDL. LRDA36W3GJNG141L 42 1 EXHAUST FAN, CARNES MDL. LRDA36W3GJNG141L 43 1 OPTICAL COMPARATOR, MITUTOYO MDL. PH350, S/N 301 44 1 O.D. MICROMETER, STARRETT, 18" to 24" 45 1 O.D. MICROMETER, To 8" 46 1 TRI MICROMETER, To 8" 47 1 BORE GAUGE, MITUTOYO, .02" to .2" 48 1 LOT OF AIR GAUGES, FEDERAL 49 1 TRAVEL INDICATOR, STARRETT, 0" to 10" 50 1 I.D. MICROMETER, STARRETT, 8" to 32" 51 1 DEPTH GAUGE, MITUTOYO 52 1 GRANITE STEP BLOCK, MOJAVE 53 1 DEPTH GAUGE, HOLE CHEK 54 1 LOT OF O.D. MICROMETERS, YUASA 60" 55 1 ULTRASONIC THICKNESS GAUGE, GE PANAMETRICS 370L PLUS 56 1 DC MILIGAUSS METER, ALPHALAB 57 1 MICRO CONDUCTIVITY METER, OMEGA 58 1 PROFILOMETER, MITUTOYO, 2" to 4" 59 1 PLUG GAUGE SET 60 1 LOT OF METRIC DELTRONIC PINS 61 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10110 62 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10060 63 1 HEIGHT GAUGE, BROWN & SHARPE 65 1 HEIGHT GAUGE 66 1 HEIGHT GAUGE 67 1 MACHINE INDICATOR LEVEL 68 1 TELEVISION, SANYO 30" 69 1 OVERHEAD BRIDGE CRANE, OSBORN INDUSTRIES 5 T. X 38' SPAN, top running, sgl. girder, Spacemaster unitized wire rope hoist, 19' ht. under bridge, pendant control, variable spd. | | 1 | · · |
| KOOLANT WIZARD 41 1 EXHAUST FAN, CARNES MDL. LRDA36W3GJNG141L 42 1 EXHAUST FAN, CARNES MDL. LRDA36W3GJNG141L 43 1 OPTICAL COMPARATOR, MITUTOYO MDL. PH350, S/N 301 44 1 O.D. MICROMETER, STARRETT, 18" to 24" 45 1 O.D. MICROMETER, MITUTOYO, 7" to 8" 46 1 TRI MICROMETER, 7" to 8" 47 1 BORE GAUGE, MITUTOYO, .02" to .2" 48 1 LOT OF AIR GAUGES, FEDERAL 49 1 TRAVEL INDICATOR, STARRETT, 0" to 10" 50 1 I.D. MICROMETER, STARRETT, 8" to 32" 51 1 DEPTH GAUGE, MITUTOYO 52 1 GRANITE STEP BLOCK, MOJAVE 53 1 DEPTH GAUGE, HOLE CHEK 54 1 LOT OF O.D. MICROMETERS, YUASA 60" 55 1 ULTRASONIC THICKNESS GAUGE, GE PANAMETRICS 370L PLUS 56 1 DC MILIGAUSS METER, ALPHALAB 57 1 MICRO CONDUCTIVITY METER, OMEGA 58 1 PROFILOMETER, MITUTOYO, 2" to 4" 59 1 PLUG GAUGE SET 60 1 LOT OF METRIC DELTRONIC PINS 61 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10010 62 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10060 63 1 HEIGHT GAUGE, MITUTOYO 64 1 HEIGHT GAUGE, BROWN & SHARPE 65 1 HEIGHT GAUGE 66 1 MACHINE INDICATOR LEVEL 68 1 TELEVISION, SANYO 30" 69 1 OVERHEAD BRIDGE CRANE, OSBORN INDUSTRIES 5 T. X 38' SPAN, top running, sgl. girder, Spacemaster unitized wire rope hoist, 19' ht. under bridge, pendant control, variable spd. | 39 | 1 | AIR DRYER, SPEEDAIRE |
| 41 1 EXHAUST FAN, CARNES MDL. LRDA36W3GJNG141L 42 1 EXHAUST FAN, CARNES MDL. LRDA36W3GJNG141L 43 1 OPTICAL COMPARATOR, MITUTOYO MDL. PH350, S/N 301 44 1 O.D. MICROMETER, STARRETT, 18" to 24" 45 1 O.D. MICROMETER, MITUTOYO, 7" to 8" 46 1 TRI MICROMETER, 7" to 8" 47 1 BORE GAUGE, MITUTOYO, .02" to .2" 48 1 LOT OF AIR GAUGES, FEDERAL 49 1 TRAVEL INDICATOR, STARRETT, 0" to 10" 50 1 I.D. MICROMETER, STARRETT, 8" to 32" 51 1 DEPTH GAUGE, MITUTOYO 52 1 GRANITE STEP BLOCK, MOJAVE 53 1 DEPTH GAUGE, HOLE CHEK 54 1 LOT OF O.D. MICROMETERS, YUASA 60" 55 1 ULTRASONIC THICKNESS GAUGE, GE PANAMETRICS 370L PLUS 56 1 DC MILIGAUSS METER, ALPHALAB 57 1 MICRO CONDUCTIVITY METER, OMEGA 58 1 PROFILOMETER, MITUTOYO, 2" to 4" 59 1 PLUG GAUGE SET 60 1 LOT OF METRIC DELTRONIC PINS 61 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10010 62 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10060 63 1 HEIGHT GAUGE, MITUTOYO 64 1 HEIGHT GAUGE 66 1 HEIGHT GAUGE 67 1 MACHINE INDICATOR LEVEL 68 1 TELEVISION, SANYO 30" 69 1 OVERHEAD BRIDGE CRANE, OSBORN INDUSTRIES 5 T. X 38' SPAN, top running, sgl. girder, Spacemaster unitized wire rope hoist, 19' ht. under bridge, pendant control, variable spd. | 40 | 1 | , |
| 42 1 EXHAUST FAN, CARNES MDL. LRDA36W3GJNG141L 43 1 OPTICAL COMPARATOR, MITUTOYO MDL. PH350, S/N 301 44 1 O.D. MICROMETER, STARRETT, 18" to 24" 45 1 O.D. MICROMETER, MITUTOYO, 7" to 8" 46 1 TRI MICROMETER, 7" to 8" 47 1 BORE GAUGE, MITUTOYO, 02" to .2" 48 1 LOT OF AIR GAUGES, FEDERAL 49 1 TRAVEL INDICATOR, STARRETT, 0" to 10" 50 1 I.D. MICROMETER, STARRETT, 8" to 32" 51 1 DEPTH GAUGE, MITUTOYO 52 1 GRANITE STEP BLOCK, MOJAVE 53 1 DEPTH GAUGE, HOLE CHEK 54 1 LOT OF O.D. MICROMETERS, YUASA 60" 55 1 ULTRASONIC THICKNESS GAUGE, GE PANAMETRICS 370L PLUS 56 1 DC MILIGAUSS METER, ALPHALAB 57 1 MICRO CONDUCTIVITY METER, OMEGA 58 1 PROFILOMETER, MITUTOYO, 2" to 4" 59 1 PLUG GAUGE SET 60 1 LOT OF METRIC DELTRONIC PINS 61 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10110 62 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10060 63 1 HEIGHT GAUGE, MITUTOYO 64 1 HEIGHT GAUGE, BROWN & SHARPE 65 1 HEIGHT GAUGE 66 1 HEIGHT GAUGE 67 1 MACHINE INDICATOR LEVEL 68 1 TELEVISION, SANYO 30" 69 1 OVERHEAD BRIDGE CRANE, OSBORN INDUSTRIES 5 T. X 38' SPAN, top running, sgl. girder, Spacemaster unitized wire rope hoist, 19' ht. under bridge, pendant control, variable spd. | | | KOOLANT WIZARD |
| 43 1 OPTICAL COMPARATOR, MITUTOYO MDL. PH350, S/N 301 44 1 O.D. MICROMETER, STARRETT, 18" to 24" 45 1 O.D. MICROMETER, MITUTOYO, 7" to 8" 46 1 TRI MICROMETER, 7" to 8" 47 1 BORE GAUGE, MITUTOYO, .02" to .2" 48 1 LOT OF AIR GAUGES, FEDERAL 49 1 TRAVEL INDICATOR, STARRETT, 0" to 10" 50 1 I.D. MICROMETER, STARRETT, 8" to 32" 51 1 DEPTH GAUGE, MITUTOYO 52 1 GRANITE STEP BLOCK, MOJAVE 53 1 DEPTH GAUGE, HOLE CHEK 54 1 LOT OF O.D. MICROMETERS, YUASA 60" 55 1 ULTRASONIC THICKNESS GAUGE, GE PANAMETRICS 370L PLUS 56 1 DC MILIGAUSS METER, ALPHALAB 57 1 MICRO CONDUCTIVITY METER, OMEGA 58 1 PROFILOMETER, MITUTOYO, 2" to 4" 59 1 PLUG GAUGE SET 60 1 LOT OF METRIC DELTRONIC PINS 61 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10110 62 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10060 63 1 HEIGHT GAUGE, MITUTOYO 64 1 HEIGHT GAUGE, BROWN & SHARPE 65 1 HEIGHT GAUGE 66 1 HEIGHT GAUGE 67 1 MACHINE INDICATOR LEVEL 68 1 TELEVISION, SANYO 30" 69 1 OVERHEAD BRIDGE CRANE, OSBORN INDUSTRIES 5 T. X 38' SPAN, top running, sgl. girder, Spacemaster unitized wire rope hoist, 19' ht. under bridge, pendant control, variable spd. | 41 | 1 | · |
| 44 1 O.D. MICROMETER, STARRETT, 18" to 24" 45 1 O.D. MICROMETER, MITUTOYO, 7" to 8" 46 1 TRI MICROMETER, 7" to 8" 47 1 BORE GAUGE, MITUTOYO, .02" to .2" 48 1 LOT OF AIR GAUGES, FEDERAL 49 1 TRAVEL INDICATOR, STARRETT, 0" to 10" 50 1 I.D. MICROMETER, STARRETT, 8" to 32" 51 1 DEPTH GAUGE, MITUTOYO 52 1 GRANITE STEP BLOCK, MOJAVE 53 1 DEPTH GAUGE, HOLE CHEK 54 1 LOT OF O.D. MICROMETERS, YUASA 60" 55 1 ULTRASONIC THICKNESS GAUGE, GE PANAMETRICS 370L PLUS 56 1 DC MILIGAUSS METER, ALPHALAB 57 1 MICRO CONDUCTIVITY METER, OMEGA 58 1 PROFILOMETER, MITUTOYO, 2" to 4" 59 1 PLUG GAUGE SET 60 1 LOT OF METRIC DELTRONIC PINS 61 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10110 62 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10060 63 1 HEIGHT GAUGE, MITUTOYO 64 1 HEIGHT GAUGE, BROWN & SHARPE 65 1 HEIGHT GAUGE 66 1 HEIGHT GAUGE 67 1 MACHINE INDICATOR LEVEL 68 1 TELEVISION, SANYO 30" 69 1 OVERHEAD BRIDGE CRANE, OSBORN INDUSTRIES 5 T. X 38' SPAN, top running, sgl. girder, Spacemaster unitized wire rope hoist, 19' ht. under bridge, pendant control, variable spd. | 42 | 1 | EXHAUST FAN, CARNES MDL. LRDA36W3GJNG141L |
| 45 1 O.D. MICROMETER, MITUTOYO, 7" to 8" 46 1 TRI MICROMETER, 7" to 8" 47 1 BORE GAUGE, MITUTOYO, .02" to .2" 48 1 LOT OF AIR GAUGES, FEDERAL 49 1 TRAVEL INDICATOR, STARRETT, 0" to 10" 50 1 I.D. MICROMETER, STARRETT, 8" to 32" 51 1 DEPTH GAUGE, MITUTOYO 52 1 GRANITE STEP BLOCK, MOJAVE 53 1 DEPTH GAUGE, HOLE CHEK 54 1 LOT OF O.D. MICROMETERS, YUASA 60" 55 1 ULTRASONIC THICKNESS GAUGE, GE PANAMETRICS 370L PLUS 56 1 DC MILIGAUSS METER, ALPHALAB 57 1 MICRO CONDUCTIVITY METER, OMEGA 58 1 PROFILOMETER, MITUTOYO, 2" to 4" 59 1 PLUG GAUGE SET 60 1 LOT OF METRIC DELTRONIC PINS 61 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10110 62 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10060 63 1 HEIGHT GAUGE, MITUTOYO 64 1 HEIGHT GAUGE, BROWN & SHARPE 65 1 HEIGHT GAUGE 66 1 HEIGHT GAUGE 67 1 MACHINE INDICATOR LEVEL 68 1 TELEVISION, SANYO 30" 69 1 OVERHEAD BRIDGE CRANE, OSBORN INDUSTRIES 5 T. X 38' SPAN, top running, sgl. girder, Spacemaster unitized wire rope hoist, 19' ht. under bridge, pendant control, variable spd. | 43 | 1 | OPTICAL COMPARATOR, MITUTOYO MDL. PH350, S/N 301 |
| 45 1 O.D. MICROMETER, MITUTOYO, 7" to 8" 46 1 TRI MICROMETER, 7" to 8" 47 1 BORE GAUGE, MITUTOYO, .02" to .2" 48 1 LOT OF AIR GAUGES, FEDERAL 49 1 TRAVEL INDICATOR, STARRETT, 0" to 10" 50 1 I.D. MICROMETER, STARRETT, 8" to 32" 51 1 DEPTH GAUGE, MITUTOYO 52 1 GRANITE STEP BLOCK, MOJAVE 53 1 DEPTH GAUGE, HOLE CHEK 54 1 LOT OF O.D. MICROMETERS, YUASA 60" 55 1 ULTRASONIC THICKNESS GAUGE, GE PANAMETRICS 370L PLUS 56 1 DC MILIGAUSS METER, ALPHALAB 57 1 MICRO CONDUCTIVITY METER, OMEGA 58 1 PROFILOMETER, MITUTOYO, 2" to 4" 59 1 PLUG GAUGE SET 60 1 LOT OF METRIC DELTRONIC PINS 61 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10110 62 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10060 63 1 HEIGHT GAUGE, MITUTOYO 64 1 HEIGHT GAUGE, BROWN & SHARPE 65 1 HEIGHT GAUGE 66 1 HEIGHT GAUGE 67 1 MACHINE INDICATOR LEVEL 68 1 TELEVISION, SANYO 30" 69 1 OVERHEAD BRIDGE CRANE, OSBORN INDUSTRIES 5 T. X 38' SPAN, top running, sgl. girder, Spacemaster unitized wire rope hoist, 19' ht. under bridge, pendant control, variable spd. | | | |
| 46 1 TRI MICROMETER, 7" to 8" 47 1 BORE GAUGE, MITUTOYO, .02" to .2" 48 1 LOT OF AIR GAUGES, FEDERAL 49 1 TRAVEL INDICATOR, STARRETT, 0" to 10" 50 1 I.D. MICROMETER, STARRETT, 8" to 32" 51 1 DEPTH GAUGE, MITUTOYO 52 1 GRANITE STEP BLOCK, MOJAVE 53 1 DEPTH GAUGE, HOLE CHEK 54 1 LOT OF O.D. MICROMETERS, YUASA 60" 55 1 ULTRASONIC THICKNESS GAUGE, GE PANAMETRICS 370L PLUS 56 1 DC MILIGAUSS METER, ALPHALAB 57 1 MICRO CONDUCTIVITY METER, OMEGA 58 1 PROFILOMETER, MITUTOYO, 2" to 4" 59 1 PLUG GAUGE SET 60 1 LOT OF METRIC DELTRONIC PINS 61 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10110 62 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10060 63 1 HEIGHT GAUGE, MITUTOYO 64 1 HEIGHT GAUGE, BROWN & SHARPE 65 1 HEIGHT GAUGE 66 1 HEIGHT GAUGE 67 1 MACHINE INDICATOR LEVEL 68 1 TELEVISION, SANYO 30" 69 1 OVERHEAD BRIDGE CRANE, OSBORN INDUSTRIES 5 T. X 38' SPAN, top running, sgl. girder, Spacemaster unitized wire rope hoist, 19' ht. under bridge, pendant control, variable spd. | 44 | 1 | , |
| 47 1 BORE GAUGE, MITUTOYO, .02" to .2" 48 1 LOT OF AIR GAUGES, FEDERAL 49 1 TRAVEL INDICATOR, STARRETT, 0" to 10" 50 1 I.D. MICROMETER, STARRETT, 8" to 32" 51 1 DEPTH GAUGE, MITUTOYO 52 1 GRANITE STEP BLOCK, MOJAVE 53 1 DEPTH GAUGE, HOLE CHEK 54 1 LOT OF O.D. MICROMETERS, YUASA 60" 55 1 ULTRASONIC THICKNESS GAUGE, GE PANAMETRICS 370L PLUS 56 1 DC MILIGAUSS METER, ALPHALAB 57 1 MICRO CONDUCTIVITY METER, OMEGA 58 1 PROFILOMETER, MITUTOYO, 2" to 4" 59 1 PLUG GAUGE SET 60 1 LOT OF METRIC DELTRONIC PINS 61 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10110 62 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10060 63 1 HEIGHT GAUGE, MITUTOYO 64 1 HEIGHT GAUGE, MITUTOYO 65 1 HEIGHT GAUGE 66 1 HEIGHT GAUGE 67 1 MACHINE INDICATOR LEVEL 68 1 TELEVISION, SANYO 30" 69 1 OVERHEAD BRIDGE CRANE, OSBORN INDUSTRIES 5 T. X 38' SPAN, top running, sgl. girder, Spacemaster unitized wire rope hoist, 19' ht. under bridge, pendant control, variable spd. | 45 | 1 | |
| 48 1 LOT OF AIR GAUGES, FEDERAL 49 1 TRAVEL INDICATOR, STARRETT, 0" to 10" 50 1 I.D. MICROMETER, STARRETT, 8" to 32" 51 1 DEPTH GAUGE, MITUTOYO 52 1 GRANITE STEP BLOCK, MOJAVE 53 1 DEPTH GAUGE, HOLE CHEK 54 1 LOT OF O.D. MICROMETERS, YUASA 60" 55 1 ULTRASONIC THICKNESS GAUGE, GE PANAMETRICS 370L PLUS 56 1 DC MILIGAUSS METER, ALPHALAB 57 1 MICRO CONDUCTIVITY METER, OMEGA 58 1 PROFILOMETER, MITUTOYO, 2" to 4" 59 1 PLUG GAUGE SET 60 1 LOT OF METRIC DELTRONIC PINS 61 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10110 62 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10060 63 1 HEIGHT GAUGE, MITUTOYO 64 1 HEIGHT GAUGE, BROWN & SHARPE 65 1 HEIGHT GAUGE 66 1 HEIGHT GAUGE 67 1 MACHINE INDICATOR LEVEL 68 1 TELEVISION, SANYO 30" 69 1 OVERHEAD BRIDGE CRANE, OSBORN INDUSTRIES 5 T. X 38' SPAN, top running, sgl. girder, Spacemaster unitized wire rope hoist, 19' ht. under bridge, pendant control, variable spd. | 46 | 1 | TRI MICROMETER, 7" to 8" |
| 49 1 TRAVEL INDICATOR, STARRETT, 0" to 10" 50 1 I.D. MICROMETER, STARRETT, 8" to 32" 51 1 DEPTH GAUGE, MITUTOYO 52 1 GRANITE STEP BLOCK, MOJAVE 53 1 DEPTH GAUGE, HOLE CHEK 54 1 LOT OF O.D. MICROMETERS, YUASA 60" 55 1 ULTRASONIC THICKNESS GAUGE, GE PANAMETRICS 370L PLUS 56 1 DC MILIGAUSS METER, ALPHALAB 57 1 MICRO CONDUCTIVITY METER, OMEGA 58 1 PROFILOMETER, MITUTOYO, 2" to 4" 59 1 PLUG GAUGE SET 60 1 LOT OF METRIC DELTRONIC PINS 61 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10110 62 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10060 63 1 HEIGHT GAUGE, MITUTOYO 64 1 HEIGHT GAUGE, BROWN & SHARPE 65 1 HEIGHT GAUGE 66 1 HEIGHT GAUGE 67 1 MACHINE INDICATOR LEVEL 68 1 TELEVISION, SANYO 30" 69 1 OVERHEAD BRIDGE CRANE, OSBORN INDUSTRIES 5 T. X 38' SPAN, top running, sgl. girder, Spacemaster unitized wire rope hoist, 19' ht. under bridge, pendant control, variable spd. | 47 | 1 | BORE GAUGE, MITUTOYO, .02" to .2" |
| 50 1 I.D. MICROMETER, STARRETT, 8" to 32" 51 1 DEPTH GAUGE, MITUTOYO 52 1 GRANITE STEP BLOCK, MOJAVE 53 1 DEPTH GAUGE, HOLE CHEK 54 1 LOT OF O.D. MICROMETERS, YUASA 60" 55 1 ULTRASONIC THICKNESS GAUGE, GE PANAMETRICS 370L PLUS 56 1 DC MILIGAUSS METER, ALPHALAB 57 1 MICRO CONDUCTIVITY METER, OMEGA 58 1 PROFILOMETER, MITUTOYO, 2" to 4" 59 1 PLUG GAUGE SET 60 1 LOT OF METRIC DELTRONIC PINS 61 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10110 62 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10060 63 1 HEIGHT GAUGE, MITUTOYO 64 1 HEIGHT GAUGE, BROWN & SHARPE 65 1 HEIGHT GAUGE 66 1 HEIGHT GAUGE 67 1 MACHINE INDICATOR LEVEL 68 1 TELEVISION, SANYO 30" 69 1 OVERHEAD BRIDGE CRANE, OSBORN INDUSTRIES 5 T. X 38' SPAN, top running, sgl. girder, Spacemaster unitized wire rope hoist, 19' ht. under bridge, pendant control, variable spd. | 48 | 1 | LOT OF AIR GAUGES, FEDERAL |
| 51 1 DEPTH GAUGE, MITUTOYO 52 1 GRANITE STEP BLOCK, MOJAVE 53 1 DEPTH GAUGE, HOLE CHEK 54 1 LOT OF O.D. MICROMETERS, YUASA 60" 55 1 ULTRASONIC THICKNESS GAUGE, GE PANAMETRICS 370L PLUS 56 1 DC MILIGAUSS METER, ALPHALAB 57 1 MICRO CONDUCTIVITY METER, OMEGA 58 1 PROFILOMETER, MITUTOYO, 2" to 4" 59 1 PLUG GAUGE SET 60 1 LOT OF METRIC DELTRONIC PINS 61 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10110 62 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10060 63 1 HEIGHT GAUGE, MITUTOYO 64 1 HEIGHT GAUGE, BROWN & SHARPE 65 1 HEIGHT GAUGE 66 1 HEIGHT GAUGE 67 1 MACHINE INDICATOR LEVEL 68 1 TELEVISION, SANYO 30" 69 1 OVERHEAD BRIDGE CRANE, OSBORN INDUSTRIES 5 T. X 38' SPAN, top running, sgl. girder, Spacemaster unitized wire rope hoist, 19' ht. under bridge, pendant control, variable spd. | 49 | 1 | TRAVEL INDICATOR, STARRETT, 0" to 10" |
| 52 1 GRANITE STEP BLOCK, MOJAVE 53 1 DEPTH GAUGE, HOLE CHEK 54 1 LOT OF O.D. MICROMETERS, YUASA 60" 55 1 ULTRASONIC THICKNESS GAUGE, GE PANAMETRICS 370L PLUS 56 1 DC MILIGAUSS METER, ALPHALAB 57 1 MICRO CONDUCTIVITY METER, OMEGA 58 1 PROFILOMETER, MITUTOYO, 2" to 4" 59 1 PLUG GAUGE SET 60 1 LOT OF METRIC DELTRONIC PINS 61 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10110 62 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10060 63 1 HEIGHT GAUGE, MITUTOYO 64 1 HEIGHT GAUGE, BROWN & SHARPE 65 1 HEIGHT GAUGE 66 1 HEIGHT GAUGE 67 1 MACHINE INDICATOR LEVEL 68 1 TELEVISION, SANYO 30" 69 1 OVERHEAD BRIDGE CRANE, OSBORN INDUSTRIES 5 T. X 38' SPAN, top running, sgl. girder, Spacemaster unitized wire rope hoist, 19' ht. under bridge, pendant control, variable spd. | 50 | 1 | I.D. MICROMETER, STARRETT, 8" to 32" |
| 1 DEPTH GAUGE, HOLE CHEK LOT OF O.D. MICROMETERS, YUASA 60" ULTRASONIC THICKNESS GAUGE, GE PANAMETRICS 370L PLUS DC MILIGAUSS METER, ALPHALAB TO MICRO CONDUCTIVITY METER, OMEGA PROFILOMETER, MITUTOYO, 2" to 4" PLUG GAUGE SET LOT OF METRIC DELTRONIC PINS LOT OF METRIC DELTRONIC PINS LOT OF METRIC AUGE, TRIMOS 3", S/N 10110 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10060 HEIGHT GAUGE, MITUTOYO HEIGHT GAUGE, BROWN & SHARPE HEIGHT GAUGE HEIGHT GAUGE MACHINE INDICATOR LEVEL MACHINE INDICATOR LEVEL TELEVISION, SANYO 30" OVERHEAD BRIDGE CRANE, OSBORN INDUSTRIES 5 T. X 38' SPAN, top running, sgl. girder, Spacemaster unitized wire rope hoist, 19' ht. under bridge, pendant control, variable spd. | 51 | 1 | DEPTH GAUGE, MITUTOYO |
| 1 LOT OF O.D. MICROMETERS, YUASA 60" 1 ULTRASONIC THICKNESS GAUGE, GE PANAMETRICS 370L PLUS 56 1 DC MILIGAUSS METER, ALPHALAB 57 1 MICRO CONDUCTIVITY METER, OMEGA 58 1 PROFILOMETER, MITUTOYO, 2" to 4" 59 1 PLUG GAUGE SET 60 1 LOT OF METRIC DELTRONIC PINS 61 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10110 62 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10060 63 1 HEIGHT GAUGE, MITUTOYO 64 1 HEIGHT GAUGE, BROWN & SHARPE 65 1 HEIGHT GAUGE 66 1 HEIGHT GAUGE 67 1 MACHINE INDICATOR LEVEL 68 1 TELEVISION, SANYO 30" 69 1 OVERHEAD BRIDGE CRANE, OSBORN INDUSTRIES 5 T. X 38' SPAN, top running, sgl. girder, Spacemaster unitized wire rope hoist, 19' ht. under bridge, pendant control, variable spd. | 52 | 1 | · |
| 1 ULTRASONIC THICKNESS GAUGE, GE PANAMETRICS 370L PLUS 56 1 DC MILIGAUSS METER, ALPHALAB 57 1 MICRO CONDUCTIVITY METER, OMEGA 58 1 PROFILOMETER, MITUTOYO, 2" to 4" 59 1 PLUG GAUGE SET 60 1 LOT OF METRIC DELTRONIC PINS 61 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10110 62 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10060 63 1 HEIGHT GAUGE, MITUTOYO 64 1 HEIGHT GAUGE, BROWN & SHARPE 65 1 HEIGHT GAUGE 66 1 HEIGHT GAUGE 67 1 MACHINE INDICATOR LEVEL 68 1 TELEVISION, SANYO 30" 69 1 OVERHEAD BRIDGE CRANE, OSBORN INDUSTRIES 5 T. X 38' SPAN, top running, sgl. girder, Spacemaster unitized wire rope hoist, 19' ht. under bridge, pendant control, variable spd. | 53 | 1 | · |
| PLUS 56 1 DC MILIGAUSS METER, ALPHALAB 57 1 MICRO CONDUCTIVITY METER, OMEGA 58 1 PROFILOMETER, MITUTOYO, 2" to 4" 59 1 PLUG GAUGE SET 60 1 LOT OF METRIC DELTRONIC PINS 61 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10110 62 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10060 63 1 HEIGHT GAUGE, MITUTOYO 64 1 HEIGHT GAUGE, BROWN & SHARPE 65 1 HEIGHT GAUGE 66 1 HEIGHT GAUGE 67 1 MACHINE INDICATOR LEVEL 68 1 TELEVISION, SANYO 30" 69 1 OVERHEAD BRIDGE CRANE, OSBORN INDUSTRIES 5 T. X 38' SPAN, top running, sgl. girder, Spacemaster unitized wire rope hoist, 19' ht. under bridge, pendant control, variable spd. | 54 | 1 | , |
| 56 1 DC MILIGAUSS METER, ALPHALAB 57 1 MICRO CONDUCTIVITY METER, OMEGA 58 1 PROFILOMETER, MITUTOYO, 2" to 4" 59 1 PLUG GAUGE SET 60 1 LOT OF METRIC DELTRONIC PINS 61 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10110 62 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10060 63 1 HEIGHT GAUGE, MITUTOYO 64 1 HEIGHT GAUGE, BROWN & SHARPE 65 1 HEIGHT GAUGE 66 1 HEIGHT GAUGE 67 1 MACHINE INDICATOR LEVEL 68 1 TELEVISION, SANYO 30" 69 1 OVERHEAD BRIDGE CRANE, OSBORN INDUSTRIES 5 T. X 38' SPAN, top running, sgl. girder, Spacemaster unitized wire rope hoist, 19' ht. under bridge, pendant control, variable spd. | 55 | 1 | ULTRASONIC THICKNESS GAUGE, GE PANAMETRICS 370L |
| 57 1 MICRO CONDUCTIVITY METER, OMEGA 58 1 PROFILOMETER, MITUTOYO, 2" to 4" 59 1 PLUG GAUGE SET 60 1 LOT OF METRIC DELTRONIC PINS 61 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10110 62 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10060 63 1 HEIGHT GAUGE, MITUTOYO 64 1 HEIGHT GAUGE, BROWN & SHARPE 65 1 HEIGHT GAUGE 66 1 HEIGHT GAUGE 67 1 MACHINE INDICATOR LEVEL 68 1 TELEVISION, SANYO 30" 69 1 OVERHEAD BRIDGE CRANE, OSBORN INDUSTRIES 5 T. X 38' SPAN, top running, sgl. girder, Spacemaster unitized wire rope hoist, 19' ht. under bridge, pendant control, variable spd. | | | |
| 1 PROFILOMETER, MITUTOYO, 2" to 4" 59 1 PLUG GAUGE SET 60 1 LOT OF METRIC DELTRONIC PINS 61 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10110 62 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10060 63 1 HEIGHT GAUGE, MITUTOYO 64 1 HEIGHT GAUGE, BROWN & SHARPE 65 1 HEIGHT GAUGE 66 1 HEIGHT GAUGE 67 1 MACHINE INDICATOR LEVEL 68 1 TELEVISION, SANYO 30" 69 1 OVERHEAD BRIDGE CRANE, OSBORN INDUSTRIES 5 T. X 38' SPAN, top running, sgl. girder, Spacemaster unitized wire rope hoist, 19' ht. under bridge, pendant control, variable spd. | 56 | 1 | · |
| 59 1 PLUG GAUGE SET 60 1 LOT OF METRIC DELTRONIC PINS 61 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10110 62 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10060 63 1 HEIGHT GAUGE, MITUTOYO 64 1 HEIGHT GAUGE, BROWN & SHARPE 65 1 HEIGHT GAUGE 66 1 HEIGHT GAUGE 67 1 MACHINE INDICATOR LEVEL 68 1 TELEVISION, SANYO 30" 69 1 OVERHEAD BRIDGE CRANE, OSBORN INDUSTRIES 5 T. X 38' SPAN, top running, sgl. girder, Spacemaster unitized wire rope hoist, 19' ht. under bridge, pendant control, variable spd. | 57 | 1 | MICRO CONDUCTIVITY METER, OMEGA |
| 60 1 LOT OF METRIC DELTRONIC PINS 61 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10110 62 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10060 63 1 HEIGHT GAUGE, MITUTOYO 64 1 HEIGHT GAUGE, BROWN & SHARPE 65 1 HEIGHT GAUGE 66 1 HEIGHT GAUGE 67 1 MACHINE INDICATOR LEVEL 68 1 TELEVISION, SANYO 30" 69 1 OVERHEAD BRIDGE CRANE, OSBORN INDUSTRIES 5 T. X 38' SPAN, top running, sgl. girder, Spacemaster unitized wire rope hoist, 19' ht. under bridge, pendant control, variable spd. | 58 | 1 | |
| 61 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10110 62 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10060 63 1 HEIGHT GAUGE, MITUTOYO 64 1 HEIGHT GAUGE, BROWN & SHARPE 65 1 HEIGHT GAUGE 66 1 HEIGHT GAUGE 67 1 MACHINE INDICATOR LEVEL 68 1 TELEVISION, SANYO 30" 69 1 OVERHEAD BRIDGE CRANE, OSBORN INDUSTRIES 5 T. X 38' SPAN, top running, sgl. girder, Spacemaster unitized wire rope hoist, 19' ht. under bridge, pendant control, variable spd. | 59 | 1 | PLUG GAUGE SET |
| 62 1 VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10060 63 1 HEIGHT GAUGE, MITUTOYO 64 1 HEIGHT GAUGE, BROWN & SHARPE 65 1 HEIGHT GAUGE 66 1 HEIGHT GAUGE 67 1 MACHINE INDICATOR LEVEL 68 1 TELEVISION, SANYO 30" 69 1 OVERHEAD BRIDGE CRANE, OSBORN INDUSTRIES 5 T. X 38' SPAN, top running, sgl. girder, Spacemaster unitized wire rope hoist, 19' ht. under bridge, pendant control, variable spd. | 60 | 1 | LOT OF METRIC DELTRONIC PINS |
| 63 1 HEIGHT GAUGE, MITUTOYO 64 1 HEIGHT GAUGE, BROWN & SHARPE 65 1 HEIGHT GAUGE 66 1 HEIGHT GAUGE 67 1 MACHINE INDICATOR LEVEL 68 1 TELEVISION, SANYO 30" 69 1 OVERHEAD BRIDGE CRANE, OSBORN INDUSTRIES 5 T. X 38' SPAN, top running, sgl. girder, Spacemaster unitized wire rope hoist, 19' ht. under bridge, pendant control, variable spd. | 61 | 1 | |
| 64 1 HEIGHT GAUGE, BROWN & SHARPE 65 1 HEIGHT GAUGE 66 1 HEIGHT GAUGE 67 1 MACHINE INDICATOR LEVEL 68 1 TELEVISION, SANYO 30" 69 1 OVERHEAD BRIDGE CRANE, OSBORN INDUSTRIES 5 T. X 38' SPAN, top running, sgl. girder, Spacemaster unitized wire rope hoist, 19' ht. under bridge, pendant control, variable spd. | 62 | 1 | VERTICAL HEIGHT GAUGE, TRIMOS 3", S/N 10060 |
| 65 1 HEIGHT GAUGE 66 1 HEIGHT GAUGE 67 1 MACHINE INDICATOR LEVEL 68 1 TELEVISION, SANYO 30" 69 1 OVERHEAD BRIDGE CRANE, OSBORN INDUSTRIES 5 T. X 38' SPAN, top running, sgl. girder, Spacemaster unitized wire rope hoist, 19' ht. under bridge, pendant control, variable spd. | 63 | 1 | HEIGHT GAUGE, MITUTOYO |
| 66 1 HEIGHT GAUGE 67 1 MACHINE INDICATOR LEVEL 68 1 TELEVISION, SANYO 30" 69 1 OVERHEAD BRIDGE CRANE, OSBORN INDUSTRIES 5 T. X 38' SPAN, top running, sgl. girder, Spacemaster unitized wire rope hoist, 19' ht. under bridge, pendant control, variable spd. | 64 | 1 | HEIGHT GAUGE, BROWN & SHARPE |
| 67 1 MACHINE INDICATOR LEVEL 68 1 TELEVISION, SANYO 30" 69 1 OVERHEAD BRIDGE CRANE, OSBORN INDUSTRIES 5 T. X 38' SPAN, top running, sgl. girder, Spacemaster unitized wire rope hoist, 19' ht. under bridge, pendant control, variable spd. | 65 | 1 | HEIGHT GAUGE |
| 68 1 TELEVISION, SANYO 30" 69 1 OVERHEAD BRIDGE CRANE, OSBORN INDUSTRIES 5 T. X 38' SPAN, top running, sgl. girder, Spacemaster unitized wire rope hoist, 19' ht. under bridge, pendant control, variable spd. | 66 | 1 | HEIGHT GAUGE |
| 69 1 OVERHEAD BRIDGE CRANE, OSBORN INDUSTRIES 5 T. X 38' SPAN, top running, sgl. girder, Spacemaster unitized wire rope hoist, 19' ht. under bridge, pendant control, variable spd. | 67 | 1 | MACHINE INDICATOR LEVEL |
| 38' SPAN, top running, sgl. girder, Spacemaster unitized wire rope hoist, 19' ht. under bridge, pendant control, variable spd. | 68 | 1 | TELEVISION, SANYO 30" |
| rope hoist, 19' ht. under bridge, pendant control, variable spd. | 69 | 1 | OVERHEAD BRIDGE CRANE, OSBORN INDUSTRIES 5 T. X |
| | | | 38' SPAN, top running, sgl. girder, Spacemaster unitized wire |
| motions, S/N 95982 | | | rope hoist, 19' ht. under bridge, pendant control, variable spd. |
| | | | motions, S/N 95982 |

| LOT | QTY | DESCRIPTION |
|-----|-----|---|
| 70 | 1 | OVERHEAD BRIDGE CRANE, OSBORN INDUSTRIES 5 T. X |
| | | 42' SPAN, top running, sgl. girder, underhung hoist, Yale wire |
| | | rope hoist, S/N 95970-A |
| 71 | 1 | OVERHEAD BRIDGE CRANE, BAY AREA/GENERAL CRANE |
| | | SERVICE 3 T. X APPROX. 42' SPAN, top running, sgl. girder, |
| | | underhung hoist, Spacemaster unitized wire rope hoist, 19' |
| | | under rail, pendant control, variable spd. motions |
| 72 | 1 | LINEAR RUNWAY SYSTEM, incl. long. rail, crane rail & |
| | | electrification, 330' ttl. rail length |
| 73 | 1 | LINEAR RUNWAY SYSTEM, incl. long. rail, crane rail & |
| | | electrification, 330' ttl. rail length |
| 74 | 1 | CNC HOLLOW SPINDLE LATHE, DOOSAN DAEWOO PUMA |
| | | MDL. 800L, new 6/2005, Fanuc 21i-TB CNC control, 40.4" sw. |
| | | over bed, 35.4" turning dia., 120" center dist., 12-1/2" spdl. hole, |
| | | 750 RPM, 60 HP, Rota TB-630-310 surface mtd. air chuck, |
| | | SMW Autoblock Mdl. SLU-5 022 hyd. steadyrest, 12.20" - 1.77" |
| | | steadyrest cap., 12-station vert. turret, chip conveyor, Lostma |
| | | mist collector, S/N P60L0252 |
| 75 | 1 | LARGE CAPACITY 4-AXIS VERTICAL MACHINING CENTER, |
| | | OKUMA & HOWA MILLAC MDL. M-852V, Fanuc 16M CNC |
| | | control, 33-1/2" x 126-1/2" table, 5,500 lb. table load, 118" X, |
| | | 33.46" Y & 29.53" Z-axis travels, CAT-50, spds: 30-6000 RPM, |
| | | 24 HP, 36 pos. ATC, S/N 85265 |
| 76 | 1 | 4-AXIS ROTARY TABLE, MATSUMOTO, 20" dia. 6-jaw |
| | 4 | universal chuck |
| 77 | 1 | 4-AXIS VERTICAL MACHINING CENTER, MORI SEIKI MDL. |
| | | MV-80, Fanuc 15MC CNC control, 31.5" x 75" table, 60" X, 31.5" |
| | | Y & 29.5" Z-axis travels, CAT-50, 3,400 RPM, 20 HP, 40 pos. |
| 78 | 1 | ATC, S/N 408 4-AXIS ROTARY TABLE, TSUDAKOMA, MDL. RNCB-4021 5- |
| 10 | ı | 1/2" hole, Adjust-Tru 16" dia. 6-jaw chuck |
| 70 | 1 | |
| 79 | I | 4-AXIS VERTICAL MACHINING CENTER, OKUMA & HOWA MILLAC MDL. M-852V , Fanuc 16M CNC control, 33-1/2" x 86- |
| | | 1/2" table, 5,500 lb. table load, 80.71" X, 33.46" Y & 29.53" Z-axis |
| | | travels, CAT-50, spds: 30-6000 RPM, 24 HP, 36 pos. ATC, S/N |
| | | 85188 |
| 80 | 1 | CNC ROTARY TABLE, TSUDAKOMA, MDL. RNCB-4021, 5- |
| | ' | 1/2" hole, Adjust-Tru 16" dia. 6-jaw chuck |
| 81 | 1 | TABLE TYPE HORIZONTAL BORING MILL, WOTAN MDL. |
| | ' | B75 , 3" spdl. dia., 39-1/2" x 31-1/2" built-in rotary table, built-in |
| | | outriggers, spds: 15-1200 RPM, 2-axis D.R.O., Newall 3-axis |
| | | D.R.O., No. 40NST spdl. taper, 13" spdl. extension, right angle |
| | | attach., coolant system, pendant control, S/N 58380 |
| | | , |

| | | KNUST-GODWIN CATALOG |
|-----|-----|---|
| LOT | QTY | DESCRIPTION |
| 82 | 1 | CNC LATHE, MORI SEIKI MDL. SL-400B-2000, new 2000, |
| | | MSC-501 CNC control, 27.9" sw. over bed, 24.4" turning dia., |
| | | 78.7" center dist., 5.1" spdl. hole, spds: 20- 2400 RPM, 40 HP, |
| | | 12-station vert. turret, 15" dia. 3-jaw hyd. chuck, LNS Mdl. ARM- |
| | | 2551 3 pt. hyd. steadyrest, chip conveyor, CoolJet high-pressure |
| | | coolant system, S/N 270 |
| 83 | 1 | CNC HOLLOW SPINDLE LATHE, MORI SEIKI MDL. SL-403B, |
| | | new 2005, MSX-501 CNC control, 27.9" max. swing, 24" turning |
| | | dia., 78.7" max. turning length, 5.1" spdl. bore, 2,400 RPM, 40 |
| | | HP, SMW-Autoblock 3 pt. hyd. steadyrest, Kitagawa 15" chuck, |
| | | 12 pos. turret, chip conveyor, S/N SL400EE0662 |
| 84 | 1 | 4-AXIS HORIZONTAL MACHINING CENTER, OKUMA & |
| | | HOWA MILLAC MDL. 561V, Fanuc 16M CNC control, 22" x 54" |
| | | table, 41" X, 22" Y & 20.47" Z-axis travels, CAT-50, spds: 30- |
| | | 6000 RPM, 15 HP, 30 pos. ATC, S/N 1087 |
| 85 | 1 | 4-AXIS HORIZONTAL ROTARY TABLE, TSUDAKOMA, 10" |
| | • | dia. 6-jaw chuck & tailstock |
| 86 | 1 | 4-AXIS HORIZTONAL MACHINING CENTER, OKK MDL. VM-5, |
| 00 | ' | Fanum 6MI control, 53" x 22" table, 40" X, 20" Y & 20" Z-axis, |
| | | |
| 87 | 1 | S/N 625 |
| - | ı | 4-AXIS ROTARY TABLE, 10" dia. 3-jaw chuck |
| 88 | | CNC LATHE, OKUMA & HOWA MDL. HL-35, Fanuc 18i-T CNC |
| | | control, 19.6" sw. over bed, 13.7" turning dia., 24" center dist., |
| | | 3.07" bar dia., spds: 35-3500 RPM, 25 HP, 12" dia. 3-jaw hyd. |
| | | chuck, tool presetter, 12-station vert. turret, hyd. tailstock, S/N |
| 00 | 1 | 6006 |
| 89 | I | CNC LATHE, OKUMA & HOWA MDL. HL-35, Fanuc 18i-T CNC |
| | | control, 19.6" sw. over bed, 13.7" turning dia., 24" center dist., |
| | | 3.07" bar dia., spds: 35-3500 RPM, 25 HP, 12" dia. 3-jaw hyd. |
| | | chuck, tool presetter, 12-station vert. turret, hyd. tailstock, S/N |
| | | 1030 |
| 90 | 1 | TOOL MAKEUP SYSTEM, CONSISTING OF: custom hyd. |
| | | clamp vise set w/H.D. V jaws, directional valve |
| 91 | 1 | SPUD WRENCH, Size 116H |
| 92 | 1 | SPUD WRENCH, Size 115H |
| 93 | 1 | ARBOR PRESS, FAMCO MDL. 3R |
| 95 | 1 | METAL TABLE , 3-1/2' L. x 3-1/2' W., H.D. |
| 96 | 1 | METAL TABLE , 13'L. x 3-1/2' W., H.D. |
| 97 | 1 | MANUAL ROLL-UP DOOR, 174"W. x 130" ht. |
| 98 | 1 | OVERHEAD BRIDGE CRANE, BAY AREA/GENERAL CRANE |
| | | SERVICE 3 T. X APPROX. 39' SPAN, top running, sgl. girder, |
| | | EMH unitized wire rope hoist, 18'-11" ht. under rail, pendant |
| | | control, variable spd. motions, AC pwrd. |
| 98A | 1 | SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. |
| | | CAP., air handler, charged line & accessories |
| 98B | 1 | SPLIT-SYSTEM AIR CONDITIONER UNIT, TRANE 10 T. CAP., |
| | | air handler, charged line & accessories |
| L | | dir Harraior, charged into & accessories |

| | | KNUST-GODWIN CATALOG |
|------|-----|--|
| LOT | QTY | DESCRIPTION |
| 99 | 1 | MANUAL ROLL-UP DOOR, 124"W. x 120" ht. |
| 100 | 1 | FREE STANDING PEDESTAL JIB CRANE, BAYOU 2 T. X 15' |
| | | REAR CONDITIONER, 12' under beam, CM 2 T. cap. elec. |
| 401 | | chain hoist, pwr. trolley |
| 101 | 1 | OVERHEAD BRIDGE CRANE, OSBORN INDUSTRIES 5 T. X |
| | | 42' SPAN, top running, sgl. girder, Yale elec. wire rope hoist, |
| 4044 | 4 | variable spd. motions, 19' ht. under rail, S/N 95970-B |
| 101A | 1 | SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. |
| 1015 | | CAP., air handler, charged line & accessories |
| 101B | 1 | SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. |
| | | CAP., air handler, charged line & accessories |
| 102 | 1 | WORKBENCH, 6' x 2' |
| 103 | 1 | WORKBENCH, 6' x 2' |
| 104 | 1 | WORKBENCH, 6' x 2' |
| 105 | 1 | WORKBENCH, 6' x 2' |
| 106 | 1 | WORKBENCH, 6' x 2' |
| 107 | 1 | WORKBENCH, 6' x 2' |
| 108 | 1 | WORKBENCH, 6' x 2' |
| 109 | 1 | WORKBENCH, 6' x 2' |
| 110 | 1 | WORKBENCH, 6' x 2' |
| 111 | 1 | WORKBENCH, 6' x 2' |
| 112 | 1 | WORKBENCH, 6' x 2' |
| 113 | 1 | METAL WORKTABLE, 4' x 2', w/chain vise |
| 114 | 1 | WORKBENCH, 6' x 2' |
| 115 | 1 | WORKBENCH, 6' x 2' |
| 116 | 1 | WORKBENCH, 6' x 2' |
| 117 | 1 | WORKBENCH, 6' x 2' |
| 118 | 1 | WORKBENCH, 6' x 2' |
| 119 | 1 | WORKBENCH, 6' x 2' |
| 120 | 1 | WORKBENCH, 6' x 2' |
| 121 | 1 | WORKBENCH, 6' x 2' |
| 122 | 1 | WORKBENCH, 6' x 2' |
| 123 | 1 | WORKBENCH, 6' x 2' |
| 124 | 1 | WORKBENCH, 6' x 2' |
| 125 | 1 | WORKBENCH, 6' x 2' |
| 126 | 1 | WORKBENCH, 6' x 2' |
| 127 | 1 | WORKBENCH, 6' x 2' |
| 128 | 1 | WORKBENCH, 6' x 2' |
| 129 | 1 | RACK , 120" ht. x 122"W. x 44" dp. x 4-tier, H.D. |
| 130 | 1 | RACK , 120" ht. x 122"W. x 44" dp. x 4-tier, H.D. |
| 131 | 1 | RACK , 120" ht. x 122"W. x 44" dp. x 4-tier, H.D. |
| 132 | 1 | MANUAL ROLL-UP DOOR, 123" x 122" |
| 133 | 1 | MANUAL ROLL-UP DOOR, 123" x 122" |
| 134 | 1 | WORKBENCH, 6' x 3' |
| 135 | 1 | WORKBENCH, 6' x 3' |
| 136 | 1 | WORKBENCH, 6' x 3' |
| 137 | 1 | WORKBENCH, 6' x 3' |
| | | |

| LOT | QTY | DESCRIPTION |
|------|-----|--|
| 138 | 1 | WORKBENCH, 6' x 3' |
| 139 | 1 | WORKBENCH, 6' x 3' |
| 140 | 1 | WORKBENCH, 6' x 3' |
| 141 | 1 | WORKBENCH, 6' x 3' |
| 141 | 1 | WORKBENCH, 6 ' x 3' |
| - | 1 | · |
| 143 | | WORKBENCH, 6' x 3' |
| 144 | 1 | WORKBENCH, 6' x 3' |
| 145 | 1 | WORKBENCH, 6' x 3' |
| 146 | 1 | WORKBENCH, 6' x 3' |
| 147 | 1 | WORKBENCH, 6' x 3' |
| 148 | 1 | WORKBENCH, 6' x 3' |
| 149 | 1 | WORKBENCH, 6' x 3' |
| 150 | 1 | WORKBENCH, 6' x 3' |
| 151 | 1 | WORKBENCH, 6' x 3' |
| 152 | 1 | WORKBENCH, 6' x 3' |
| 153 | 1 | WORKBENCH, 6' x 3' |
| 154 | 1 | WORKBENCH, 6' x 3' |
| 155 | 1 | WORKBENCH, 6' x 3' |
| 156 | 1 | WORKBENCH, 6' x 3' |
| 157 | 1 | WORKBENCH, 6' x 3' |
| 158 | 1 | WORKBENCH, 6' x 3' |
| 158A | 1 | LOT OF SHELVES: metal & wire |
| 159 | 1 | LOT OF ROLLER CARTS, 2-tier (approx. 4) |
| 160 | 1 | LOT OF ROLLER CARTS, 2-tier (approx. 4) |
| 161 | 1 | LOT OF ROLLER CARTS, 2-tier (approx. 4) |
| 162 | 1 | LOT OF ROLLER CARTS, 2-tier (approx. 4) |
| 163 | 1 | LOT OF ROLLER CARTS, 2-tier (approx. 4) |
| 164 | 1 | LOT OF ROLLER CARTS, 2-tier (approx. 4) |
| 165 | 1 | LOT OF ROLLER CARTS, 2-tier (approx. 4) |
| 166 | 1 | LOT OF ROLLER CARTS, 2-tier (approx. 4) |
| 167 | 1 | LOT OF ROLLER CARTS, 2-tier (approx. 4) |
| 168 | 1 | LOT OF ROLLER CARTS, 2-tier (approx. 4) |
| 169 | 1 | LOT OF ROLLER CARTS, 2-tier (approx. 4) |
| 170 | 1 | LOT OF ROLLER CARTS, 2-tier (approx. 4) |
| 171 | 1 | LOT OF ROLLER CARTS, 2-tier (approx. 4) |
| 172 | 1 | LOT OF ROLLER CARTS, 2-tier (approx. 4) |
| 173 | 1 | LOT OF ROLLER CARTS, 2-tier (approx. 4) |
| 174 | 1 | LOT OF ROLLER CARTS, 2-tier (approx. 4) |
| 175 | 1 | LOT OF ROLLER CARTS, 2-tier (approx. 4) |
| 176 | 1 | LOT OF ROLLER CARTS, 2-tiel (approx. 4) |
| 177 | 1 | SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. |
| ''' | ' | CAP., air handler, charged line & accessories |
| 178 | 1 | SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. |
| 1/0 | ' | CAP., air handler, charged line & accessories |
| 170 | 1 | SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. |
| 179 | ' | · |
| | | CAP., air handler, charged line & accessories |

| LOT | QTY | DESCRIPTION |
|-----|-----|--|
| 180 | 1 | SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. |
| | | CAP., air handler, charged line & accessories |
| 181 | 1 | SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. |
| | | CAP., air handler, charged line & accessories |
| 182 | 1 | SPLIT-SYSTEM AIR CONDITIONER UNIT, TRANE 10 T. CAP., |
| | | air handler, charged line & accessories |
| 183 | 1 | SPLIT-SYSTEM AIR CONDITIONER UNIT, TRANE 10 T. CAP., |
| | | air handler, charged line & accessories |
| 184 | 1 | SPLIT-SYSTEM AIR CONDITIONER UNIT, TRANE 10 T. CAP., |
| | | air handler, charged line & accessories |
| 185 | 1 | GRANITE SURFACE TABLE, STARRETT, 72" x 48" x 8" thk., |
| | | on fabricated stand |
| 186 | 1 | GRANITE SURFACE TABLE, DO-ALL, 72" x 48" x 6" thk., on |
| | | fabricated stand |
| 187 | 1 | GRANITE SURFACE TABLE, STARRETT, 48" x 36" x 6" thk., |
| | | on fabricated stand |
| 188 | 1 | GRANITE SURFACE TABLE, 45" x 33" x 6" thk. |
| 189 | 1 | GRANITE SURFACE TABLE, MOJAVE, 60" x 24" x 6" thk. |
| 190 | 1 | GRANITE SURFACE TABLE, MITUTOYO, 48" x 36" x 6" thk. |
| 191 | 1 | GRANITE SURFACE TABLE, STARRETT, 24" x 17" x 6" thk. |
| 192 | 1 | GRANITE SURFACE TABLE, 20" x 16" x 2" thk. |
| 193 | 1 | GRANITE SURFACE TABLE, DOALL, 18" x 12" x 5" thk. |
| 194 | 1 | METAL TABLE, 96" x 48" x 1/2" thk., H.D. |
| 195 | 1 | T-SLOTTED TABLE, 72" x 36", on fabricated stand |
| 196 | 1 | METAL TABLE, 44" x 44", H.D. |
| 197 | 1 | LOT OF FABRICATED STANDS (approx. 4) |
| 198 | 1 | LOCKABLE CAGE , 180" x 163" x 96" dp. |
| 199 | 1 | PALLET RACK SECTION, 120" x 144" x 36" dp., w/roller ladder |
| 200 | 1 | ELECTRIC ROLL-UP DOOR, 243" x 168" |
| 201 | 1 | 4-AXIS HORIZONTAL MACHINING CENTER, OKUMA & |
| | | HOWA MILLAC MDL. 630H, new 1999, Fanuc 16i-M CNC |
| | | control, 24.6" sq. pallets, 2,646 lb. table load, 40" X, 32.3" Y & |
| | | 32.3" Z-axis travels, CAT-50, 10,000 RPM, 40 HP, 80 pos. ATC, |
| | | Cool Jet high pressure through spdl. coolant system, S/N 63102 |
| 202 | 1 | 4-AXIS HORIZONTAL MACHINING CENTER, OKUMA & |
| | | HOWA MILLAC MDL. 630H, new 1999, Fanuc 16i-M CNC |
| | | control, 24.6" sq. pallets, 2,646 lb. table load, 40" X, 32.3" Y & |
| | | 32.3" Z-axis travels, CAT-50, 10,000 RPM, 40 HP, 80 pos. ATC, |
| | | Cool Jet high pressure through spdl. coolant system, S/N 63101 |
| | | |

| 1.6= | 0=1/ | KNUST-GODWIN CATALOG |
|------|------|--|
| LOT | QTY | DESCRIPTION A AVIO HODIZONITAL MACHINING OFFICE OXUMA 6 |
| 203 | 1 | 4-AXIS HORIZONTAL MACHINING CENTER, OKUMA & |
| | | HOWA MILLAC MDL. 630H, new 1999, Fanuc 16i-M CNC |
| | | control, 24.6" sq. pallets, 2,646 lb. table load, 40" X, 32.3" Y & |
| | | 32.3" Z-axis travels, CAT-50, 10,000 RPM, 40 HP, 80 pos. ATC, |
| | | Cool Jet high pressure through spdl. coolant system, S/N 63075 |
| 204 | 1 | ENGINE LATHE, TOOLMEX 24" X 120" MDL. TUR-630A/118, |
| 204 | ı | new 2006, 15" sw. over crosslide, 5-3/4" spdl. hole, variable |
| | | spds: 15-1120 RPM, dual 9" hollow spdl. chucks, inch/metric |
| | | |
| | | thdng., Newall 2-axis D.R.O., taper attach., (2) steadyrests, S/N 060013 |
| 205 | 1 | ENGINE LATHE, TOOLMEX 24" X 120" MDL. TUR-630A/118, |
| | | new 2008, 15" sw. over crosslide, 5-3/4" spdl. hole, variable |
| | | spds: 15-1120 RPM, dual 9" hollow spdl. chucks, inch/metric |
| | | thdng., Newall 2-axis D.R.O., taper attach., (2) steadyrests, S/N |
| | | 080014 |
| 206 | 1 | HOLLOW SPINDLE LATHE, LEBLOND REGAL 26" X 144", 9" |
| | | spdl. hole, spds: 9-600 RPM, dual 20" 4-jaw chucks, taper |
| | | attach., rapid traverse, inch/metric thdng., roller jaw steadyrest, 2- |
| | | axis D.R.O., S/N 7HS716 |
| 207 | 1 | HOLLOW SPINDLE LATHE, LEBLOND REGAL 26" X 144", 9" |
| | | spdl. hole, spds: 9-600 RPM, dual 20" 4-jaw chucks, taper |
| | | attach., rapid traverse, inch/metric thdng., roller jaw steadyrest, 2- |
| | | axis D.R.O., S/N 7HS717 |
| 208 | 1 | GAP BED ENGINE LATHE, KINGSTON 22" X 90" MDL. |
| | | HD2290, new 2005, 4.15" spdl. hole, approx. 32" in gap, 11" |
| | | length of gap, spds: 13-1200 RPM, inch/metric thdng., 16" dia. 3- |
| | | jaw chuck, Trav-A-Dial measuring device, (2) roller jaw |
| | | steadyrests, S/N CH05923 |
| 209 | 1 | GAP BED ENGINE LATHE, KINGSTON 22" X 90" MDL. |
| | | HD2290 , new 2005, 4.15" spdl. hole, approx. 32" in gap, 11" |
| | | length of gap, spds: 13-1200 RPM, inch/metric thdng., 12" dia. 3- |
| | | jaw chuck, Trav-A-Dial measuring device, (2) roller jaw |
| | | steadyrests, S/N CH04857 |
| 210 | 1 | ENGINE LATHE, LEBLOND MAKINO REGAL 19" X 80", Servo |
| | | shift headstock, spds: 40-1600 RPM, 3.15" spdl. hole, |
| | | inch/metric thdng., taper attach., 2-axis D.R.O., (2) roller jaw |
| | | steadyrests, S/N 15E-497 |
| 211 | 1 | GAP BED ENGINE LATHE, HARRISON 24" X 80" MDL. |
| | | M550GH, new 1996, 32.6" sw. over gap, 14.5" sw. over |
| | | crosslide, 3.5" spdl. hole, spds: 18-1400 RPM, inch/metric |
| | | thdng., taper attach., Acu-Rite programmable D.R.O., steadyrest, |
| | | 12" dia. 6-jaw chuck, S/N 5M0063 |
| 212 | 1 | ENGINE LATHE, LEBLOND MAKINO REGAL 19" X 80", Servo |
| | | shift headstock, spds: 40-1600 RPM, 3.15" spdl. hole, |
| | | inch/metric thdng., taper attach., 2-axis D.R.O., (2) roller jaw |
| | | steadyrests, S/N 15E-173 |

| LOT | OTV | KNUST-GODWIN CATALOG |
|------|-----|---|
| LOT | QTY | DESCRIPTION ENCINE LATUE TOOLMEY 2011 Y 14011 MDL TUD740A 2011 |
| 213 | 1 | ENGINE LATHE, TOOLMEX 28" X 118" MDL. TUR710A, new |
| | | 2001, 17" sw. over crosslide, 5-1/2" hole, spds: 15-1400 RPM, |
| | | inch/metric thdng., 16" dia. 3-jaw Set-Tru chuck, 16" dia. 4-jaw |
| | | rear chuck, Newall D.R.O. system, (2) steadyrests, taper attach., |
| | | S/N 010005 |
| 214 | 1 | GAP BED ENGINE LATHE, TOOLMEX 24" X 80" MDL. |
| | | TUJ50M , 35" sw. over gap, 17" sw. over carriage, 3.54" spdl. |
| | | hole, spds: 20-1600 RPM, 12" dia. 6-jaw Adjust-Tru chuck, |
| | | inch/metric thdng., Newall 2-axis D.R.O., taper attach., |
| | | steadyrest, S/N 3983 |
| 215 | 1 | GAP BED ENGINE LATHE, SUMMIT 16" X 60" MDL. 1660B, |
| | | 3.15" spdl. hole, 60"dist. btn. centers, spdl. spds: 20-2000 RPM, |
| | | inch/metric thdng., Adjust-Tru 10" dia. 3-jaw chuck, 15" dia. 4- |
| | | jaw chuck, steadyrest, taper attach., S/N 400-1500-36297 |
| | | |
| 216 | 1 | RAM TYPE EDM MACHINE, CHARMILLES MDL. FORM 4-LC, |
| 0 | | 19-1/2" x 31-1/2" table, 27-1/2" x 48" x 21" dp. tank, 7-1/2" x 11- |
| | | 3/4" T-slotted ram plate, Charmilles 90 amp pwr. supply, S/N |
| | | 9183060 |
| 217 | 1 | RAM TYPE EDM MACHINE, GENSPARK AMERICA MDL. |
| | | CY56ZNC , new 2004, 25-1/2" x 43-1/4" table, 41-1/2" x 69" x 23- |
| | | 1/2" dp. tank, 8" x 10" T-slotted ram face, Genspark pwr. |
| | | supply/control system, (2) large Dielectric tanks, cartridge filter, |
| | | S/N 56109 |
| 217A | 1 | EDM TOOL CHANGER, MAKINO |
| 218 | 1 | CNC CUTER GRINDER, SCHNEEBERGER MDL. NORMA |
| 210 | ' | CFG 5-AXIS, new 2009, Fanuc 160iMB CNC control, 15.74" X, |
| | | 11.02" Y & 11.02" Z-axis travels, .00001 deg. A-axis, 340 deg. C- |
| | | axis, tool probe, dual wheel arrangement, coolant system, IFM |
| | | mist collector, S/N 21047 |
| 219 | 1 | SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER, 20 T. |
| | ' | CAP., air handler, charged line & accessories |
| 220 | 1 | SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 15 T. |
| | ' | CAP., air handler, charged line & accessories |
| 221 | 1 | SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 15 T. |
| 441 | ' | CAP., air handler, charged line & accessories |
| 222 | 4 | + |
| 222 | 1 | SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. |
| | | CAP., air handler, charged line & accessories |
| 223 | 1 | SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. |
| | _ | CAP., air handler, charged line & accessories |
| 224 | 1 | LOT CONSISTING OF: art work, rugs, artificial plants |
| 225 | 1 | LOT OF OFFICE FURNITURE |
| 226 | 1 | TELEVISION, SHARP 36" |
| 227 | 1 | VERTICAL TURRET MILL, LAGUN, MDL. MILLMATIC III |
| | | DELUXE , 11" x 58", (2) power feed units, Acu-Rite DRO 6" riser |
| | | block, S/N 45684 |
| | | |

| LOT | QTY | DESCRIPTION |
|------|-----|---|
| 228 | 4 | VERTICAL TURRET MILL, LAGUN, MDL. MILLMATIC III |
| 220 | ' | · |
| | | DELUXE, 11" x 58", (2) power feed units, Acu-Rite DRO 6" riser block, S/N 42130 |
| 229 | 1 | VERTICAL TURRET MILL, LAGUN MDL. DELUXE, 11" x 58" |
| 229 | ' | table, (3) pwr. feed units, Acu-Rite Millvision D.R.O., EVS |
| | | |
| 230 | 1 | electronic variable spd. spdl. system, S/N 45522 VERTICAL TURRET MILL, LAGUN MDL. FTV3L, 11" x 58" |
| 230 | ' | table, variable cross feed, Acu-Rite programmable D.R.O., 6" |
| | | riser block, S/N N.A. |
| 231 | 1 | VERTICAL TURRET MILL, LAGUN MDL. FTV3L, 11" x 58" |
| 201 | ' | table, variable cross feed, Acu-Rite programmable D.R.O., 8" |
| | | riser block, S/N N.A. |
| 232 | 1 | VERTICAL TURRET MILL, LAGUN MDL. FTV2, 10" x 50" table, |
| 202 | ' | hardened & ground ways, (3) variable spd. feed units, Acu-Rite 2- |
| | | axis D.R.O., S/N 46465 |
| 233 | 1 | VERTICAL TURRET MILL, BRIDGEPORT SERIES 1, 9" x 48" |
| 200 | | table, (3) variable pwr. feeds, chrome ways, S/N 278501 |
| 234 | 1 | VERTICAL TURRET MILL, MDL. FTV-2E (parts machine) |
| 234A | 1 | LOT OF MILL PARTS, BRIDGEPORT & LAGUN, misc. |
| 235 | 1 | WIRE EDM MACHINE, CHARMILLES, MDL. ROBOFIL 440CC, |
| 235 | ' | 35.4 x 23.6 table, 47.2 x 27.5 x 15.7 max. work pieces, 3300 |
| | | • |
| | | max. weight cap., 0 -30 deg. tapper, cc high speed cutting, awt. |
| 236 | 1 | JIB CRANE, CORTRX 1 T. X 12' REACH, CM 1 T. cap. hoist |
| 230 | ' | SIB CRANE, CORTRA I I. A 12 REACH, CIVI I I. Cap. Holst |
| 237 | 1 | JIB CRANE, EATON 1/2 T. X 10' REACH, 1/2 T. cap. hoist |
| 238 | 1 | JIB CRANE, 1/2 T. x 10' reach, CM 1/2 T. cap. hoist |
| 239 | 1 | JIB CRANE, HANDLING SYSTEMS 1/2 T. X 15' REACH, CM |
| 233 | ' | 1/2 T. cap. hoist |
| 240 | 1 | JIB CRANE, 1/2 T. x 15' reach, Hitachi 1/2 T. cap. chain hoist |
| 240 | ' | JIB CRANE, 1/2 1. X 13 Teach, Thiachi 1/2 1. Cap. Chain hoist |
| 241 | 1 | JIB CRANE, 1/2 T. x 12' reach, CM 1/2 T. cap. hoist |
| 242 | 1 | JIB CRANE, 1/2 T. x 12' reach, CM 1/2 T. cap. hoist |
| 243 | 1 | LOT OF BUSS DUCT, approx. 100' |
| 244 | 1 | LOT OF BUSS DUCT, approx. 100' |
| 244 | 1 | SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 7- 1/2 T. |
| 245 | ' | CAP., air handler, charged line & accessories |
| 246 | 1 | SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 7- 1/2 T. |
| 240 | ' | CAP., air handler, charged line & accessories |
| 247 | 1 | |
| | • | TELEVISION, WESTINGHOUSE 36" |
| 248 | 1 | 4-AXIS VERTICAL MACHINING CENTER, MORI SEIKI MDL. |
| | | MV653, new 7/2008, MSX501III CNC control, 25.59" x 66.9" |
| | | table, 4,400 lb. table load, 60" X, 26" Y & 26" Z-axis travels, CAT- |
| | | 50, 6,000 RPM, 25 HP, Cool Jet high pressure through spdl. |
| | | coolant system, dual chip conveyors, 60 pos. ATC, Tsudakoma |
| | | Mdl. RB-400R 4-axis rotary table w/tailstock, Adjust-Tru 16" dia. |
| | | 3-jaw chuck w/5-1/2" through hole, S/N MV653HG0503 |
| L | l | |

| LOT QTY DESCRIPTION |
|--|
| 249A 1 LOT CONSISTING OF: high intensity fluorescent lighting fixtures, transformers, breaker boxes, etc. 249B 1 LOT OF PIPE CAPS 250 1 SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 15 T. CAP., air handler, charged line & accessories 251 1 SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 15 T. CAP., air handler, charged line & accessories 252 1 SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. CAP., air handler, charged line & accessories 253 1 SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. CAP., air handler, charged line & accessories 254 1 SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. CAP., air handler, charged line & accessories 255 1 SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. CAP., air handler, charged line & accessories 256 1 SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. CAP., air handler, charged line & accessories 257 258 1 SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. CAP., air handler, charged line & accessories 258 1 SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. CAP., air handler, charged line & accessories 259 1 SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. CAP., air handler, charged line & accessories 250 1 SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. CAP., air handler, charged line & accessories |
| fixtures, transformers, breaker boxes, etc. 249B 1 LOT OF PIPE CAPS 250 1 SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 15 T. CAP., air handler, charged line & accessories 251 1 SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 15 T. CAP., air handler, charged line & accessories 252 1 SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. CAP., air handler, charged line & accessories 253 1 SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. CAP., air handler, charged line & accessories 254 1 SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. CAP., air handler, charged line & accessories 255 1 S-AXIS MACHINING CENTER, DECKEL MAHO MDL. DMU-200P, new 2001, Heidenhain TNC 430 CNC control, 55" x 67" slotted rotary table, 11,000 lb. table load, 70.86" X, 78.74" Y & |
| 249B 1 LOT OF PIPE CAPS 250 1 SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 15 T. CAP., air handler, charged line & accessories 251 1 SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 15 T. CAP., air handler, charged line & accessories 252 1 SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. CAP., air handler, charged line & accessories 253 1 SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. CAP., air handler, charged line & accessories 254 1 SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. CAP., air handler, charged line & accessories 255 1 S-AXIS MACHINING CENTER, DECKEL MAHO MDL. DMU-200P, new 2001, Heidenhain TNC 430 CNC control, 55" x 67" slotted rotary table, 11,000 lb. table load, 70.86" X, 78.74" Y & |
| SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 15 T. CAP., air handler, charged line & accessories SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 15 T. CAP., air handler, charged line & accessories SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. CAP., air handler, charged line & accessories SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. CAP., air handler, charged line & accessories SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. CAP., air handler, charged line & accessories SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. CAP., air handler, charged line & accessories 5-AXIS MACHINING CENTER, DECKEL MAHO MDL. DMU-200P, new 2001, Heidenhain TNC 430 CNC control, 55" x 67" slotted rotary table, 11,000 lb. table load, 70.86" X, 78.74" Y & |
| CAP., air handler, charged line & accessories 1 SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 15 T. CAP., air handler, charged line & accessories 252 SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. CAP., air handler, charged line & accessories 253 SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. CAP., air handler, charged line & accessories 254 SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. CAP., air handler, charged line & accessories 255 S-AXIS MACHINING CENTER, DECKEL MAHO MDL. DMU- 200P, new 2001, Heidenhain TNC 430 CNC control, 55" x 67" slotted rotary table, 11,000 lb. table load, 70.86" X, 78.74" Y & |
| SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 15 T. CAP., air handler, charged line & accessories SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. CAP., air handler, charged line & accessories SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. CAP., air handler, charged line & accessories SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. CAP., air handler, charged line & accessories SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. CAP., air handler, charged line & accessories 5-AXIS MACHINING CENTER, DECKEL MAHO MDL. DMU-200P, new 2001, Heidenhain TNC 430 CNC control, 55" x 67" slotted rotary table, 11,000 lb. table load, 70.86" X, 78.74" Y & |
| CAP., air handler, charged line & accessories 1 SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. CAP., air handler, charged line & accessories 253 SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. CAP., air handler, charged line & accessories 254 SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. CAP., air handler, charged line & accessories 255 S-AXIS MACHINING CENTER, DECKEL MAHO MDL. DMU- 200P, new 2001, Heidenhain TNC 430 CNC control, 55" x 67" slotted rotary table, 11,000 lb. table load, 70.86" X, 78.74" Y & |
| 252 1 SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. CAP., air handler, charged line & accessories 253 1 SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. CAP., air handler, charged line & accessories 254 1 SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. CAP., air handler, charged line & accessories 255 1 5-AXIS MACHINING CENTER, DECKEL MAHO MDL. DMU-200P, new 2001, Heidenhain TNC 430 CNC control, 55" x 67" slotted rotary table, 11,000 lb. table load, 70.86" X, 78.74" Y & |
| CAP., air handler, charged line & accessories 1 SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. CAP., air handler, charged line & accessories 254 SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. CAP., air handler, charged line & accessories 5-AXIS MACHINING CENTER, DECKEL MAHO MDL. DMU- 200P, new 2001, Heidenhain TNC 430 CNC control, 55" x 67" slotted rotary table, 11,000 lb. table load, 70.86" X, 78.74" Y & |
| SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. CAP., air handler, charged line & accessories SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. CAP., air handler, charged line & accessories 5-AXIS MACHINING CENTER, DECKEL MAHO MDL. DMU-200P, new 2001, Heidenhain TNC 430 CNC control, 55" x 67" slotted rotary table, 11,000 lb. table load, 70.86" X, 78.74" Y & |
| CAP., air handler, charged line & accessories SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. CAP., air handler, charged line & accessories 1 5-AXIS MACHINING CENTER, DECKEL MAHO MDL. DMU- 200P, new 2001, Heidenhain TNC 430 CNC control, 55" x 67" slotted rotary table, 11,000 lb. table load, 70.86" X, 78.74" Y & |
| 254 1 SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. CAP., air handler, charged line & accessories 255 1 5-AXIS MACHINING CENTER, DECKEL MAHO MDL. DMU-200P, new 2001, Heidenhain TNC 430 CNC control, 55" x 67" slotted rotary table, 11,000 lb. table load, 70.86" X, 78.74" Y & |
| CAP., air handler, charged line & accessories 1 5-AXIS MACHINING CENTER, DECKEL MAHO MDL. DMU- 200P, new 2001, Heidenhain TNC 430 CNC control, 55" x 67" slotted rotary table, 11,000 lb. table load, 70.86" X, 78.74" Y & |
| 255 1 5-AXIS MACHINING CENTER, DECKEL MAHO MDL. DMU-200P, new 2001, Heidenhain TNC 430 CNC control, 55" x 67" slotted rotary table, 11,000 lb. table load, 70.86" X, 78.74" Y & |
| 200P, new 2001, Heidenhain TNC 430 CNC control, 55" x 67" slotted rotary table, 11,000 lb. table load, 70.86" X, 78.74" Y & |
| slotted rotary table, 11,000 lb. table load, 70.86" X, 78.74" Y & |
| |
| 43.3" Z-axis travels, CAT-50, 8,000 RPM, 40 HP, .001 deg. |
| |
| swivel rotating head, Interlit Mdl. SUK200-900 coolant filtration |
| system, 180 pos. ATC changer, chip conveyor, S/N |
| 10990004157-3 |
| 256 1 SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 15 T. |
| CAP., air handler, charged line & accessories |
| 257 1 SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 15 T. |
| CAP., air handler, charged line & accessories |
| 258 1 TILT FRAME VERTICAL BANDSAW, HEM 20" MDL. V100HL |
| 3, 18" x 22" cap., 1-1/4" blade size, 5 HP, dual pwr. vises, pwr. |
| w/D.R.O., digital blade spd. recorder, infeed roller table, S/N |
| 917505 |
| 259 1 CNC HORIZONTAL BANDSAW, DOALL MDL. C-3300NC, ne |
| 2001, Uniop programmable control system, approx. 13" rd. cap |
| 13" x 16" rect. cap., 1-1/4" blade size, 50-500 FPM, 5 HP, S/N |
| 521-00318 |
| 260 1 BANDSAW, COSEN 10" X 16" MDL. MH1016JA, roller infeed |
| conveyor, S/N N.A. |
| 261 1 PEDESTAL JIB CRANE, 1/2 T. x 13' reach, CM 1/2 T. cap. ho |
| |
| 262 1 SPLIT-SYSTEM AIR CONDITIONER UNIT, YORK 10 T. CAP. |
| air handler, charged line & accessories |
| 263 1 GAP BED HOLLOW SPINDLE LATHE, VANTAGE 35" X 132 |
| 53" sw. over gap, 24" sw. over crosslide, 9.05" spdl. hole, dual |
| 26-1/4" dia. 4-jaw chucks, spds: 10-750 RPM, inch/metric thdn |
| rapid traverse, remote carriage controls, steadyrest, chip |
| conveyor, Acu-Rite programmable D.R.O., S/N N.A. |
| |
| 264 1 JIB CRANE, CONTROLLED LIFTING 1 T. X 15' REACH, no |
| hoist |

| | | KNUST-GODWIN CATALOG |
|-----|-----|--|
| LOT | QTY | DESCRIPTION |
| 265 | 1 | JIB CRANE, CONTROLLED LIFTING 1 T. X 15' REACH, no hoist |
| 266 | 1 | SPLIT-SYSTEM AIR CONDITIONER UNIT, 10 T. CAP., w/air |
| | | handler, charged line & accessories |
| 267 | 1 | SPLIT-SYSTEM AIR CONDITIONER UNIT, YORK 10 T. CAP., |
| | | air handler, charged line & accessories |
| 268 | 1 | CNC HOLLOW SPINDLE LATHE, WEILER 28" x 118" MDL. |
| | | E70X3000, new 2005, Weiler CNC control, 16.9" sw. over |
| | | crosslide, 8.5" spdl. hole, variable spdl. spds: 1-1800 RPM, |
| | | 37kW, pulse coder handles, front & rear 23.5" 4-jaw chucks, |
| | | steadyrest, chip conveyor, S/N 398 |
| 269 | 1 | HOLLOW SPINDLE LATHE, POREBA 36" X 118" MDL. |
| | | TRP93VS, new 2007, 24.8" sw. over crosslide, 10-1/2" spdl. |
| | | hole, variable spds: 1.6-500 RPM, inch/metric thdng., 30 HP, |
| | | front & rear 4-jaw chuck, Newall 2-axis D.R.O., taper attach., (2) |
| | | steadyrests, carriage mtd. machine controls, S/N 0901907 |
| 270 | 1 | JIB CRANE, 1 T. x 15' reach, CM 1 T. cap. hoist |
| 271 | 1 | SPLIT-SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. |
| | | CAP., air handler, charged line & accessories |
| 272 | 1 | SPLIT-SYSTEM AIR CONDITIONER UNIT, YORK 10 T. CAP., |
| | | air handler, charged line & accessories |
| 273 | 1 | CNC HOLLOW SPINDLE LATHE, WEILER 28" x 118" MDL. |
| | | E70X3000 , new 2005, Weiler CNC control, 16.9" sw. over |
| | | crosslide, 8.5" spdl. hole, variable spdl. spds: 1-1800 RPM, |
| | | 37kW, pulse coder handles, front & rear 23.5" 4-jaw chucks, |
| | | steadyrest, chip conveyor, S/N 401 |
| 274 | 1 | CNC HOLLOW SPINDLE LATHE, WEILER 28" x 118" MDL. |
| | | E70X3000 , new 2004, Weiler CNC control, 16.9" sw. over |
| | | crosslide, 8.5" spdl. hole, variable spdl. spds: 1-1800 RPM, |
| | | 37kW, pulse coder handles, front & rear 23.5" 4-jaw chucks, |
| | | steadyrest, chip conveyor, S/N 378 |
| 275 | 1 | CNC HOLLOW SPINDLE LATHE, WEILER 22" x 80" MDL. |
| | | E50, new 2006, Weiler CNC control, 13.38" sw. over crosslide, |
| | | 3.26" spdl. hole, variable spdl. spds: 1-2500 RPM, 20kW, pulse |
| | | coder handles, S/N 1085 |
| 276 | 1 | CNC HOLLOW SPINDLE LATHE, WEILER 22" x 80" MDL. |
| | | E50, new 2007, Weiler CNC control, 13.38" sw. over crosslide, |
| | | 3.26" spdl. hole, variable spdl. spds: 1-2500 RPM, 20kW, pulse |
| | | coder handles, S/N C003 |
| 277 | 1 | OVERHEAD BRIDGE CRANE, OSBORN INDUSTRIES 5 T. X |
| | | APPROX. 34' SPAN, sgl. girder, underhung, 15'-11" under rail, |
| | | Spacemaster unitized wire rope hoist, pendant control |
| 270 | 4 | OVERHEAD DRIDGE CRANE KRANCO ET V 24 CRAN act |
| 278 | 1 | OVERHEAD BRIDGE CRANE, KRANCO 5 T. X 34' SPAN, sgl. |
| | | girder, underhung, P&H 5 T. cap. unitized hoist |

| | | KNUST-GODWIN CATALOG |
|----------|-----|--|
| LOT | QTY | DESCRIPTION |
| 278A | 1 | COMPLETE CRANE RAIL & ELECTRIFICATION SYSTEM, for |
| | | the above underhung cranes, approx. 440' of linear rail |
| 279 | 1 | JIB CRANE, 1 T. x 15' reach, CM 1 T. cap. hoist |
| 281 | 1 | JIB CRANE, 1/2 T. x 12' reach, CM 1/2 T. cap. hoist |
| 282 | 1 | JIB CRANE, 1/2 T. x 12' reach, CM 1/2 T. cap. hoist |
| 283 | 1 | JIB CRANE, 1/2 T. x 12' reach, CM 1/2 T. cap. hoist |
| 284 | 1 | TOOL GRINDER, WINSLOW MDL. HR |
| 285 | 1 | HONING MACHINE, SUNNEN, w/tooling |
| 286 | 1 | SPLIT -SYSTEM AIR CONDITIONER UNIT, CARRIER 10 T. |
| | | CAP., air handler, charged line & accessories |
| 287 | 1 | CNC GUN DRILL, UNISIG MDL. M1121-2, Fanuc 18i-MB CNC |
| | | control, 120" stroke, 59" x 59" T-slotted worktable, 59" x 59" T- |
| | | slotted knee w/approx. 12" vert. travel, high pressure coolant |
| | | system, large qty. of gun drill bushings & accessories, chip |
| | | conveyor, S/N 1689 |
| 288 | 1 | CNC GUN DRILL, TECHNO KAWAHARA MDL. KSG- |
| | | 1000NCSP, new 1998, Fanuc 21M CNC control, 39" max. |
| | | stroke, variable spd. up to 6,000 RPM, 39-1/2" x 59" table, |
| | | approx. 10" vert. knee travel, Koolant Koolers coolant system, |
| | | high pressure coolant system w/chip filter, chip conveyor & dual |
| | | cartridge filters, S/N KS-8904523 |
| 289 | 1 | CNC HOLLOW SPINDLE LATHE, WEILER 28" x 118" MDL. |
| | | E70X3000 , new 2001, Weiler CNC control, 16.9" sw. over |
| | | crosslide, 8.5" spdl. hole, variable spdl. spds: 1-1800 RPM, |
| | | 37kW, pulse coder handles, front & rear 23.5" 4-jaw chucks, |
| | | steadyrest, chip conveyor, S/N 294 |
| 290 | 1 | 4-AXIS VERTICAL MACHINING CENTER, OKUMA & HOWA |
| | | MILLAC MDL. M-852V, Fanuc 16M CNC control, 33-1/2" x 86- |
| | | 1/2" table, 5,500 lb. table load, 80.71" X, 33.46" Y & 29.53" Z-axis |
| | | travels, CAT-50, spds: 30-6000 RPM, 24 HP, 36 pos. ATC, TJR |
| | | Mdl. HR630 CNC rotary table, 11" through hole, Adjust-Tru 24- |
| | | 1/2" dia. 3-jaw chuck, pwr. clamping, S/N 85034 |
| | | |
| 291 | 1 | HORIZONTAL JIG MILL, DEVLIEG MDL. 4K60, recently rebuilt, |
| | | 60" x 40" table, 60" X, 48" Y, 20" Z & 20" W-axis travels, No. 50 |
| | | NST spdl. taper, spds: 14-1450 RPM, 30" x 40" airlift rotary table, |
| | | Acu-Rite 2-axis programmable D.R.O., S/N 9030 |
| 292 | 1 | 4-AXIS HORIZONTAL MACHINING CENTER, OKK MDL. VM7, |
| | • | Fanuc 16i-M CNC control, 29" x 61" table w/24" x 92-1/2" T- |
| | | slotted sub-plate, 60.24" X, 29.13" Y & 25.98" Z-axis travels, CAT- |
| | | 50, 10,000 RPM, 20 HP, through spdl. coolant, 40 pos. ATC, |
| | | Mfg. No. MA64262, S/N 209 |
| 292A | 1 | 4-AXIS ROTARY TABLE, TSUDAKOMA, 5-1/2" spdl. through |
| | • | hole, 15" dia. 3-jaw Adjust-Tru chuck, |
| 293 | 1 | JIB CRANE HANDLING SYSTEM, 1/2 T. x 15' reach, CM 1/2 T. |
| | | cap. hoist |
| <u> </u> | l | Joap. Holot |

| | | KNUST-GODWIN CATALOG |
|-----|-----|---|
| LOT | QTY | DESCRIPTION |
| 294 | 1 | OVERHEAD BRIDGE CRANE, BAY AREA/GENERAL CRANE |
| | | SERVICE 3 T. X APPROX. 50' SPAN, sgl. girder, underhung, |
| | | 16' ht. under rail, EMH unitized wire rope hoist, variable spd. |
| | | motions |
| 295 | 1 | LOT OF UNDERHUNG CRANE RAILS, approx. 200' underhung |
| | | crane rail electrification |
| 296 | 1 | PORTABLE OFFICE, 10' x 10' x 10 |
| 297 | 1 | SPLIT-SYSTEM AIR CONDITIONER UNIT, YORK 10 T. CAP., |
| | | air handler, charged line & accessories |
| 298 | 1 | SPLIT-SYSTEM AIR CONDITIONER UNIT, YORK 10 T. CAP., |
| | | air handler, charged line & accessories |
| 299 | 1 | LOT OF TOOLING, CAT-50 TAPER (on roller cart) |
| 300 | 1 | LOT OF TOOLING, CAT-50 TAPER (on roller cart) |
| 301 | 1 | LOT OF TOOLING, CAT-50 TAPER (on roller cart) |
| 302 | 1 | LOT OF TOOLING, CAT-50 TAPER (on roller cart) |
| 303 | 1 | LOT OF TOOLING, CAT-50 TAPER (on roller cart) |
| 304 | 1 | LOT OF TOOLING, CAT-50 TAPER (on roller cart) |
| 305 | 1 | LOT OF TOOLING, CAT-50 TAPER (on roller cart) |
| 306 | 1 | LOT OF TOOLING, CAT-50 TAPER (on roller cart) |
| 307 | 1 | LOT OF TOOLING, CAT-50 TAPER (on roller cart) |
| 308 | 1 | LOT OF TOOLING, CAT-50 TAPER (on roller cart) |
| 309 | 1 | LOT OF TOOLING, CAT-50 TAPER (on roller cart) |
| 310 | 1 | LOT OF INSERTS, KENNAMETAL (new in box) |
| 311 | 1 | LOT OF INSERTS, KENNAMETAL (new in box) |
| 312 | 1 | LOT OF INSERTS, KENNAMETAL (new in box) |
| 313 | 1 | LOT OF INSERTS, KENNAMETAL (new in box) |
| 314 | 1 | LOT OF INSERTS, KENNAMETAL (new in box) |
| 315 | 1 | LOT OF INSERTS, KENNAMETAL (new in box) |
| 316 | 1 | LOT OF INSERTS, KENNAMETAL (new in box) |
| 317 | 1 | LOT OF INSERTS, KENNAMETAL (new in box) |
| 318 | 1 | LOT OF INSERTS, KENNAMETAL (new in box) |
| 319 | 1 | LOT OF INSERTS, KENNAMETAL (new in box) |
| 320 | 1 | LOT OF INSERTS, KENNAMETAL (new in box) |
| 321 | 1 | LOT OF INSERTS, KENNAMETAL (new in box) |
| 322 | 1 | LOT OF INSERTS, KENNAMETAL (new in box) |
| 323 | 1 | LOT OF INSERTS, KENNAMETAL (new in box) |
| 324 | 1 | LOT OF INSERTS, KENNAMETAL (new in box) |
| 325 | 1 | LOT OF INSERTS, KENNAMETAL (new in box) |
| 326 | 1 | LOT OF INSERTS, KENNAMETAL (new in box) |
| 327 | 1 | LOT OF INSERTS, KENNAMETAL (new in box) |
| 328 | 1 | LOT OF INSERTS, KENNAMETAL (new in box) |
| 329 | 1 | LOT OF INSERTS, KENNAMETAL (new in box) |
| H | | |
| 330 | 1 | LOT OF INSERTS, KENNAMETAL (new in box) |
| 331 | 1 | LOT OF INSERTS, KENNAMETAL (new in box) |
| 332 | 1 | LOT OF INSERTS, KENNAMETAL (new in box) |
| 333 | 1 | LOT OF INSERTS, KENNAMETAL (new in box) |
| 334 | 1 | LOT OF INSERTS, KENNAMETAL (new in box) |

| | 071/ | KNUST-GODWIN CATALOG |
|-----|------|---|
| LOT | QTY | DESCRIPTION |
| 335 | 1 | LOT OF INSERTS, KENNAMETAL (new in box) |
| 336 | 1 | LOT OF INSERTS, KENNAMETAL (new in box) |
| 337 | 1 | LOT OF INSERTS, KENNAMETAL (new in box) |
| 338 | 1 | LOT OF INSERTS, KENNAMETAL (new in box) |
| 339 | 1 | LOT OF INSERTS, KENNAMETAL (new in box) |
| 340 | 1 | LOT OF INSERTS, KENNAMETAL (new in box) |
| 341 | 1 | LOT OF INSERTS, KENNAMETAL (new in box) |
| 342 | 1 | LOT OF INSERTS, KENNAMETAL (new in box) |
| 343 | 1 | LOT OF INSERTS, KENNAMETAL (new in box) |
| 344 | 1 | LOT OF INSERTS, KENNAMETAL (new in box) |
| 345 | 1 | LOT OF INSERTS, KENNAMETAL (new in box) |
| 346 | 1 | LOT OF INSERTS, KENNAMETAL (new in box) |
| 347 | 1 | LOT OF INSERTS, KENNAMETAL (new in box) |
| 348 | 1 | LOT OF INSERTS, KENNAMETAL (new in box) |
| 349 | 1 | LOT OF INSERTS, KENNAMETAL (new in box) |
| 350 | 1 | LOT OF INSERTS, KENNAMETAL (new in box) |
| 351 | 1 | LOT OF INSERTS, KENNAMETAL (new in box) |
| 352 | 1 | LOT OF INSERTS, KENNAMETAL (new in box) |
| 353 | 1 | LOT OF INSERTS, KENNAMETAL (new in box) |
| 354 | 1 | LOT OF INSERTS, KENNAMETAL (new in box) |
| 355 | 1 | LOT OF INSERTS (new in box) |
| 356 | 1 | LOT OF INSERTS (new in box) |
| 357 | 1 | LOT OF INSERTS (new in box) |
| 358 | 1 | LOT OF INSERTS (new in box) |
| 359 | 1 | LOT OF INSERTS (new in box) |
| 360 | 1 | LOT OF INSERTS (new in box) |
| 361 | 1 | LOT OF INSERTS (new in box) |
| 362 | 1 | LOT OF INSERTS (new in box) |
| 363 | 1 | LOT OF INSERTS (new in box) |
| 364 | 1 | LOT OF INSERTS (new in box) |
| 365 | 1 | LOT OF INSERTS (new in box) |
| 366 | 1 | LOT OF INSERTS (new in box) |
| 367 | 1 | LOT OF INSERTS (new in box) |
| 368 | 1 | LOT OF INSERTS (new in box) |
| 369 | 1 | LOT OF INSERTS (new in box) |
| 370 | 1 | LOT OF INSERTS (new in box) |
| 371 | 1 | LOT OF INSERTS (new in box) |
| 372 | 1 | LOT OF INSERTS (new in box) |
| 373 | 1 | LOT OF INSERTS (new in box) |
| 374 | 1 | LOT OF INSERTS (new in box) |
| 375 | 1 | LOT OF INSERTS (new in box) |
| 376 | 1 | LOT OF INSERTS (new in box) |
| 377 | 1 | LOT OF INSERTS (new in box) |
| 378 | 1 | LOT OF CUTTER WHEELS (new in box) |
| 379 | 1 | LOT OF INSERTS (new in box) |
| 380 | 1 | LOT OF INSERTS (new in box) |
| 381 | 1 | LOT OF INSERTS (new in box) |
| 301 | ı | EST ST HASEILTS (HOW HIDON) |

| LOT | QTY | DESCRIPTION |
|------|-----|-----------------------------------|
| 382 | 1 | LOT OF INSERTS (new in box) |
| 383 | 1 | LOT OF INSERTS (new in box) |
| 384 | 1 | LOT OF INSERTS (new in box) |
| 385 | 1 | LOT OF INSERTS (new in box) |
| 386 | 1 | LOT OF INSERTS (new in box) |
| 387 | 1 | LOT OF INSERTS (new in box) |
| 387A | 1 | LOT OF INSERTS (in five buckets) |
| 388 | 1 | LOT OF GUN DRILLS |
| 389 | 1 | LOT OF GUN DRILLS |
| 390 | 1 | LOT OF GUN DRILLS |
| 391 | 1 | LOT OF GUN DRILLS |
| 392 | 1 | LOT OF GUN DRILLS |
| 393 | 1 | LOT OF GUN DRILLS |
| 394 | 1 | LOT OF GUN DRILLS |
| 395 | 1 | LOT OF GUN DRILLS |
| 396 | 1 | LOT OF GUN DRILLS |
| 397 | 1 | LOT OF GUN DRILLS |
| 398 | 1 | LOT OF GUN DRILLS |
| 399 | 1 | LOT OF GUN DRILLS |
| 400 | 1 | LOT OF GUN DRILLS |
| 401 | 1 | LOT OF GUN DRILLS |
| 402 | 1 | LOT OF GUN DRILLS |
| 403 | 1 | LOT OF GUN DRILLS |
| 404 | 1 | LOT OF GUN DRILLS |
| 405 | 1 | LOT OF GUN DRILLS |
| 406 | 1 | LOT OF GUN DRILLS |
| 407 | 1 | LOT OF GUN DRILLS |
| 407A | 1 | LOT OF GUN DRILLS (in one barrel) |
| 408 | 1 | WORKBENCH, 10' x 5' |
| 409 | 1 | WORKBENCH, 10' x 5' |
| 410 | 1 | WORKBENCH, 6' x 3' |
| 411 | 1 | WORKBENCH, 6' x 3' |
| 412 | 1 | WORKBENCH, 6' x 3' |
| 413 | 1 | LOT OF DRILL BITS (in one box) |
| 414 | 1 | LOT OF DRILL BITS (in one box) |
| 415 | 1 | LOT OF DRILL BITS (in one box) |
| 416 | 1 | LOT OF DRILL BITS (in one box) |
| 417 | 1 | LOT OF DRILL BITS (in one box) |
| 418 | 1 | LOT OF DRILL BITS (in one box) |
| 419 | 1 | LOT OF DRILL BITS (in one box) |
| 420 | 1 | LOT OF DRILL BITS (in one box) |
| 421 | 1 | LOT OF DRILL BITS (in one box) |
| 422 | 1 | LOT OF DRILL BITS (in one box) |
| 423 | 1 | LOT OF DRILL BITS (in one box) |
| 424 | 1 | LOT OF DRILL BITS (in one box) |
| 425 | 1 | LOT OF DRILL BITS (in one box) |
| 426 | 1 | LOT OF DRILL BITS (in one box) |

| LOT | QTY | DESCRIPTION |
|-----|-----|---------------------------------|
| 427 | 1 | LOT OF DRILL BITS (in one box) |
| 428 | 1 | LOT OF DRILL BITS (in one box) |
| 429 | 1 | LOT OF DRILL BITS (in one box) |
| | | , , |
| 430 | 1 | LOT OF DRILL BITS (in one box) |
| 431 | 1 | LOT OF DRILL BITS (in one box) |
| 432 | 1 | LOT OF DRILL BITS (in one box) |
| 433 | 1 | LOT OF DRILL BITS (in one box) |
| 434 | 1 | LOT OF DRILL BITS (in one box) |
| 435 | 1 | LOT OF DRILL BITS (in one box) |
| 436 | 1 | LOT OF DRILL BITS (in one box) |
| 437 | 1 | LOT OF DRILL BITS (in one box) |
| 438 | 1 | LOT OF DRILL BITS (in one box) |
| 439 | 1 | LOT OF DRILL BITS (in one box) |
| 440 | 1 | LOT OF DRILL BITS (in one box) |
| 441 | 1 | LOT OF DRILL BITS (in one box) |
| 442 | 1 | LOT OF DRILL BITS (in one box) |
| 443 | 1 | LOT OF DRILL BITS (in one box) |
| 444 | 1 | LOT OF DRILL BITS (in one box) |
| 445 | 1 | LOT OF DRILL BITS (in one box) |
| 446 | 1 | LOT OF DRILL BITS (in one box) |
| 447 | 1 | LOT OF DRILL BITS (in one box) |
| 448 | 1 | LOT OF DRILL BITS (in one box) |
| 449 | 1 | LOT OF DRILL BITS (in one box) |
| 450 | 1 | LOT OF DRILL BITS (in one box) |
| 451 | 1 | LOT OF DRILL BITS (in one box) |
| 452 | 1 | LOT OF DRILL BITS (in one box) |
| 453 | 1 | LOT OF DRILL BITS (in one box) |
| 454 | 1 | LOT OF DRILL BITS (in one box) |
| 455 | 1 | LOT OF DRILL BITS (in one box) |
| 456 | 1 | LOT OF DRILL BITS (in one box) |
| 457 | 1 | LOT OF DRILL BITS (in one box) |
| 458 | 1 | LOT OF DRILL BITS (in one box) |
| 459 | 1 | LOT OF DRILL BITS (in one box) |
| 460 | 1 | LOT OF DRILL BITS (in one box) |
| 461 | 1 | LOT OF DRILL BITS (in one box) |
| 462 | 1 | LOT OF DRILL BITS (in one box) |
| 463 | 1 | LOT OF DRILL BITS (in one box) |
| 464 | 1 | LOT OF DRILL BITS (in one box) |
| 465 | 1 | LOT OF DRILL BITS (in one box) |
| 466 | 1 | LOT OF DRILL BITS (in one box) |
| 467 | 1 | LOT OF DRILL BITS (in one box) |
| 468 | 1 | LOT OF DRILL BITS (in one box) |
| 469 | 1 | LOT OF DRILL BITS (in one box) |
| 470 | 1 | LOT OF DRILL BITS (in one box) |
| 471 | 1 | LOT OF DRILL BITS (in one box) |
| 472 | 1 | LOT OF DRILL BITS (in one box) |
| 473 | 1 | LOT OF DRILL BITS (in one box) |
| 413 | I | LOT OF DRILL BITS (III OHE DOX) |

| LOT | OTV | KNUST-GODWIN CATALOG |
|-----|-----|---------------------------------|
| LOT | QTY | DESCRIPTION |
| 474 | 1 | LOT OF DRILL BITS (in one box) |
| 475 | 1 | LOT OF DRILL BITS (in one box) |
| 476 | 1 | LOT OF DRILL BITS (in one box) |
| 477 | 1 | LOT OF DRILL BITS (in one box) |
| 478 | 1 | LOT OF DRILL BITS (in one box) |
| 479 | 1 | LOT OF DRILL BITS (in one box) |
| 480 | 1 | LOT OF DRILL BITS (in one box) |
| 481 | 1 | LOT OF DRILL BITS (in one box) |
| 482 | 1 | LOT OF DRILL BITS (in one box) |
| 483 | 1 | LOT OF DRILL BITS (in one box) |
| 484 | 1 | LOT OF DRILL BITS (in one box) |
| 485 | 1 | LOT OF DRILL BITS (in one box) |
| 486 | 1 | LOT OF DRILL BITS (in one box) |
| 487 | 1 | LOT OF DRILL BITS (in one box) |
| 488 | 1 | LOT OF DRILL BITS (in one box) |
| 489 | 1 | LOT OF DRILL BITS (in one box) |
| 490 | 1 | LOT OF DRILL BITS (in one box) |
| 491 | 1 | LOT OF DRILL BITS (in one box) |
| 492 | 1 | LOT OF DRILL BITS (in one box) |
| 493 | 1 | LOT OF DRILL BITS (in one box) |
| 494 | 1 | LOT OF DRILL BITS (in one box) |
| 495 | 1 | LOT OF DRILL BITS (in one box) |
| 496 | 1 | LOT OF DRILL BITS (in one box) |
| 497 | 1 | LOT OF DRILL BITS (in one box) |
| 498 | 1 | LOT OF DRILL BITS (in one box) |
| 499 | 1 | LOT OF DRILL BITS (in one box) |
| 500 | 1 | LOT OF DRILL BITS (in one box) |
| 501 | 1 | LOT OF DRILL BITS (in one box) |
| 502 | 1 | LOT OF DRILL BITS (in one box) |
| 503 | 1 | LOT OF DRILL BITS (in one box) |
| 504 | 1 | LOT OF DRILL BITS (in one box) |
| 505 | 1 | LOT OF DRILL BITS (in one box) |
| 506 | 1 | LOT OF DRILL BITS (in one box) |
| 507 | 1 | LOT OF DRILL BITS (in one box) |
| 508 | 1 | LOT OF DRILL BITS (in one box) |
| 509 | 1 | LOT OF DRILL BITS (in one box) |
| 510 | 1 | LOT OF DRILL BITS (in one box) |
| 511 | 1 | LOT OF DRILL BITS (in one box) |
| 512 | 1 | LOT OF DRILL BITS (in one box) |
| 513 | 1 | LOT OF DRILL BITS (in one box) |
| 514 | 1 | LOT OF DRILL BITS (in one box) |
| 515 | 1 | LOT OF DRILL BITS (in one box) |
| 516 | 1 | LOT OF DRILL BITS (in one box) |
| 517 | 1 | LOT OF DRILL BITS (in one box) |
| 517 | 1 | LOT OF DRILL BITS (in one box) |
| 519 | 1 | LOT OF DRILL BITS (in one box) |
| 520 | 1 | LOT OF DRILL BITS (in one box) |
| 520 | I | LOT OF DRILL DITS (III OHE DOX) |

| LOT | QTY | DESCRIPTION |
|-----|-----|--------------------------------|
| 521 | 1 | LOT OF DRILL BITS (in one box) |
| 522 | 1 | LOT OF DRILL BITS (in one box) |
| 523 | 1 | LOT OF DRILL BITS (in one box) |
| 524 | 1 | LOT OF DRILL BITS (in one box) |
| 525 | 1 | LOT OF DRILL BITS (in one box) |
| 526 | 1 | LOT OF DRILL BITS (in one box) |
| 527 | 1 | LOT OF DRILL BITS (in one box) |
| 528 | 1 | LOT OF DRILL BITS (in one box) |
| 529 | 1 | LOT OF DRILL BITS (in one box) |
| 530 | 1 | LOT OF DRILL BITS (in one box) |
| 531 | 1 | LOT OF DRILL BITS (in one box) |
| 532 | 1 | LOT OF DRILL BITS (in one box) |
| 533 | 1 | LOT OF DRILL BITS (in one box) |
| 534 | 1 | LOT OF DRILL BITS (in one box) |
| 535 | 1 | LOT OF DRILL BITS (in one box) |
| 536 | 1 | LOT OF DRILL BITS (in one box) |
| 537 | 1 | LOT OF DRILL BITS (in one box) |
| 538 | 1 | LOT OF DRILL BITS (in one box) |
| 539 | 1 | LOT OF DRILL BITS (in one box) |
| 540 | 1 | LOT OF DRILL BITS (in one box) |
| 541 | 1 | LOT OF DRILL BITS (in one box) |
| 542 | 1 | LOT OF DRILL BITS (in one box) |
| 543 | 1 | LOT OF DRILL BITS (in one box) |
| 544 | 1 | LOT OF DRILL BITS (in one box) |
| 545 | 1 | LOT OF DRILL BITS (in one box) |
| 546 | 1 | LOT OF DRILL BITS (in one box) |
| 547 | 1 | LOT OF DRILL BITS (in one box) |
| 548 | 1 | LOT OF DRILL BITS (in one box) |
| 549 | 1 | LOT OF DRILL BITS (in one box) |
| 550 | 1 | LOT OF DRILL BITS (in one box) |
| 551 | 1 | LOT OF DRILL BITS (in one box) |
| 552 | 1 | LOT OF DRILL BITS (in one box) |
| 553 | 1 | LOT OF DRILL BITS (in one box) |
| 554 | 1 | LOT OF DRILL BITS (in one box) |
| 555 | 1 | LOT OF DRILL BITS (in one box) |
| 556 | 1 | LOT OF DRILL BITS (in one box) |
| 557 | 1 | LOT OF DRILL BITS (in one box) |
| 558 | 1 | LOT OF DRILL BITS (in one box) |
| 559 | 1 | LOT OF DRILL BITS (in one box) |
| 560 | 1 | LOT OF DRILL BITS (in one box) |
| 561 | 1 | LOT OF DRILL BITS (in one box) |
| 562 | 1 | LOT OF DRILL BITS (in one box) |
| 563 | 1 | LOT OF DRILL BITS (in one box) |
| 564 | 1 | LOT OF DRILL BITS (in one box) |
| 565 | 1 | LOT OF DRILL BITS (in one box) |
| 566 | 1 | LOT OF DRILL BITS (in one box) |
| 567 | 1 | LOT OF DRILL BITS (in one box) |

| LOT | QTY | DESCRIPTION |
|------------|-----|--|
| 568 | 1 | LOT OF DRILL BITS (in one box) |
| 569 | 1 | LOT OF DRILL BITS (in one box) |
| 570 | 1 | LOT OF DRILL BITS (in one box) |
| 571 | 1 | LOT OF DRILL BITS (in one box) |
| 572 | 1 | LOT OF DRILL BITS (in one box) |
| 573 | 1 | LOT OF DRILL BITS (in one box) |
| 574 | 1 | LOT OF DRILL BITS (in one box) |
| 575 | 1 | LOT OF DRILL BITS (in one box) |
| 576 | 1 | LOT OF DRILL BITS (in one box) |
| 577 | 1 | LOT OF DRILL BITS (in one box) |
| 578 | 1 | LOT OF DRILL BITS (in one box) |
| 579 | 1 | LOT OF DRILL BITS (in one box) |
| 580 | 1 | LOT OF DRILL BITS (in one box) |
| 581 | 1 | LOT OF DRILL BITS (in one box) |
| 582 | 1 | LOT OF DRILL BITS (in one box) |
| 583 | 1 | LOT OF DRILL BITS (in one box) |
| 584 | 1 | LOT OF DRILL BITS (in one box) |
| 585 | 1 | LOT OF DRILL BITS (in one box) |
| 586 | 1 | LOT OF DRILL BITS (in one box) |
| 587 | 1 | LOT OF DRILL BITS (in one box) |
| 588 | 1 | LOT OF DRILL BITS (in one box) |
| 589 | 1 | LOT OF DRILL BITS (in one box) |
| 590 | 1 | LOT OF DRILL BITS (in one box) |
| 591 | 1 | LOT OF DRILL BITS (in one box) |
| 592 | 1 | LOT OF DRILL BITS (in one box) |
| 593 | 1 | LOT OF DRILL BITS (in one box) |
| 594 | 1 | LOT OF DRILL BITS (in one box) |
| 595 | 1 | LOT OF DRILL BITS (in one box) |
| 596 | 1 | LOT OF DRILL BITS (in one box) |
| 597 | 1 | LOT OF DRILL BITS (in one box) |
| 598 | 1 | LOT OF DRILL BITS (in one box) |
| 599 | 1 | LOT OF DRILL BITS (in one box) |
| 600 | 1 | LOT OF DRILL BITS (in one box) |
| 601 | 1 | LOT OF DRILL BITS (in one box) |
| 602 | 1 | LOT OF DRILL BITS (in one box) |
| 603 | 1 | LOT OF DRILL BITS (in one box) |
| 604 | 1 | LOT OF DRILL BITS (in one box) |
| 605 | 1 | LOT OF DRILL BITS (in one box) |
| 606 | 1 | LOT OF DRILL BITS (in one box) |
| 607 | 1 | LOT OF DRILL BITS (in one box) |
| 608 | 1 | LOT OF DRILL BITS (in one box) |
| 609 | 1 | LOT OF DRILL BITS (in one box) |
| 610 | 1 | LOT OF DRILL BITS (in one box) |
| 611 | 1 | LOT OF DRILL BITS (in one box) |
| 612 | 1 | LOT OF DRILL BITS (in one box) |
| 613 | 1 | LOT OF DRILL BITS (in one box) |
| | 1 | , |
| 613 614 | | LOT OF DRILL BITS (in one box) LOT OF DRILL BITS (in one box) |

| LOT | QTY | DESCRIPTION |
|--------------|-----|--|
| 615 | 1 | LOT OF DRILL BITS (in one box) |
| 616 | 1 | LOT OF DRILL BITS (in one box) |
| 617 | 1 | LOT OF DRILL BITS (in one box) |
| 618 | 1 | LOT OF DRILL BITS (in one box) |
| 619 | 1 | LOT OF DRILL BITS (in one box) |
| 620 | 1 | LOT OF DRILL BITS (in one box) |
| 621 | 1 | LOT OF DRILL BITS (in one box) |
| 622 | 1 | LOT OF DRILL BITS (in one box) |
| 623 | 1 | LOT OF DRILL BITS (in one box) |
| 624 | 1 | LOT OF DRILL BITS (in one box) |
| 625 | 1 | LOT OF DRILL BITS (in one box) |
| 626 | 1 | LOT OF DRILL BITS (in one box) |
| 627 | 1 | LOT OF DRILL BITS (in one box) |
| 628 | 1 | LOT OF DRILL BITS (in one box) |
| 629 | 1 | LOT OF DRILL BITS (in one box) |
| 630 | 1 | LOT OF DRILL BITS (in one box) |
| 631 | 1 | LOT OF DRILL BITS (in one box) |
| 632 | 1 | LOT OF DRILL BITS (in one box) |
| 633 | 1 | LOT OF DRILL BITS (in one box) |
| 634 | 1 | LOT OF DRILL BITS (in one box) |
| 635 | 1 | LOT OF DRILL BITS (in one box) |
| 636 | 1 | LOT OF DRILL BITS (in one box) |
| 637 | 1 | LOT OF DRILL BITS (in one box) |
| 638 | 1 | LOT OF DRILL BITS (in one box) |
| 639 | 1 | LOT OF DRILL BITS (in one box) |
| 640 | 1 | LOT OF DRILL BITS (in one box) |
| 641 | 1 | LOT OF DRILL BITS (in one box) |
| 642 | 1 | LOT OF DRILL BITS (in one box) |
| 643 | 1 | LOT OF DRILL BITS (in one box) |
| 644 | 1 | LOT OF DRILL BITS (in one box) |
| | 1 | LOT OF DRILL BITS (in one box) |
| 645 646 | 1 | LOT OF DRILL BITS (in one box) |
| | 1 | , |
| 646A 646B | 1 | LOT OF DRILL BITS (in one box) LOT OF DRILL BITS (in one box) |
| | | , |
| 646C | 1 | LOT OF DRILL BITS (in one box) LOT OF DRILL BITS (in one box) |
| 646D | 1 | LOT OF DRILL BITS (in one box) LOT OF DRILL BITS (in one box) |
| 646E | 1 | LOT CONSISTING OF: drill sleeves, drill bits, reamers |
| 647 | 1 | · |
| 648 | 1 | LOT OF INSPECTION CAUGES |
| 649 | 1 | LOT OF INSPECTION CAUCES |
| 650 | 1 | LOT OF INSPECTION CAUCES |
| 651 | 1 | LOT OF INSPECTION CAUCES |
| 652 | 1 | LOT OF INSPECTION CAUCES |
| 653 | 1 | LOT OF INSPECTION CAUCES |
| 654 | 1 | LOT OF INSPECTION GAUGES |
| 655 | 1 | LOT OF INSPECTION GAUGES |
| 656 | 1 | LOT OF INSPECTION GAUGES |

| LOT | OT\/ | KNUST-GODWIN CATALOG |
|------|------|--|
| LOT | QTY | DESCRIPTION OF INCRESSION OF I |
| 657 | 1 | LOT OF INSPECTION GAUGES |
| 658 | 1 | LOT OF INSPECTION GAUGES |
| 659 | 1 | LOT OF INSPECTION GAUGES |
| 660 | 1 | LOT OF INSPECTION GAUGES |
| 661 | 1 | LOT OF INSPECTION GAUGES |
| 662 | 1 | LOT OF INSPECTION GAUGES |
| 663 | 1 | LOT OF INSPECTION GAUGES |
| 664 | 1 | LOT OF INSPECTION GAUGES |
| 665 | 1 | LOT OF INSPECTION GAUGES |
| 666 | 1 | LOT OF INSPECTION GAUGES |
| 667 | 1 | LOT OF INSPECTION GAUGES |
| 668 | 1 | LOT OF INSPECTION GAUGES |
| 669 | 1 | LOT OF INSPECTION GAUGES |
| 670 | 1 | LOT OF INSPECTION GAUGES |
| 671 | 1 | LOT OF INSPECTION GAUGES |
| 672 | 1 | LOT OF INSPECTION GAUGES |
| 673 | 1 | LOT OF INSPECTION GAUGES |
| 674 | 1 | LOT OF INSPECTION GAUGES |
| 675 | 1 | LOT OF INSPECTION GAUGES |
| 676 | 1 | LOT OF INSPECTION GAUGES |
| 677 | 1 | LOT OF INSPECTION GAUGES |
| 678 | 1 | LOT OF INSPECTION GAUGES |
| 679 | 1 | LOT OF INSPECTION GAUGES |
| 680 | 1 | LOT OF INSPECTION GAUGES |
| 681 | 1 | LOT OF INSPECTION GAUGES |
| 682 | 1 | LOT OF INSPECTION GAUGES |
| 683 | 1 | LOT OF INSPECTION GAUGES |
| 684 | 1 | LOT OF INSPECTION GAUGES |
| 685 | 1 | LOT OF INSPECTION GAUGES |
| 686 | 1 | LOT OF INSPECTION GAUGES |
| 687 | 1 | LOT OF INSPECTION GAUGES |
| 688 | 1 | LOT OF INSPECTION GAUGES |
| 689 | 1 | LOT OF INSPECTION GAUGES |
| 690 | 1 | LOT OF INSPECTION GAUGES |
| 691 | 1 | LOT OF INSPECTION GAUGES |
| | | LOT OF INSPECTION GAUGES LOT OF INSPECTION GAUGES |
| 692 | 1 | LOT OF INSPECTION GAUGES LOT OF INSPECTION GAUGES |
| 693 | 1 | |
| 694 | 1 | LOT OF INSPECTION CAUCES |
| 695 | 1 | LOT OF INSPECTION CAUGES |
| 696 | 1 | LOT OF INSPECTION GAUGES |
| 697 | 1 | LOT OF INSPECTION GAUGES |
| 698 | 1 | LOT OF INSPECTION GAUGES |
| 699 | 1 | LOT OF WORKBENCHES (approx. 7) |
| 700 | 1 | LOT OF WORKBENCHES (approx. 8) |
| 700A | 1 | ROTARY TABLE, 20" |
| 700B | 1 | ROTARY TABLE, 12", 3-jaw chuck |
| 700C | 1 | ROTARY TABLE, 8", 3-jaw chuck |

| | | KNUST-GODWIN CATALOG |
|-------------|-----|--|
| LOT | QTY | DESCRIPTION |
| 700D | 1 | ROTARY TABLE, 8", 3-jaw chuck |
| 701 | 1 | ROTARY TABLE, YUASA, 8" dia. 3-jaw chuck |
| 702 | 1 | ROTARY TABLE, YUASA, 8" dia. 3-jaw chuck |
| 703 | 1 | ROTARY TABLE, YUASA, 8" dia. 3-jaw chuck |
| 704 | 1 | ROTARY TABLE, YUASA, 8" dia. 3-jaw chuck |
| 705 | 1 | ROTARY TABLE, YUASA, 8" dia. 3-jaw chuck |
| 706 | 1 | ROTARY INDEXER, 3-jaw chuck |
| 707 | 1 | ROTARY INDEXER, 3-jaw chuck |
| 708 | 1 | ROTARY INDEXER, 3-jaw chuck |
| 709 | 1 | LOT OF TAILSTOCKS |
| 710 | 1 | MACHINE VISE, KURT 6" |
| 710A | 1 | MACHINE VISE, KURT 6" |
| 710A 711 | 1 | MACHINE VISE, NORT 6 MACHINE VISE, OKUMA 6" |
| | | MACHINE VISE, OKUMA 6" |
| 712 | 1 | · |
| 712A | 1 | MACHINE VISE, 6" |
| 712B | 1 | MACHINE VISE, 6" |
| 712C | 1 | MACHINE VISE, 4" |
| 713 | 1 | LOT OF VERTICAL MOUNTED VISES, 6" (1 set) |
| 714 | 1 | CHUCK, 20" dia. 4-jaw |
| 715 | 1 | CHUCK, 16" dia. 4-jaw |
| 716 | 1 | CHUCK, 12" dia. 4-jaw |
| 716A | 1 | CHUCK, 12" dia. 3-jaw |
| 716B | 1 | CHUCK, 10" dia. 3-jaw |
| 716C | 1 | CHUCK, 8" dia. 3-jaw |
| 716D | 1 | FACEPLATE |
| 717 | 1 | LOT OF SPINDLE STOPS |
| 718 | 1 | LOT OF JACOBS CHUCKS |
| 719 | 1 | LOT OF TOOLHOLDERS |
| 720 | 1 | LOT OF FACEMILLS |
| 721 | 1 | LOT CONSISTING OF: boring head & boring bars |
| 722 | 1 | LOT OF BROACHES |
| 723 | 1 | LOT OF JAWS |
| 723A | 1 | LOT OF BEARINGS (new in box) |
| 724 | 1 | 4-AXIS ROTARY TABLE, NIKKEN |
| 725 | 1 | LOT OF TIE-DOWN TOOLING |
| 726 | 1 | TAILSTOCK (new in box) |
| 727 | 1 | LOT OF MACHINE BRACKETS |
| 728 | 1 | FORKLIFT, ROYAL 20,000 LB. CAP. MDL. TA200, new 1992, |
| | | LPG, 105" standard mast, 107" lift ht., cushion tires, 48" forks, |
| | | S/N 1089L235 |
| 729 | 1 | HYDRAULIC ROUGH TERRAIN CRANE, GROVE 18,000 LB. |
| | | CAP. MDL. RT58C, diesel, 3-section boom, fold-away jib, |
| | | Cummins diesel engine, S/N 44356093, LIFTek radio Mdl. L25 |
| | | A2B Anti-2-Block system, PAT load moment indicator Mdl. DS |
| | | 350 G, 20.5-25 tires, S/N 72135 |
| 730 | 1 | FORKLIFT, CATERPILLAR 12,000 LB. CAP. MDL. GC55K, |
| | | new 2009, LPG, 110" triple stage mast, 238" lift ht., cushion tires, |
| | | 48" forks, S/N AT88A30275 |

| DESCRIPTION | LOT | OTV | KNUST-GODWIN CATALOG |
|--|------|-----|---|
| 1996, LPG, 83" triple stage mast, 182" lift ht., cushion tires, side shift, 42" forks, S/N D004D02839T | | | |
| Shift, 42" forks, S/N D004D02839T | /31 | 1 | · · · · · · · · · · · · · · · · · · · |
| FORKLIFT, HYSTER 8,000 LB. CAP. MDL. H80FT, new 2009, LPG, 95" triple stage mast, 193" lift ht., side shift, pneu. tires, S/N NP005V02582G FORKLIFT, HYSTER 7,000 LB. CAP. MDL. H70FT, new 2010, gas, 88" triple stage mast, 181" lift ht., pneu. tires, side shift, 42" forks, S/N L137V05830H FORKLIFT, TOYOTA 6,000 LB. CAP. MDL. 7FGCU30, new 2006, LPG, 86" triple stage mast, 187" lift ht., cushion tires, side shift, 42" forks, S/N 68243 FORKLIFT, TOYOTA 5,000 LB. CAP. MDL. 8FGCI25, new 2007, LPG, 88" quad mast, 258" lift ht., side shift, cushion tires, 42" forks, S/N 11575 FORKLIFT, CATERPILLAR 5,000 LB. CAP. MDL. GC25K, new 2000, LPG, 83" triple stage mast, 188" lift ht., cushion tires, side shift, 42" forks, S/N AT32C01331 FORKLIFT, CATERPILLAR 5,000 LB. CAP. MDL. KCPH02A25PV, new 1997, LPG, 83" triple stage mast, 187" lift ht., cushion tires, side shift, 42" forks, S/N KCPH02P-908323 FORKLIFT, CATERPILLAR 5,000 LB. CAP. MDL. GP25K, new 2001, LPG, 83" triple stage mast, 188" lift ht., pneu. tires, side shift, 42" forks, S/N AT17C90095 FORKLIFT, CATERPILLAR 5,000 LB. CAP. MDL. GP25K, new 2001, LPG, 83" triple stage mast, 188" lift ht., pneu. tires, side shift, 42" forks, S/N AT17C90095 FORKLIFT, HYSTER 4,000 LB. CAP. MDL. H40FT, new 2006, LPG, 62" standard mast, 90" lift ht., pneu. tires, 42" forks, S/N F001V01753D ELECTRIC REACH TRUCK, CROWN 3,500 LB. CAP. MDL. 35RRTT, 3,500 lb. cap. @ 24" L.C., 210" max. lift, 24 v., w/charger FORKLIFT, HYSTER 3,000 LB. CAP. MDL. H30FT, new 2006, LPG, standard mast, 90" lift ht., pneu. tires, 42" forks, S/N F001V01733D FORKLIFT, HYSTER 3,000 LB. CAP. MDL. H30FT, new 2006, LPG, standard mast, 90" lift ht., pneu. tires, 42" forks, S/N E01V01733D FORKLIFT, HYSTER 3,000 LB. CAP. MDL. H30FT, new 2006, LPG, drawbar pull, S/N 8557 TOW TRACTOR, HARLAN 3,000 LB. CAP. MDL. HTAG30, LPG, drawbar pull, S/N 8557 ARTICULATED BOOM LIFT, GENIE MDL. Z45/25, new 2006, elec. pwrd., self-propelled, 24'-6" max. platform reach, 45'-3" | | | |
| LPG, 95" triple stage mast, 193" lift ht., side shift, pneu. tires, S/N NP005V02582G 733 1 FORKLIFT, HYSTER 7,000 LB. CAP. MDL. H70FT, new 2010, gas, 88" triple stage mast, 181" lift ht., pneu. tires, side shift, 42" forks, S/N L137V05830H 734 1 FORKLIFT, TOYOTA 6,000 LB. CAP. MDL. 7FGCU30, new 2006, LPG, 86" triple stage mast, 187" lift ht., cushion tires, side shift, 42" forks, S/N 68243 737 1 FORKLIFT, TOYOTA 5,000 LB. CAP. MDL. 8FGCI25, new 2007, LPG, 88" quad mast, 258" lift ht., side shift, cushion tires, 42" forks, S/N 11575 738 1 FORKLIFT, CATERPILLAR 5,000 LB. CAP. MDL. GC25K, new 2000, LPG, 83" triple stage mast, 188" lift ht., cushion tires, side shift, 42" forks, S/N AT32C01331 739 1 FORKLIFT, NISSAN 5,000 LB. CAP. MDL. KCPH02A25PV, new 1997, LPG, 83" triple stage mast, 187" lift ht., cushion tires, side shift, 42" forks, S/N KCPH02P-908323 740 1 FORKLIFT, CATERPILLAR 5,000 LB. CAP. MDL. GP25K, new 2001, LPG, 83" triple stage mast, 188" lift ht., pneu. tires, side shift, 42" forks, S/N AT17C90095 741 1 FORKLIFT, HYSTER 4,000 LB. CAP. MDL. H40FT, new 2006, LPG, 62" standard mast, 90" lift ht., pneu. tires, 42" forks, S/N F001V01753D 742 1 ELECTRIC REACH TRUCK, CROWN 3,500 LB. CAP. MDL. 35RRTT, 3,500 lb. cap. @ 24" L.C., 210" max. lift, 24 v., w/charger 743 1 FORKLIFT, HYSTER 3,000 LB. CAP. MDL. H30FT, new 2006, LPG, standard mast, 90" lift ht., pneu. tires, 42" forks, S/N F001V01733D 744 1 FORKLIFT, HYSTER 3,000 LB. CAP. MDL. H30FT, new 2006, LPG, standard mast, 90" lift ht., pneu. tires, 42" forks, S/N F001V01733D 745 1 FORKLIFT, HYSTER 3,000 LB. CAP. MDL. H30FT, new 2005, LPG, 83" triple stage mast, 189" lift ht., cushion tires, 42" forks, S/N E010V02051D 746 1 TOW TRACTOR, HARLAN 3,000 LB. CAP. MDL. HTAG30, LPG, drawbar pull, S/N 8557 746 1 TOW TRACTOR, HARLAN 3,000 LB. CAP. MDL. HTAG30, LPG, drawbar pull, S/N 8551 | | | · |
| NP005V02582G | 732 | 1 | |
| 733 1 FORKLIFT, HYSTER 7,000 LB. CAP. MDL. H70FT, new 2010, gas, 88" triple stage mast, 181" lift ht., pneu. tires, side shift, 42" forks, S/N L137V05830H 734 1 FORKLIFT, TOYOTA 6,000 LB. CAP. MDL. 7FGCU30, new 2006, LPG, 86" triple stage mast, 187" lift ht., cushion tires, side shift, 42" forks, S/N 68243 737 1 FORKLIFT, TOYOTA 5,000 LB. CAP. MDL. 8FGCI25, new 2007, LPG, 88" quad mast, 258" lift ht., side shift, cushion tires, 42" forks, S/N 11575 738 1 FORKLIFT, CATERPILLAR 5,000 LB. CAP. MDL. GC25K, new 2000, LPG, 83" triple stage mast, 188" lift ht., cushion tires, side shift, 42" forks, S/N AT82C01331 739 1 FORKLIFT, NISSAN 5,000 LB. CAP. MDL. KCPH02A25PV, new 1997, LPG, 83" triple stage mast, 187" lift ht., cushion tires, side shift, 42" forks, S/N KCPH02P-908323 740 1 FORKLIFT, CATERPILLAR 5,000 LB. CAP. MDL. GP25K, new 2001, LPG, 83" triple stage mast, 188" lift ht., pneu. tires, side shift, 42" forks, S/N AT17C90095 741 1 FORKLIFT, HYSTER 4,000 LB. CAP. MDL. H40FT, new 2006, LPG, 62" standard mast, 90" lift ht., pneu. tires, 42" forks, S/N F001V01753D 742 1 ELECTRIC REACH TRUCK, CROWN 3,500 LB. CAP. MDL. 35RRTT, 3,500 lb. cap. @ 24" L.C., 210" max. lift, 24 v., w/charger 742A 1 ELECTRIC REACH TRUCK, CROWN 3,500 LB. CAP. MDL. 35RRTT, 9,500 lb. cap. @ 24" L.C., 210" max. lift, 24 v., w/charger 743 1 FORKLIFT, HYSTER 3,000 LB. CAP. | | | LPG, 95" triple stage mast, 193" lift ht., side shift, pneu. tires, S/N |
| gas, 88" triple stage mast, 181" lift ht., pneu. tires, side shift, 42" forks, S/N L137V05830H FORKLIFT, TOYOTA 6,000 LB. CAP. MDL. 7FGCU30, new 2006, LPG, 86" triple stage mast, 187" lift ht., cushion tires, side shift, 42" forks, S/N 68243 737 | | | |
| 734 1 FORKLIFT, TOYOTA 6,000 LB. CAP. MDL. 7FGCU30, new 2006, LPG, 86" triple stage mast, 187" lift ht., cushion tires, side shift, 42" forks, S/N 68243 737 1 FORKLIFT, TOYOTA 5,000 LB. CAP. MDL. 8FGCI25, new 2007, LPG, 88" quad mast, 258" lift ht., side shift, cushion tires, 42" forks, S/N 11575 738 1 FORKLIFT, CATERPILLAR 5,000 LB. CAP. MDL. GC25K, new 2000, LPG, 83" triple stage mast, 188" lift ht., cushion tires, side shift, 42" forks, S/N AT82C01331 739 1 FORKLIFT, NISSAN 5,000 LB. CAP. MDL. KCPH02A25PV, new 1997, LPG, 83" triple stage mast, 187" lift ht., cushion tires, side shift, 42" forks, S/N KCPH02P-908323 740 1 FORKLIFT, CATERPILLAR 5,000 LB. CAP. MDL. GP25K, new 2001, LPG, 83" triple stage mast, 188" lift ht., pneu. tires, side shift, 42" forks, S/N AT17C90095 741 1 FORKLIFT, HYSTER 4,000 LB. CAP. MDL. H40FT, new 2006, LPG, 62" standard mast, 90" lift ht., pneu. tires, 42" forks, S/N F001V01753D 742 1 ELECTRIC REACH TRUCK, CROWN 3,500 LB. CAP. MDL. 35RRTT, 3,500 lb. cap. @ 24" L.C., 210" max. lift, 24 v., w/charger 743 1 ELECTRIC REACH TRUCK, CROWN 3,500 LB. CAP. MDL. 35RRTT, 3,500 lb. cap. @ 24" L.C., 210" max. lift, 24 v., w/charger 743 1 FORKLIFT, HYSTER 3,000 LB. CAP. MDL. H30FT, new 2006, LPG, standard mast, 90" lift ht., pneu. tires, 42" forks, S/N E010V01733D 744 1 FORKLIFT, HYSTER 3,000 LB. CAP. MDL. S30FT, new 2005, | 733 | 1 | |
| 1 | | | |
| 2006, LPG, 86" triple stage mast, 187" lift ht., cushion tires, side shift, 42" forks, S/N 68243 | | | |
| Shift, 42" forks, S/N 68243 1 | 734 | 1 | FORKLIFT, TOYOTA 6,000 LB. CAP. MDL. 7FGCU30, new |
| 737 1 FORKLIFT, TOYOTA 5,000 LB. CAP. MDL. 8FGCI25, new 2007, LPG, 88" quad mast, 258" lift ht., side shift, cushion tires, 42" forks, S/N 11575 738 1 FORKLIFT, CATERPILLAR 5,000 LB. CAP. MDL. GC25K, new 2000, LPG, 83" triple stage mast, 188" lift ht., cushion tires, side shift, 42" forks, S/N AT82C01331 739 1 FORKLIFT, NISSAN 5,000 LB. CAP. MDL. KCPH02A25PV, new 1997, LPG, 83" triple stage mast, 187" lift ht., cushion tires, side shift, 42" forks, S/N KCPH02P-908323 740 1 FORKLIFT, CATERPILLAR 5,000 LB. CAP. MDL. GP25K, new 2001, LPG, 83" triple stage mast, 188" lift ht., pneu. tires, side shift, 42" forks, S/N AT17C90095 741 1 FORKLIFT, HYSTER 4,000 LB. CAP. MDL. H40FT, new 2006, LPG, 62" standard mast, 90" lift ht., pneu. tires, 42" forks, S/N F001V01753D 742 1 ELECTRIC REACH TRUCK, CROWN 3,500 LB. CAP. MDL. 35RRTT, 3,500 lb. cap. @ 24" L.C., 210" max. lift, 24 v., w/charger 742A 1 ELECTRIC REACH TRUCK, CROWN 3,500 LB. CAP. MDL. 35RRTT, 3,500 lb. cap. @ 24" L.C., 210" max. lift, 24 v., w/charger 743 1 FORKLIFT, HYSTER 3,000 LB. CAP. MDL. H30FT, new 2006, LPG, standard mast, 90" lift ht., pneu. tires, 42" forks, S/N F001V01733D 744 1 FORKLIFT, HYSTER 3,000 LB. CAP. MDL. S30FT, new 2005, LPG, 83" triple stage mast, 189" lift ht., cushion tires, 42" forks, S/N E010V02051D 745 1 TOW TRACTOR, HARLAN 3,000 LB. CAP. MDL. HTAG30, LPG, drawbar | | | 2006, LPG, 86" triple stage mast, 187" lift ht., cushion tires, side |
| 2007, LPG, 88" quad mast, 258" lift ht., side shift, cushion tires, 42" forks, S/N 11575 738 1 FORKLIFT, CATERPILLAR 5,000 LB. CAP. MDL. GC25K, new 2000, LPG, 83" triple stage mast, 188" lift ht., cushion tires, side shift, 42" forks, S/N AT82C01331 739 1 FORKLIFT, NISSAN 5,000 LB. CAP. MDL. KCPH02A25PV, new 1997, LPG, 83" triple stage mast, 187" lift ht., cushion tires, side shift, 42" forks, S/N KCPH02P-908323 740 1 FORKLIFT, CATERPILLAR 5,000 LB. CAP. MDL. GP25K, new 2001, LPG, 83" triple stage mast, 188" lift ht., pneu. tires, side shift, 42" forks, S/N AT17C90095 741 1 FORKLIFT, HYSTER 4,000 LB. CAP. MDL. H40FT, new 2006, LPG, 62" standard mast, 90" lift ht., pneu. tires, 42" forks, S/N F001V01753D 742 1 ELECTRIC REACH TRUCK, CROWN 3,500 LB. CAP. MDL. 35RRTT, 3,500 lb. cap. @ 24" L.C., 210" max. lift, 24 v., w/charger 742A 1 ELECTRIC REACH TRUCK, CROWN 3,500 LB. CAP. MDL. 35RRTT, 3,500 lb. cap. @ 24" L.C., 210" max. lift, 24 v., w/charger 743 1 FORKLIFT, HYSTER 3,000 LB. CAP. MDL. H30FT, new 2006, LPG, standard mast, 90" lift ht., pneu. tires, 42" forks, S/N F001V01733D 744 1 FORKLIFT, HYSTER 3,000 LB. CAP. MDL. S30FT, new 2005, LPG, 83" triple stage mast, 189" lift ht., cushion tires, 42" forks, S/N E010V02051D 745 1 TOW TRACTOR, HARLAN 3,000 LB. CAP. MDL. HTAG30, LPG, drawbar pull, S/N 8557 746 1 TOW TRACTOR, HARLAN 3,000 LB. CAP. MDL. HTAG30, LPG, drawbar pull, S/N 8551 747 1 ARTICULATED BOOM LIFT, GENIE MDL. Z45/25, new 2006, elec. pwrd., self-propelled, 24'-6" max. platform reach, 45'-3" | | | |
| 42" forks, S/N 11575 | 737 | 1 | FORKLIFT, TOYOTA 5,000 LB. CAP. MDL. 8FGCI25, new |
| 738 1 FORKLIFT, CATERPILLAR 5,000 LB. CAP. MDL. GC25K, new 2000, LPG, 83" triple stage mast, 188" lift ht., cushion tires, side shift, 42" forks, S/N AT82C01331 739 1 FORKLIFT, NISSAN 5,000 LB. CAP. MDL. KCPH02A25PV, new 1997, LPG, 83" triple stage mast, 187" lift ht., cushion tires, side shift, 42" forks, S/N KCPH02P-908323 740 1 FORKLIFT, CATERPILLAR 5,000 LB. CAP. MDL. GP25K, new 2001, LPG, 83" triple stage mast, 188" lift ht., pneu. tires, side shift, 42" forks, S/N AT17C90095 741 1 FORKLIFT, HYSTER 4,000 LB. CAP. MDL. H40FT, new 2006, LPG, 62" standard mast, 90" lift ht., pneu. tires, 42" forks, S/N F001V01753D 742 1 ELECTRIC REACH TRUCK, CROWN 3,500 LB. CAP. MDL. 35RRTT, 3,500 lb. cap. @ 24" L.C., 210" max. lift, 24 v., w/charger 742A 1 ELECTRIC REACH TRUCK, CROWN 3,500 LB. CAP. MDL. 35RRTT, 3,500 lb. cap. @ 24" L.C., 210" max. lift, 24 v., w/charger 743 1 FORKLIFT, HYSTER 3,000 LB. CAP. MDL. H30FT, new 2006, LPG, standard mast, 90" lift ht., pneu. tires, 42" forks, S/N F001V01733D 744 1 FORKLIFT, HYSTER 3,000 LB. CAP. MDL. S30FT, new 2005, LPG, 83" triple stage mast, 189" lift ht., cushion tires, 42" forks, S/N E010V02051D 745 1 TOW TRACTOR, HARLAN 3,000 LB. CAP. MDL. HTAG30, LPG, drawbar pull, S/N 8557 746 1 TOW TRACTOR, HARLAN 3,000 LB. CAP. MDL. HTAG30, LPG, drawbar pull, S/N 8551 747 | | | 2007, LPG, 88" quad mast, 258" lift ht., side shift, cushion tires, |
| 2000, LPG, 83" triple stage mast, 188" lift ht., cushion tires, side shift, 42" forks, S/N AT82C01331 | | | |
| Shift, 42" forks, S/N AT82C01331 FORKLIFT, NISSAN 5,000 LB. CAP. MDL. KCPH02A25PV, new 1997, LPG, 83" triple stage mast, 187" lift ht., cushion tires, side shift. 42" forks. S/N KCPH02P-908323 FORKLIFT, CATERPILLAR 5,000 LB. CAP. MDL. GP25K, new 2001, LPG, 83" triple stage mast, 188" lift ht., pneu. tires, side shift, 42" forks, S/N AT17C90095 FORKLIFT, HYSTER 4,000 LB. CAP. MDL. H40FT, new 2006, LPG, 62" standard mast, 90" lift ht., pneu. tires, 42" forks, S/N F001V01753D ELECTRIC REACH TRUCK, CROWN 3,500 LB. CAP. MDL. 35RRTT, 3,500 lb. cap. @ 24" L.C., 210" max. lift, 24 v., w/charger 742A | 738 | 1 | FORKLIFT, CATERPILLAR 5,000 LB. CAP. MDL. GC25K, new |
| 739 1 FORKLIFT, NISSAN 5,000 LB. CAP. MDL. KCPH02A25PV, new 1997, LPG, 83" triple stage mast, 187" lift ht., cushion tires, side shift. 42" forks. S/N KCPH02P-908323 740 1 FORKLIFT, CATERPILLAR 5,000 LB. CAP. MDL. GP25K, new 2001, LPG, 83" triple stage mast, 188" lift ht., pneu. tires, side shift, 42" forks, S/N AT17C90095 741 1 FORKLIFT, HYSTER 4,000 LB. CAP. MDL. H40FT, new 2006, LPG, 62" standard mast, 90" lift ht., pneu. tires, 42" forks, S/N F001V01753D 742 1 ELECTRIC REACH TRUCK, CROWN 3,500 LB. CAP. MDL. 35RRTT, 3,500 lb. cap. @ 24" L.C., 210" max. lift, 24 v., w/charger 742A 1 ELECTRIC REACH TRUCK, CROWN 3,500 LB. CAP. MDL. 35RRTT, 3,500 lb. cap. @ 24" L.C., 210" max. lift, 24 v., w/charger 743 1 FORKLIFT, HYSTER 3,000 LB. CAP. MDL. H30FT, new 2006, LPG, standard mast, 90" lift ht., pneu. tires, 42" forks, S/N F001V01733D 744 1 FORKLIFT, HYSTER 3,000 LB. CAP. MDL. S30FT, new 2005, LPG, 83" triple stage mast, 189" lift ht., cushion tires, 42" forks, S/N E010V02051D 745 1 TOW TRACTOR, HARLAN 3,000 LB. CAP. MDL. HTAG30, LPG, drawbar pull, S/N 8557 746 1 TOW TRACTOR, HARLAN 3,000 LB. CAP. MDL. HTAG30, LPG, drawbar pull, S/N 8551 747 1 ARTICULATED BOOM LIFT, GENIE MDL. Z45/25, new 2006, elec. pwrd., self-propelled, 24'-6" max. platform reach, 45'-3" | | | 2000, LPG, 83" triple stage mast, 188" lift ht., cushion tires, side |
| new 1997, LPG, 83" triple stage mast, 187" lift ht., cushion tires, side shift. 42" forks. S/N KCPH02P-908323 740 1 FORKLIFT, CATERPILLAR 5,000 LB. CAP. MDL. GP25K, new 2001, LPG, 83" triple stage mast, 188" lift ht., pneu. tires, side shift, 42" forks, S/N AT17C90095 741 1 FORKLIFT, HYSTER 4,000 LB. CAP. MDL. H40FT, new 2006, LPG, 62" standard mast, 90" lift ht., pneu. tires, 42" forks, S/N F001V01753D 742 1 ELECTRIC REACH TRUCK, CROWN 3,500 LB. CAP. MDL. 35RRTT, 3,500 lb. cap. @ 24" L.C., 210" max. lift, 24 v., w/charger 742A 1 ELECTRIC REACH TRUCK, CROWN 3,500 LB. CAP. MDL. 35RRTT, 3,500 lb. cap. @ 24" L.C., 210" max. lift, 24 v., w/charger 743 1 FORKLIFT, HYSTER 3,000 LB. CAP. MDL. H30FT, new 2006, LPG, standard mast, 90" lift ht., pneu. tires, 42" forks, S/N F001V01733D 744 1 FORKLIFT, HYSTER 3,000 LB. CAP. MDL. S30FT, new 2005, LPG, 83" triple stage mast, 189" lift ht., cushion tires, 42" forks, S/N E010V02051D 745 1 TOW TRACTOR, HARLAN 3,000 LB. CAP. MDL. HTAG30, LPG, drawbar pull, S/N 8557 746 1 TOW TRACTOR, HARLAN 3,000 LB. CAP. MDL. HTAG30, LPG, drawbar pull, S/N 8551 747 1 ARTICULATED BOOM LIFT, GENIE MDL. Z45/25, new 2006, elec. pwrd., self-propelled, 24'-6" max. platform reach, 45'-3" | | | shift, 42" forks, S/N AT82C01331 |
| Side shift. 42" forks. S/N KCPH02P-908323 | 739 | 1 | FORKLIFT, NISSAN 5,000 LB. CAP. MDL. KCPH02A25PV, |
| Side shift. 42" forks. S/N KCPH02P-908323 | | | new 1997, LPG, 83" triple stage mast, 187" lift ht., cushion tires, |
| 2001, LPG, 83" triple stage mast, 188" lift ht., pneu. tires, side shift, 42" forks, S/N AT17C90095 741 1 FORKLIFT, HYSTER 4,000 LB. CAP. MDL. H40FT, new 2006, LPG, 62" standard mast, 90" lift ht., pneu. tires, 42" forks, S/N F001V01753D 742 1 ELECTRIC REACH TRUCK, CROWN 3,500 LB. CAP. MDL. 35RRTT, 3,500 lb. cap. @ 24" L.C., 210" max. lift, 24 v., w/charger 742A 1 ELECTRIC REACH TRUCK, CROWN 3,500 LB. CAP. MDL. 35RRTT, 3,500 lb. cap. @ 24" L.C., 210" max. lift, 24 v., w/charger 743 1 FORKLIFT, HYSTER 3,000 LB. CAP. MDL. H30FT, new 2006, LPG, standard mast, 90" lift ht., pneu. tires, 42" forks, S/N F001V01733D 744 1 FORKLIFT, HYSTER 3,000 LB. CAP. MDL. S30FT, new 2005, LPG, 83" triple stage mast, 189" lift ht., cushion tires, 42" forks, S/N E010V02051D 745 1 TOW TRACTOR, HARLAN 3,000 LB. CAP. MDL. HTAG30, LPG, drawbar pull, S/N 8557 746 1 TOW TRACTOR, HARLAN 3,000 LB. CAP. MDL. HTAG30, LPG, drawbar pull, S/N 8551 747 1 ARTICULATED BOOM LIFT, GENIE MDL. Z45/25, new 2006, elec. pwrd., self-propelled, 24'-6" max. platform reach, 45'-3" | | | |
| Shift, 42" forks, S/N AT17C90095 Tokklift, Hyster 4,000 lb. CAP. MDL. H40FT, new 2006, LPG, 62" standard mast, 90" lift ht., pneu. tires, 42" forks, S/N F001V01753D Electric reach truck, Crown 3,500 lb. CAP. MDL. 35RRTT, 3,500 lb. cap. @ 24" l.C., 210" max. lift, 24 v., w/charger Electric reach truck, Crown 3,500 lb. CAP. MDL. 35RRTT, 3,500 lb. cap. @ 24" l.C., 210" max. lift, 24 v., w/charger Forklift, Hyster 3,000 lb. CAP. MDL. H30FT, new 2006, LPG, standard mast, 90" lift ht., pneu. tires, 42" forks, S/N F001V01733D Forklift, Hyster 3,000 lb. CAP. MDL. S30FT, new 2005, LPG, 83" triple stage mast, 189" lift ht., cushion tires, 42" forks, S/N E010V02051D Tow tractor, Harlan 3,000 lb. CAP. MDL. HTAG30, LPG, drawbar pull, S/N 8557 Tow tractor, Harlan 3,000 lb. CAP. MDL. HTAG30, LPG, drawbar pull, S/N 8551 ARTICULATED BOOM LIFT, GENIE MDL. Z45/25, new 2006, elec. pwrd., self-propelled, 24'-6" max. platform reach, 45'-3" | 740 | 1 | FORKLIFT, CATERPILLAR 5,000 LB. CAP. MDL. GP25K, new |
| 741 1 FORKLIFT, HYSTER 4,000 LB. CAP. MDL. H40FT, new 2006, LPG, 62" standard mast, 90" lift ht., pneu. tires, 42" forks, S/N F001V01753D 742 1 ELECTRIC REACH TRUCK, CROWN 3,500 LB. CAP. MDL. 35RRTT, 3,500 lb. cap. @ 24" L.C., 210" max. lift, 24 v., w/charger 742A 1 ELECTRIC REACH TRUCK, CROWN 3,500 LB. CAP. MDL. 35RRTT, 3,500 lb. cap. @ 24" L.C., 210" max. lift, 24 v., w/charger 743 1 FORKLIFT, HYSTER 3,000 LB. CAP. MDL. H30FT, new 2006, LPG, standard mast, 90" lift ht., pneu. tires, 42" forks, S/N F001V01733D 744 1 FORKLIFT, HYSTER 3,000 LB. CAP. MDL. S30FT, new 2005, LPG, 83" triple stage mast, 189" lift ht., cushion tires, 42" forks, S/N E010V02051D 745 1 TOW TRACTOR, HARLAN 3,000 LB. CAP. MDL. HTAG30, LPG, drawbar pull, S/N 8557 746 1 TOW TRACTOR, HARLAN 3,000 LB. CAP. MDL. HTAG30, LPG, drawbar pull, S/N 8551 747 1 ARTICULATED BOOM LIFT, GENIE MDL. Z45/25, new 2006, elec. pwrd., self-propelled, 24'-6" max. platform reach, 45'-3" | | | 2001, LPG, 83" triple stage mast, 188" lift ht., pneu. tires, side |
| LPG, 62" standard mast, 90" lift ht., pneu. tires, 42" forks, S/N F001V01753D 742 1 ELECTRIC REACH TRUCK, CROWN 3,500 LB. CAP. MDL. 35RRTT, 3,500 lb. cap. @ 24" L.C., 210" max. lift, 24 v., w/charger 742A 1 ELECTRIC REACH TRUCK, CROWN 3,500 LB. CAP. MDL. 35RRTT, 3,500 lb. cap. @ 24" L.C., 210" max. lift, 24 v., w/charger 743 1 FORKLIFT, HYSTER 3,000 LB. CAP. MDL. H30FT, new 2006, LPG, standard mast, 90" lift ht., pneu. tires, 42" forks, S/N F001V01733D 744 1 FORKLIFT, HYSTER 3,000 LB. CAP. MDL. S30FT, new 2005, LPG, 83" triple stage mast, 189" lift ht., cushion tires, 42" forks, S/N E010V02051D 745 1 TOW TRACTOR, HARLAN 3,000 LB. CAP. MDL. HTAG30, LPG, drawbar pull, S/N 8557 746 1 TOW TRACTOR, HARLAN 3,000 LB. CAP. MDL. HTAG30, LPG, drawbar pull, S/N 8551 747 1 ARTICULATED BOOM LIFT, GENIE MDL. Z45/25, new 2006, elec. pwrd., self-propelled, 24'-6" max. platform reach, 45'-3" | | | shift, 42" forks, S/N AT17C90095 |
| F001V01753D | 741 | 1 | FORKLIFT, HYSTER 4,000 LB. CAP. MDL. H40FT, new 2006, |
| 742 1 ELECTRIC REACH TRUCK, CROWN 3,500 LB. CAP. MDL. 35RRTT, 3,500 lb. cap. @ 24" L.C., 210" max. lift, 24 v., w/charger 742A 1 ELECTRIC REACH TRUCK, CROWN 3,500 LB. CAP. MDL. 35RRTT, 3,500 lb. cap. @ 24" L.C., 210" max. lift, 24 v., w/charger 743 1 FORKLIFT, HYSTER 3,000 LB. CAP. MDL. H30FT, new 2006, LPG, standard mast, 90" lift ht., pneu. tires, 42" forks, S/N F001V01733D 744 1 FORKLIFT, HYSTER 3,000 LB. CAP. MDL. S30FT, new 2005, LPG, 83" triple stage mast, 189" lift ht., cushion tires, 42" forks, S/N E010V02051D 745 1 TOW TRACTOR, HARLAN 3,000 LB. CAP. MDL. HTAG30, LPG, drawbar pull, S/N 8557 746 1 TOW TRACTOR, HARLAN 3,000 LB. CAP. MDL. HTAG30, LPG, drawbar pull, S/N 8551 747 1 ARTICULATED BOOM LIFT, GENIE MDL. Z45/25, new 2006, elec. pwrd., self-propelled, 24'-6" max. platform reach, 45'-3" | | | LPG, 62" standard mast, 90" lift ht., pneu. tires, 42" forks, S/N |
| 35RRTT, 3,500 lb. cap. @ 24" L.C., 210" max. lift, 24 v., w/charger 1 ELECTRIC REACH TRUCK, CROWN 3,500 LB. CAP. MDL. 35RRTT, 3,500 lb. cap. @ 24" L.C., 210" max. lift, 24 v., w/charger 1 FORKLIFT, HYSTER 3,000 LB. CAP. MDL. H30FT, new 2006, LPG, standard mast, 90" lift ht., pneu. tires, 42" forks, S/N F001V01733D 1 FORKLIFT, HYSTER 3,000 LB. CAP. MDL. S30FT, new 2005, LPG, 83" triple stage mast, 189" lift ht., cushion tires, 42" forks, S/N E010V02051D 1 TOW TRACTOR, HARLAN 3,000 LB. CAP. MDL. HTAG30, LPG, drawbar pull, S/N 8557 1 TOW TRACTOR, HARLAN 3,000 LB. CAP. MDL. HTAG30, LPG, drawbar pull, S/N 8551 1 ARTICULATED BOOM LIFT, GENIE MDL. Z45/25, new 2006, elec. pwrd., self-propelled, 24'-6" max. platform reach, 45'-3" | | | F001V01753D |
| w/charger 742A 1 ELECTRIC REACH TRUCK, CROWN 3,500 LB. CAP. MDL. 35RRTT, 3,500 lb. cap. @ 24" L.C., 210" max. lift, 24 v., w/charger 743 1 FORKLIFT, HYSTER 3,000 LB. CAP. MDL. H30FT, new 2006, LPG, standard mast, 90" lift ht., pneu. tires, 42" forks, S/N F001V01733D 744 1 FORKLIFT, HYSTER 3,000 LB. CAP. MDL. S30FT, new 2005, LPG, 83" triple stage mast, 189" lift ht., cushion tires, 42" forks, S/N E010V02051D 745 1 TOW TRACTOR, HARLAN 3,000 LB. CAP. MDL. HTAG30, LPG, drawbar pull, S/N 8557 746 1 TOW TRACTOR, HARLAN 3,000 LB. CAP. MDL. HTAG30, LPG, drawbar pull, S/N 8551 747 1 ARTICULATED BOOM LIFT, GENIE MDL. Z45/25, new 2006, elec. pwrd., self-propelled, 24'-6" max. platform reach, 45'-3" | 742 | 1 | ELECTRIC REACH TRUCK, CROWN 3,500 LB. CAP. MDL. |
| T42A ELECTRIC REACH TRUCK, CROWN 3,500 LB. CAP. MDL. 35RRTT, 3,500 lb. cap. @ 24" L.C., 210" max. lift, 24 v., w/charger FORKLIFT, HYSTER 3,000 LB. CAP. MDL. H30FT, new 2006, LPG, standard mast, 90" lift ht., pneu. tires, 42" forks, S/N F001V01733D FORKLIFT, HYSTER 3,000 LB. CAP. MDL. S30FT, new 2005, LPG, 83" triple stage mast, 189" lift ht., cushion tires, 42" forks, S/N E010V02051D TOW TRACTOR, HARLAN 3,000 LB. CAP. MDL. HTAG30, LPG, drawbar pull, S/N 8557 TOW TRACTOR, HARLAN 3,000 LB. CAP. MDL. HTAG30, LPG, drawbar pull, S/N 8551 ARTICULATED BOOM LIFT, GENIE MDL. Z45/25, new 2006, elec. pwrd., self-propelled, 24'-6" max. platform reach, 45'-3" | | | 35RRTT, 3,500 lb. cap. @ 24" L.C., 210" max. lift, 24 v., |
| 35RRTT, 3,500 lb. cap. @ 24" L.C., 210" max. lift, 24 v., w/charger 743 1 FORKLIFT, HYSTER 3,000 LB. CAP. MDL. H30FT, new 2006, LPG, standard mast, 90" lift ht., pneu. tires, 42" forks, S/N F001V01733D 744 1 FORKLIFT, HYSTER 3,000 LB. CAP. MDL. S30FT, new 2005, LPG, 83" triple stage mast, 189" lift ht., cushion tires, 42" forks, S/N E010V02051D 745 1 TOW TRACTOR, HARLAN 3,000 LB. CAP. MDL. HTAG30, LPG, drawbar pull, S/N 8557 746 1 TOW TRACTOR, HARLAN 3,000 LB. CAP. MDL. HTAG30, LPG, drawbar pull, S/N 8551 747 1 ARTICULATED BOOM LIFT, GENIE MDL. Z45/25, new 2006, elec. pwrd., self-propelled, 24'-6" max. platform reach, 45'-3" | | | w/charger |
| w/charger 743 FORKLIFT, HYSTER 3,000 LB. CAP. MDL. H30FT, new 2006, LPG, standard mast, 90" lift ht., pneu. tires, 42" forks, S/N F001V01733D 744 FORKLIFT, HYSTER 3,000 LB. CAP. MDL. S30FT, new 2005, LPG, 83" triple stage mast, 189" lift ht., cushion tires, 42" forks, S/N E010V02051D 745 TOW TRACTOR, HARLAN 3,000 LB. CAP. MDL. HTAG30, LPG, drawbar pull, S/N 8557 746 TOW TRACTOR, HARLAN 3,000 LB. CAP. MDL. HTAG30, LPG, drawbar pull, S/N 8551 747 ARTICULATED BOOM LIFT, GENIE MDL. Z45/25, new 2006, elec. pwrd., self-propelled, 24'-6" max. platform reach, 45'-3" | 742A | 1 | |
| FORKLIFT, HYSTER 3,000 LB. CAP. MDL. H30FT, new 2006, LPG, standard mast, 90" lift ht., pneu. tires, 42" forks, S/N F001V01733D FORKLIFT, HYSTER 3,000 LB. CAP. MDL. S30FT, new 2005, LPG, 83" triple stage mast, 189" lift ht., cushion tires, 42" forks, S/N E010V02051D TOW TRACTOR, HARLAN 3,000 LB. CAP. MDL. HTAG30, LPG, drawbar pull, S/N 8557 TOW TRACTOR, HARLAN 3,000 LB. CAP. MDL. HTAG30, LPG, drawbar pull, S/N 8551 ARTICULATED BOOM LIFT, GENIE MDL. Z45/25, new 2006, elec. pwrd., self-propelled, 24'-6" max. platform reach, 45'-3" | | | 35RRTT, 3,500 lb. cap. @ 24" L.C., 210" max. lift, 24 v., |
| LPG, standard mast, 90" lift ht., pneu. tires, 42" forks, S/N F001V01733D 744 1 FORKLIFT, HYSTER 3,000 LB. CAP. MDL. S30FT, new 2005, LPG, 83" triple stage mast, 189" lift ht., cushion tires, 42" forks, S/N E010V02051D 745 1 TOW TRACTOR, HARLAN 3,000 LB. CAP. MDL. HTAG30, LPG, drawbar pull, S/N 8557 746 1 TOW TRACTOR, HARLAN 3,000 LB. CAP. MDL. HTAG30, LPG, drawbar pull, S/N 8551 747 1 ARTICULATED BOOM LIFT, GENIE MDL. Z45/25, new 2006, elec. pwrd., self-propelled, 24'-6" max. platform reach, 45'-3" | | | |
| F001V01733D 744 1 FORKLIFT, HYSTER 3,000 LB. CAP. MDL. S30FT, new 2005, LPG, 83" triple stage mast, 189" lift ht., cushion tires, 42" forks, S/N E010V02051D 745 1 TOW TRACTOR, HARLAN 3,000 LB. CAP. MDL. HTAG30, LPG, drawbar pull, S/N 8557 746 1 TOW TRACTOR, HARLAN 3,000 LB. CAP. MDL. HTAG30, LPG, drawbar pull, S/N 8551 747 1 ARTICULATED BOOM LIFT, GENIE MDL. Z45/25, new 2006, elec. pwrd., self-propelled, 24'-6" max. platform reach, 45'-3" | 743 | 1 | FORKLIFT, HYSTER 3,000 LB. CAP. MDL. H30FT, new 2006, |
| FORKLIFT, HYSTER 3,000 LB. CAP. MDL. S30FT, new 2005, LPG, 83" triple stage mast, 189" lift ht., cushion tires, 42" forks, S/N E010V02051D TOW TRACTOR, HARLAN 3,000 LB. CAP. MDL. HTAG30, LPG, drawbar pull, S/N 8557 TOW TRACTOR, HARLAN 3,000 LB. CAP. MDL. HTAG30, LPG, drawbar pull, S/N 8551 ARTICULATED BOOM LIFT, GENIE MDL. Z45/25, new 2006, elec. pwrd., self-propelled, 24'-6" max. platform reach, 45'-3" | | | LPG, standard mast, 90" lift ht., pneu. tires, 42" forks, S/N |
| LPG, 83" triple stage mast, 189" lift ht., cushion tires, 42" forks, S/N E010V02051D TOW TRACTOR, HARLAN 3,000 LB. CAP. MDL. HTAG30, LPG, drawbar pull, S/N 8557 TOW TRACTOR, HARLAN 3,000 LB. CAP. MDL. HTAG30, LPG, drawbar pull, S/N 8551 ARTICULATED BOOM LIFT, GENIE MDL. Z45/25, new 2006, elec. pwrd., self-propelled, 24'-6" max. platform reach, 45'-3" | | | |
| S/N E010V02051D 745 1 TOW TRACTOR, HARLAN 3,000 LB. CAP. MDL. HTAG30, LPG, drawbar pull, S/N 8557 746 1 TOW TRACTOR, HARLAN 3,000 LB. CAP. MDL. HTAG30, LPG, drawbar pull, S/N 8551 747 1 ARTICULATED BOOM LIFT, GENIE MDL. Z45/25, new 2006, elec. pwrd., self-propelled, 24'-6" max. platform reach, 45'-3" | 744 | 1 | |
| TOW TRACTOR, HARLAN 3,000 LB. CAP. MDL. HTAG30, LPG, drawbar pull, S/N 8557 TOW TRACTOR, HARLAN 3,000 LB. CAP. MDL. HTAG30, LPG, drawbar pull, S/N 8551 ARTICULATED BOOM LIFT, GENIE MDL. Z45/25, new 2006, elec. pwrd., self-propelled, 24'-6" max. platform reach, 45'-3" | | | LPG, 83" triple stage mast, 189" lift ht., cushion tires, 42" forks, |
| LPG, drawbar pull, S/N 8557 746 1 TOW TRACTOR, HARLAN 3,000 LB. CAP. MDL. HTAG30, LPG, drawbar pull, S/N 8551 747 1 ARTICULATED BOOM LIFT, GENIE MDL. Z45/25, new 2006, elec. pwrd., self-propelled, 24'-6" max. platform reach, 45'-3" | | | |
| TOW TRACTOR, HARLAN 3,000 LB. CAP. MDL. HTAG30, LPG, drawbar pull, S/N 8551 ARTICULATED BOOM LIFT, GENIE MDL. Z45/25, new 2006, elec. pwrd., self-propelled, 24'-6" max. platform reach, 45'-3" | 745 | 1 | TOW TRACTOR, HARLAN 3,000 LB. CAP. MDL. HTAG30, |
| LPG, drawbar pull, S/N 8551 747 1 ARTICULATED BOOM LIFT, GENIE MDL. Z45/25, new 2006, elec. pwrd., self-propelled, 24'-6" max. platform reach, 45'-3" | | | LPG, drawbar pull, S/N 8557 |
| 747 1 ARTICULATED BOOM LIFT, GENIE MDL. Z45/25, new 2006, elec. pwrd., self-propelled, 24'-6" max. platform reach, 45'-3" | 746 | 1 | TOW TRACTOR, HARLAN 3,000 LB. CAP. MDL. HTAG30, |
| elec. pwrd., self-propelled, 24'-6" max. platform reach, 45'-3" | | | LPG, drawbar pull, S/N 8551 |
| | 747 | 1 | ARTICULATED BOOM LIFT, GENIE MDL. Z45/25, new 2006, |
| max. platform ht., on-board battery charger, S/N Z452506-29716 | | | elec. pwrd., self-propelled, 24'-6" max. platform reach, 45'-3" |
| | | | max. platform ht., on-board battery charger, S/N Z452506-29716 |
| | | | |

| LOT | QTY | DESCRIPTION |
|------|-----|--|
| 748 | 1 | FLATBED TRUCK, 2008 CHEVROLET C-5500, Duramax |
| ' =0 | ' | diesel engine, auto. trans., 20' wood deck, toolboxes, Odo: |
| | | 153,000 miles, VIN 1GBE5C1929F407337 |
| 749 | 1 | ROTARY SCREW AIR COMPRESSOR, GARDNER DENVER |
| ' ' | • | MDL. EB099M, new 2008, 125 HP motor, air cooled, skid mtd., |
| | | S/N S276084 |
| 750 | 1 | ROTARY SCREW AIR COMPRESSOR, GARDNER DENVER |
| | | MDL. EDFQKA GREENLINE SERIES, 60 HP motor, air cooled, |
| | | skid mtd., S/N M40600 |
| 751 | 1 | ROTARY SCREW AIR COMPRESSOR, QUINCY MDL. QST30- |
| | | ANA3T1, 30 HP motor, air cooled, 90 gal. horiz. tank, tank mtd., |
| | | S/N 32420 |
| 752 | 1 | REFRIGERATED AIR DRYER, GREAT LAKES AIR 150, S/N |
| | | 31867 |
| 753 | 1 | LOT CONSISTING OF: lift arm, liftmaster mdl. MAT-DC-BB3, |
| | | S/N 0112W2276 |
| 754 | 1 | DUST COLLECTOR, AIR FLOW SYSTEMS |
| 754A | 1 | BAR-B-QUE PIT, sgl. axle |
| 755 | 1 | ROLLER PIPE CART |
| 756 | 1 | ROLLER PIPE CART |
| 757 | 1 | ROLLER PIPE CART |
| 758 | 1 | ROLLER PIPE CART |
| 759 | 1 | ROLLER PIPE CART |
| 760 | 1 | ROLLER PIPE CART |
| 761 | 1 | ROLLER PIPE CART |
| 762 | 1 | ROLLER PIPE CART |
| 763 | 1 | ROLLER PIPE CART |
| 764 | 1 | ROLLER PIPE CART |
| 765 | 1 | ROLLER PIPE CART |
| 766 | 1 | ROLLER PIPE CART |
| 767 | 1 | ROLLER PIPE CART |
| 768 | 1 | ROLLER PIPE CART |