

TRIDENT METALS CATALOG

LOT	QTY	DESCRIPTION
1	1	HARDNESS TESTER, SERVICE DIAMOND TOOL COMPANY MDL. H14-10, adj. height stand, S/N 4005
2	1	DIGITAL HEIGHT GAUGE, SPI, .0 to 24"
3	1	DIAL HEIGHT GAUGE, MITUTOYO, .001" to 18"
4	1	DIGI CHECK GAUGE, STARRETT 12"
5	1	ELECTRONIC CALIPER, HELIOS 84"
6	1	PRECISION GRANITE SURFACE PLATE, new 2008, 36" x 48" x 6" thk., 2-ledge design, heavy fabricated roller stand, Grade A, S/N J-8-08.
6A	1	GRANITE SURFACE PLATE, STANDRIDGE, 24" x 18" x 3" thk., w/stand
7	1	O.D. MICROMETER SET, STARRETT, 1" to 12" (11 pcs.)
8	1	O.D. MICROMETER SET, STARRETT, 0 to 12" (12 pcs.)
9	1	O.D. MICROMETER SET, STARRETT, 0 to 12" (12 pcs.)
10	1	O.D. MICROMETER SET (9 pcs.)
11	1	O.D. MICROMETER SET, MITUTOYO, 6" to 12" (6 pcs.)
12	1	O.D. MICROMETER SET, STARRETT, 0 to 6" (6 pcs.)
13	1	O.D. MICROMETER SET, STARRETT (5 pcs.)
14	1	O.D. MICROMETER SET (5 pcs.)
15	1	O.D. MICROMETER SET (5 pcs.)
16	1	O.D. MICROMETER SET, MITUTOYO (6 pcs.)
17	1	ANVIL MICROMETER, STARRETT, 6" to 12"
17A	1	LOT OF ROLLER STANDS (2)
18	1	LOT OF O.D. MICROMETERS, MITUTOYO, (1) 5" to 6" & (1) 4" to 5"
19	1	LOT OF DEEP THROAT MICROMETERS (4), assorted
20	1	LOT CONSISTING OF: dial indicators & magnetic stands
21	1	LOT OF CALIPERS (6), 6", assorted
22	1	LOT OF PRECISION SQUARES, assorted
23	1	DIAL BORE GAUGE, MITUTOYO, .0001" to .050"
24	1	LOT OF DIAL BORE GAUGES (2), MITUTOYO, 1.4" to 2.5"
25	1	LOT OF DIAL BORE GAUGES (2), .0005" to .25"
26	1	DIAL BORE GAUGE, MITUTOYO, 2" to 4"
27	1	DIAL BORE GAUGE, MITUTOYO, .7" to 1.4"
28	1	LOT OF DIAL BORE GAUGES (10), assorted
29	1	LOT OF DIAL BORE GAUGES (6), MITUTOYO, assorted
30	1	LOT OF DIAL BORE GAUGES (6), MITUTOYO, assorted
31	1	LOT OF DIAL BORE GAUGE PARTS, assorted (in one box)
32	1	POCKET SURF, FEDERAL
33	1	ROUGHNESS GAUGE, TAYLOR-HOBSON MDL. SURTRONIC 3
34	1	LOT OF PRECISION ULTRASONIC THICKNESS GAUGES (2), NOVA MDL. TG900
35	1	PRECISION SQUARE, MITUTOYO 30", w/box
36	1	GAUGE BLOCK SET
37	1	GAUGE BLOCK SET

TRIDENT METALS CATALOG

LOT	QTY	DESCRIPTION
38	1	GAUGE BLOCK SET
39	1	SNAP GAUGE, STARRETT 2" MDL. 1150
40	1	SNAP GAUGE, STARRETT 4" MDL. 1150
41	1	BORE GAUGE, BOICE SETMASTER MDL. 25, 3" to 6"
42	1	LOT CONSISTING OF: dial indicators & parts
43	1	REFLECTOSCOPE, AUTOMATION/SPERRY MDL. QC400
44	1	LOT OF ELECTRONIC PIECES, assorted
45	1	LOT OF INSPECTION PIECES, assorted
46	1	LOT OF STRAPS, assorted
47	1	LOT OF STRAPS, assorted (on one skid)
48	1	LOT OF STRAPS, assorted (on one skid)
49	1	ABRASIVE CUT-OFF SAW, MAKITA 14" MDL. 2414
50	1	BELT SANDER, CENTRAL MACHINERY 1" X 30"
51	1	BELT SANDER, CENTRAL MACHINERY 1" X 30"
52	1	ELECTRIC HAMMER, VAN DORN 1-1/8'
53	1	SCREW JACK, JET 20 T. CAP.
54	1	LOT OF EYEBOLTS, assorted (in one box)
55	1	PERMANENT MAGNETIC LIFT, MAGNETOOL 2,000 LB. CAP. MDL. M-2000
56	1	PERMANENT MAGNETIC LIFT, ULTRA LIFT 1,100 LB. CAP.
57	1	LIFTING MAGNETIC
58	1	LOT OF BOTTLE JACKS (4), assorted
59	1	LOT OF BOTTLE JACKS (3), assorted
60	1	LOT CONSISTING OF: pipe wrenches & straps, assorted
61	1	LOT OF WRENCHES, assorted
62	1	LOT OF WRENCHES, assorted (in two boxes)
63	1	LOT CONSISTING OF: straps & rubber chucks, assorted
64	1	LOT OF HAND TOOLS, assorted (on one skid)
65	1	LOT OF HAND TOOLS, assorted (on one skid)
66	1	LOT OF HAND TOOLS, assorted (on one skid)
67	1	LOT OF HAND TOOLS, assorted (on one skid)
68	1	LOT OF ELECTRICAL WIRE, assorted (on one skid)
69	1	LIVE CENTER
70	1	LIVE CENTER
71	1	LIVE CENTER
72	1	LIVE CENTER
73	1	LOT OF LIVE CENTERS (4)
74	1	LOT OF LIVE CENTERS (4)
75	1	LOT OF CENTERS (3)
76	1	LOT OF CENTERS, assorted (in one box)
77	1	LOT OF BLOCKS: magnetic & V, assorted
78	1	LOT OF BORING BARS (13), assorted
79	1	LOT OF DRILL CHUCKS (2)
80	1	LOT OF HONES, assorted (on one shelf)
81	1	LOT OF INSERT TOOLHOLDERS, assorted (in one box)

TRIDENT METALS CATALOG

LOT	QTY	DESCRIPTION
82	1	LOT OF INSERT TOOLHOLDERS , assorted (in one box)
83	1	LOT OF INSERT TOOLHOLDERS , assorted (in one box)
84	1	LOT OF CARBIDE INSERTS , assorted (in one box)
85	1	LOT OF CARBIDE INSERTS , assorted (in one box)
86	1	LOT OF CARBIDE INSERTS , assorted (in five boxes)
87	1	MAGNETIC SINE PLATE, WALKER 6" X 6"
88	1	ENDMILL SHARPENER, YUASA
89	1	LOT OF MACHINE WRENCHES , assorted
90	1	LOT OF CHUCK JAWS , assorted
91	1	LOT CONSISTING OF: drills & cutting tools, assorted
92	1	STEEL STORAGE BOX , 36" x 18" x 18"
92A	1	STEEL STORAGE BOX , 36" x 24" x 17"
93	1	LOT OF TOOLS , assorted (on one skid)
94	1	LOT OF HARDWARE , assorted (on one skid)
95	1	LOT OF WORKBENCHES (8) (cannot be removed until contents have been taken)
96	1	LOT OF WORKBENCHES (4) (cannot be removed until contents have been taken)
97	1	LOT OF WORKBENCHES (3) (cannot be removed until contents have been taken)
98	1	UNIVERSAL TEST GAUGE, W.C. DILLION & CO. 6,000 LB. CAP. MDL. LW DYNAMOMETER, S/N 6233
99	1	VERTICAL BANDSAW, MSC INDUSTRIAL MDL. 09514654 , 24" throat depth, blade welder & grinder, variable spd., tilt table, S/N 160144.
100	1	CIRCULAR VERTICAL BANDSAW, METLSAW MDL. CC-510 , 20" throat depth, variable spd., 10" to 72" dia. circle, pneu. hold-down, blade welder & grinder S/N N.A.
101	1	TILT FRAME VERTICAL BANDSAW, HEM MDL. V100LM , 18" cutting width, 22" cutting height, 1.25" blade width, 5 HP, dual front hyd. vises, S/N 326390.
102	1	HORIZONTAL BANDSAW, HEM MDL. H160A , new 1990, 25" rd. cap., 2" blade, 15 HP, auto. feed, 10' H.D. infeed table, 10' aux. table w/pwr. feed, 5' H.D. outfeed table, S/N 328790
103	1	HORIZONTAL BANDSAW, HEM MDL. H105A , 16"W. x 14" ht., 1.25"W. blade, 7.5 HP, auto. feed, (2) H.D. 10' infeed roller conveyors, output table, S/N 366292.
104	1	WIRE STRAIGHTENER, ANDCO COMPANY TWO PLANE , vert. & horiz. straightening rolls, input/output pinch rolls w/pneu. chain drive.
105	1	PNEUMATIC CUT-OFF PRESS, CUSTOM , approx. 9" max. width, under driven up stroking air cylinder.
106	1	AUTOMATIC TERMINAL CRIMPING MACHINE, MEGOMAT MDL. ASM3001A , bowl feed, wire straightener, S/N 0007A0758.
107	1	VERTICAL INJECTION MOLDING MACHINE, NEWBERY 30 T. MDL. V4-30ARS , new 1997, Conair SC7.5 carousel dryer, vacuum feeder, S/N 119330-30AS-97.

TRIDENT METALS CATALOG

LOT	QTY	DESCRIPTION
108	1	PORTABLE CHILLER UNIT, CONAIR MDL. MPA3 , self-contained chiller, S/N 42866.
109	1	RECIPROCATING AIR COMPRESSOR, SPEEDAIRE MDL. 5F233B , 120 gal. horiz. tank, 10 HP drive, 34.2 SCFM @175 PSI, 175 max. pressure, S/N L9-24-2001-00016.
110	1	CRADLE FEED, ARTOS MDL. PF1 , pwr. pay-off, S/N 42465
110A	1	WORKBENCH, 72" x 28" , wood top
111	1	POWER SHEETLIFTER, KADY 7-½ T. CAP. MDL. HSL7584MSP-1 , 15,000 lb. cap., elect. operation, 96" length, S/N 11-46925.
112	1	SHEETLIFTER, BUSHMAN 5 T. CAP. MDL. 5500 , 10,000 lb. cap., manual expansion, S/N B9961-B
113	1	VACUUM SHEETLIFTER, ANVER MDL. EP390M3-110 , 3,900 lb. load cap., VP3 vacuum generator, (3) vacuum cups, 12' length, 12' max. load length 12', max load w/6', w/built in stand, 110 v. operation, S/N EP93141.
113A	1	STEEL BELT CONVEYOR, JORGENSEN , new 2006, approx. 100' x 24", S/N A-071213-4
114	1	FORKLIFT STYLE BARREL HANDLER , w/chain tilt
115	1	BARREL HANDLER , w/chain tilt
116	1	BARREL HANDLER
117	1	ROUND STOCK HANDLER
118	1	LOT OF PREMIUM NON-SHRINK GROUT, UNISORB V-1
119	1	LOT OF BOX FANS (3), 40"
120	1	LOT OF PEDESTAL FANS (4) , assorted
121	1	LOT OF PEDESTAL FANS (4) , assorted
122	1	LOT OF PEDESTAL FANS (4) , assorted
123	1	LOT OF PEDESTAL FANS (3) , assorted
124	1	LOT OF ASSORTED STACKING MATERIAL RACKS
125	1	WET/DRY VACUUM, DAYTON MDL. 4TE63
125A	1	WET/DRY VACUUM, DAYTON
126	1	LOT OF STEEL SHOP STOOLS (14)
127	1	LOT OF STEEL SHOP STOOLS (14)
128	1	LOT OF 4-WHEEL SHOP CARTS (4)
130	1	2-WHEEL BARREL CART
131	1	HYDRAULIC PALLET JACK
132	1	HYDRAULIC PALLET JACK
134	1	FORKLIFT, HYSTER 15,500 LB. CAP. MDL. H155FT , new 2010, diesel engine, 140" standard mast, 173" lift height, forks, S/N J006V03317H
135	1	FORKLIFT, YALE 10,000 LB. CAP. MDL. GLC100VXNSE100 , new 2011, LPG engine, 100" triple stage mast, 208" lift height, forks, S/N E818V03756J
136	1	FORKLIFT, COMBI-LIFT 8,000 LB. CAP. MDL. C8000 , new 2000, LP engine, 1,612 H.O.M., S/N 9400

TRIDENT METALS CATALOG

LOT	QTY	DESCRIPTION
137	1	FORKLIFT, YALE 8,000 LB. CAP. MDL. GLC080VXNSE100 , new 2011, LP engine, 100" triple stage mast, 218" lift height, forks, S/N E818V03755J
138	1	FORKLIFT, YALE 6,000 LB. CAP. MDL. GLP060VXEVS093 , new 2006, LP engine, 93" triple stage mast, 199" lift height, side shift, forks, S/N B875B06926D
139	1	FORKLIFT, HYSTER 3,000 LB. CAP. MDL. H30FT , new 2005, LP engine, 90" lift height, forks, S/N F001V01639C
140	1	CNC HORIZONTAL HONING MACHINE, BARNES MDL. HH-12-30 , new 2013, 30' stroke, 36" max. workpiece dia., stroking spds: 10-70 FPM, spds: 50-500 RPM, 25 HP, (5) honing rods, (4) work support rests, sliding guards, AB Panelview controls, hyd. chain drive, S/N ZP11125
141	1	HONE , 24'L. (for Barnes)
142	1	HONE , 24'L. (for Barnes)
143	1	HONE , 14'L. (for Barnes)
144	1	HONE , 14'L. (for Barnes)
145	1	HONE , 8" dia. (for Barnes)
146	1	HONE , 7-1/2" dia. (for Barnes)
147	1	HONE , 6" dia. (for Barnes)
148	1	HONE , 5" dia. (for Barnes)
149	1	HONE , 4" dia. (for Barnes)
150	1	HONE , 3" dia. (for Barnes)
151	1	LOT OF HONE PARTS , assorted (on one table)
151A	1	CABINET , w/carbide inserts & tooling
151B		CABINET , w/carbide inserts
152	1	COUNTER ROTATING DEEP HOLE BORING MACHINE, WOHLBERG MDL. PB2-1000 X 11M , new 1988, 39.37" sw. over bed, 433" (11 M) max. boring depth, 7.87" solid boring cap, 22,000 lb. max. workpiece weight, 13.93" counterboring cap., boring spds: 1.19-196 IPM, main spdl. spds: 2.9-1120 RPM, 4.09" spdl. bore, 100 HP main spdl. drive, 100 HP boring spdl. drive, dbl. rack drive carriage, Fanuc "Powermate" PLC, (3) damper rests w/ med. dampers, med. size pressure head, 20" dia. 3-jaw universal chuck, (3) H.D. steadyrests, chip conveyor, 50 HP vert. coolant pump, coolant chiller unit, Polo Mdl. SAFI-T1.7 pressure filter unit w/paper filter or American Heller cartridge filter, S/N 4436
153	1	LANTERN CHUCK
154	1	PRESSURE HEAD (medium)
155	1	PRESSURE HEAD (small)
156	1	LOT OF DAMPENERS (3) (large)
157	1	LOT OF DAMPENERS (3) (small)
158	1	DRIVER (large)
159	1	DRIVER (small)
160	1	BORING BAR , 5-1/2" x 40'
161	1	BORING BAR , 5" x 40'

TRIDENT METALS CATALOG

LOT	QTY	DESCRIPTION
162	1	BORING BAR, 4" x 40'
163	1	BORING BAR, 3" x 40'
164	1	BORING BAR, 2-3/4" x 40'
165	1	BORING BAR, 2-1/2" x 40'
166	1	BORING BAR, 2" x 40'
167	1	BORING BAR, 1-3/4" x 40'
168	1	BORING BAR, 1-1/2" x 33'
169	1	BORING BAR, 1-1/2" x 28'
170	1	BORING BAR, 1-1/2" x 22'
171	1	BORING BAR, 4" x 31'-8"
172	1	BORING BAR, 2-1/4" x 31'-8"
173	1	BORING BAR, 2-1/4" x 31'-8"
175	1	LOT OF BORING BAR SLEEVES (9), assorted
176	1	STEEL STORAGE BAR STORAGE RACKS
177	1	STEEL STORAGE BAR STORAGE RACKS
178	1	STEEL STORAGE RACK, 194" x 72" ht. x 24"W.
179	1	COUNTER ROTATING DEEP HOLE BORING MACHINE, WOHLBERG MDL. PB2-1000 X 4M, new 2006, 39.37" sw. over bed, 157" (4 M) max. boring depth, 7.87" solid boring cap, 17,600 lb. max. workpiece weight, 13.93" counterboring cap., boring spds: 1.19-196 IPM, main spdl. spds: 2.9-1120 RPM, 4.09" spdl. bore, 24-1/2" dia. 3-jaw universal chuck, 100 HP main spdl. drive, 100 HP boring spdl. drive, double rack drive carriage, Fanuc 21iTB CNC, (2) damper rests w/med. dampers, med. size pressure head, chip conveyor, (2) H.D. steadyrests, Koolant Koolers Mdl. AFD25000P-ST coolant chiller system, fabricated coolant tank, (2) 50 HP coolant pumps, Polo Mdl. SAFI-T1.7 pressure filter unit w/paper filter, S/N D4583
180	1	LANTERN CHUCK
181	1	PRESSURE HEAD (small)
182	1	LOT OF DAMPENERS (2) (large)
183	1	LOT OF DAMPENERS (2) (small)
184	1	DRIVER (large)
185	1	COUNTER ROTATING DEEP HOLE BORING MACHINE, WOHLBERG MDL. PB2-1000 X 4M, new 2006, 39.37" sw. over bed, 157" (4 M) max. boring depth, 7.87" solid boring cap, 17,600 lb. max. workpiece weight, 13.93" counterboring cap., boring spds: 1.19-196 IPM, main spdl. spds: 2.9-1120 RPM, 4.09" spdl. bore, 24-1/2" dia. 3-jaw universal chuck, 100 HP main spdl. drive, 100 HP boring spdl. drive, double rack drive carriage, Fanuc 21iTB CNC, (2) damper rests w/med. dampers, med. size pressure head, chip conveyor, (2) H.D. steadyrests, Koolant Koolers Mdl. AFD25000P-ST coolant chiller system, fabricated coolant tank, (2) 50 HP coolant pumps, Polo Mdl. SAFI-T1.7 pressure filter unit w/paper filter, S/N D4582
186	1	LANTERN CHUCK

TRIDENT METALS CATALOG

LOT	QTY	DESCRIPTION
187	1	PRESSURE HEAD (medium)
188	1	PRESSURE HEAD (small)
189	1	DRIVER (medium)
190	1	LOT OF DAMPERS (2) (medium)
191	1	LOT OF DAMPERS (2) (small)
192	1	BORING BAR , 6" x 22'
193	1	BORING BAR , 6" x 22'
194	1	BORING BAR , 5-1/2" x 22'
195	1	BORING BAR , 5-1/2" x 22'
196	1	BORING BAR , 5" x 22'
197	1	BORING BAR , 4-1/2" x 22'
198	1	BORING BAR , 4-1/2" x 22'
199	1	BORING BAR , 4" x 22'
200	1	BORING BAR , 4" x 22'
201	1	BORING BAR , 3-1/2" x 22'
202	1	BORING BAR , 3-1/2" x 22'
203	1	BORING BAR , 3" x 22'
204	1	BORING BAR , 3" x 22'
205	1	BORING BAR , 2-3/4" x 22'
206	1	BORING BAR , 2-3/4" x 22'
207	1	BORING BAR , 2-1/2" x 22'
208	1	BORING BAR , 2-1/4" x 22'
209	1	BORING BAR , 2-1/4" x 22'
210	1	BORING BAR , 2" x 22'
211	1	BORING BAR , 2" x 22'
212	1	BORING BAR , 1-3/4" x 22'
213	1	BORING BAR , 1-3/4" x 22'
214	1	BORING BAR , 1-1/2" x 22'
215	1	STEEL BORING BAR STORAGE RACK
216	1	HOLLOW SPINDLE ENGINE LATHE, LEHMANN MDL. 2516 , 25" sw. over bed, 16" sw. over crossslide, 240" dist. btn. centers, 12" spdl. hole, spds: 10–397 RPM, air trip thdng., 4-way toolposts, roller jaw steadyrest, front & rear 24" dia. hollow spdl. chucks, rapid traverse, S/N 241215121
217	1	FREE STANDING PEDESTAL JIB CRANE, AMERICRANE 1/2 T. CAP. , approx. 10' reach, 8' ht. under hook, DeMag 1/2 T. elect. chain hoist
218	1	HORIZONTAL HONING MACHINE, BARNES MDL. 6D , 25' stroke, mechanical chain drive, 25 HP, 18"W. x 30"L. fixture table, 4-pt. steadyrest, open style steadyrest, S/N 8780
219	1	HORIZONTAL HONING MACHINE, BARNES MDL. 6D , 25' stroke, mechanical chain drive, 25 HP, 18"W. x 30"L. fixture table, 4-pt. steadyrest, open style steadyrest, S/N 9207
220	1	PAPER FILTER HONING OIL SYSTEM, BARNES
221	1	RACK , w/honing heads, assorted
222	1	RACK , w/hone stones & shoes
223	1	RACK , w/hone stones & shoes

TRIDENT METALS CATALOG

LOT	QTY	DESCRIPTION
224	1	LOT OF HONE BUSHINGS , assorted
225	1	HORIZONTAL BANDSAW, HEM MDL. H160A , new 1990, 25" rd. cap., 2" blade, 15 HP, auto. feed, 10' H.D. infeed table, 10' aux. table w/pwr. feed, 5' H.D. outfeed table, S/N S/N 321590
226	1	HYDRAULIC TRAVELING COLUMN STRAIGHTENING PRESS, SAVAGE 350 T. CAP. , new 1980, 35'L. x 34"W. bed, 25" dist. btn. uprights, 34-3/4" dist. bed to ram face, (2) 2" thk. x 15 1/2" ht. V rests, (3) 4" thk. x 15-1/2" ht. V rests, (2) adj. hyd. ball roller traveling rests, traveling operator platform, top mtd. hydraulics, S/N 1429.
227	1	COUNTER ROTATING DEEP HOLE BORING MACHINE, WOHLBERG MDL. PB2-1000 X 10M , new 1991, 39.37" sw. over bed, 393" (10 M) max. boring depth, 7.87" solid boring cap, 22,000 lb. max. workpiece weight, 13.93" counterboring cap., boring spds: 1.19-196 IPM, main spdl. spds: 2.9-1120 RPM, 4.09" spdl. bore, 24-1/2" dia. 3-jaw universal chuck, 100 HP main spdl. drive, 100 HP boring spdl. drive, dbl. rack drive carriage, Fanuc Powermate PLC, (3) damper rests w/med. dampers, med. size pressure head, chip conveyor, (3) H.D. steadyrests, Koolant Koolers Mdl. AFD25000P-ST coolant chiller system, fabricated coolant tank, (2) 50 HP coolant pumps, Polo Mdl. SAFI-T1.7 pressure filter unit w/paper filter, S/N 4466
228	1	LANTERN CHUCK
229	1	LOT OF DAMPERS (3) (small)
230	1	BORING BAR, 7" x 46'
231	1	BORING BAR, 6-1/2" x 46'
232	1	BORING BAR, 5-1/2" x 46'
233	1	BORING BAR, 5" x 46'
234	1	BORING BAR, 4" x 40'
235	1	BORING BAR, 3" x 46'
236	1	BORING BAR, 4" x 24'
237	1	BORING BAR, 4" x 32'
238	1	BORING BAR, 3-1/2" x 40'
239	1	BORING BAR, 3" x 40'
240	1	BORING BAR, 3" x 32'
241	1	BORING BAR, 2-3/4" x 48'
242	1	BORING BAR, 2-1/2" x 40'
243	1	BORING BAR, 2" x 40'
244	1	BORING BAR, 2-1/2" x 48'
245	1	BORING BAR, 3" x 48'
246	1	BORING BAR, 1-3/4" x 40'
247	1	BORING BAR, 2" x 9-1/2"
248	1	BORING BAR, 1" x 22'
249	1	BORING BAR, 51'
250	1	LOT OF HONING BARS (2) , 46'
251	1	STEEL A-FRAME BAR STORAGE RACK

TRIDENT METALS CATALOG

LOT	QTY	DESCRIPTION
252	1	HORIZONTAL HONING MACHINE, BARNES DRILL MDL. 15HH , new 1981, 40' stroke, stroking spds: 10-80 FPM, 25 HP, hyd. chain drive, 30"W. x 45'L. fixture table, (3) bushing style steadyrests, S/N ZP-10915
253	1	HORIZONTAL HONING MACHINE, BARNES DRILL MDL. 15HH , new 1981, 40' stroke, stroking spds: 10-80 FPM, 25 HP, hyd. chain drive, 30"W. x 45'L. fixture table, (3) bushing style steadyrests, S/N ZP-10914
254	1	PAPER FILTER HONING OIL SYSTEM, BARNES MDL. RMB100
255	1	RACK , w/honing bars & heads
256	1	LOT OF RACKS (2) , w/assorted hone stones & misc. hone parts
257	1	STEEL STORAGE RACK , 16'L. x 24"W. x 74" ht.
258	1	HYDRAULIC STRAIGHTENING PRESS, SAVAGE 42 T. CAP. , fixed frame, 12" dist. btn. uprights, approx. 10" max. dist. bed to spdl. face, (2) pop-up pneu. roller rests, 20' H.D. infeed/outfeed roller conveyor, 6"W., independent hyd. system, S/N 1532.
259	1	HORIZONTAL HONING MACHINE, GENERAL (SUNNEN) MDL. GH210-25-41R , new 1998, AB Panelview PLC control, 41' stroke, 18" swing, 1" to 12" bore capacity, stroking spds: 10-90 FPM, spds:10-230 RPM, 25 HP motor, hyd. hone expansion, hyd. chain drive, (3) whip rests, (2) bushing style steadyrests, 32"W. x 42'L. dbl. rail fixture table, Flowcon Mdl. HP-150/PBLS-28M paper filter honing oil system, S/N 0898212.
260	1	COUNTER ROTATING DEEP HOLE BORING MACHINE, WOHLBERG MDL. PB2-1000 X 11M , new 1998, 39.37" sw. over bed, 433" (11 M) max. boring depth, 7.87" solid boring cap, 22,000 lb. max. workpiece weight, 13.93" counterboring cap., boring spds: 1.19-196 IPM, main spdl. spds: 2.9-1120 RPM, 4.09" spdl. bore, 100 HP main spdl. drive, 100 HP boring spdl. drive, dbl. rack drive carriage, Fanuc 0-T CNC Control , (3) damper rests w/ med. dampers, med. size pressure head, 20" dia. 3-jaw universal chuck, (3) H.D. steadyrests, chip conveyor, 50 HP vert. coolant pump, coolant chiller unit, Polo Mdl. SAFI-T1.7 pressure filter unit w/paper filter or American Heller cartridge filter, S/N 4538
261	1	CHUCK , 36" dia. 4-jaw
262	1	PRESSURE HEAD (medium)
263	1	PRESSURE HEAD (small)
264	1	DRIVER (large)
265	1	DRIVER (large)
266	1	LOT OF DAMPERS (3) (large)
267	1	LOT OF DAMPERS (3) (small)
268	1	PLATFORM SCALE , 20,000 lb. cap., 84" x 60", Toledo Panther Plus readout

TRIDENT METALS CATALOG

LOT	QTY	DESCRIPTION
269	1	RECIPROCATING AIR COMPRESSOR, INGERSOLL RAND T30 , new 1998, 25 HP motor, mtd. to 240 gal. tank, tank mtd., S/N 30T887366.
270	1	PRECISION AIR GAUGE SYSTEM, BOWERS , approx. (26) air gauging heads - from 1.96" to 7.09", mandrel reciprocating air compressor & stand.
270A	1	LOT OF ALUMINUM PLUG GAUGES (on one skid)
271	1	HONING BAR, 51'
272	1	BORING BAR, 6-1/2" x 32'
273	1	BORING BAR, 4-1/2" x 44'
274	1	BORING BAR, 3-1/2" x 44'
275	1	BORING BAR, 4" x 24'
276	1	BORING BAR, 1-1/2" x 40'
277	1	HONING HEAD, 8"
278	1	HONING HEAD, 7"
279	1	HONING HEAD, 5-1/2"
280	1	HONING HEAD, 5"
281	1	HONING HEAD, 5"
282	1	HONING HEAD, 5"
283	1	HONING HEAD, 4-1/4"
284	1	HONING HEAD, 4-1/4"
285	1	HONING HEAD, 4-1/2"
286	1	HONING HEAD, 4-1/2"
287	1	HONING HEAD, 4"
288	1	HONING HEAD, 3-1/4"
289	1	HONING HEAD, 3-1/4"
290	1	HONING HEAD, 3"
291	1	HONING HEAD, 3"
292	1	LOT OF HONING HEADS (12) , assorted
293	1	RACK , w/honing stones & shoes, assorted
294	1	STEEL TABLE, 60" x 120" , w/variable spd. motor (cannot be removed until contents have been taken)
295	1	HOLLOW SPINDLE ENGINE LATHE, WOHLBERG MDL. V1000 , new 1998, 39.37" sw. over bed, 28.34" sw. over crossslide, 30' btn. centers, 10.23" spdl. bore, spds: 2.8-560 RPM, 30 kW, pwr. compound, 4-way toolpost, inch/metric thdng., pwr. rapid traverse, (3) H.D. roller jaw steadyrests, followrests, lower front carriage suppt. way, front & rear 31-1/2" dia. 4-jaw chucks, (2) outboard steadyrest stands, S/N 1234
296	1	HOLLOW SPINDLE ENGINE LATHE, WOHLBERG MDL. V1000 , new 1998, 39.37" sw. over bed, 28.34" sw. over crossslide, 30' btn. centers, 10.23" spdl. bore, spds: 2.8-560 RPM, 30 kW, pwr. compound, 4-way toolpost, inch/metric thdng., pwr. rapid traverse, (3) H.D. roller jaw steadyrests, followrests, lower front carriage suppt. way, front & rear 31-1/2" dia. 4-jaw chucks, outboard steadyrest stand, S/N 1233

TRIDENT METALS CATALOG

LOT	QTY	DESCRIPTION
297	1	LOT CONSISTING OF: microwave ovens (2), file cabinet, steel rack & wood table
298	1	STEEL TABLE , w/steel, assorted
299	1	ALUMINUM PLATE SAW, SAVAGE TRAVELING HEAD , 144" max cutting width, 144" max. material length, 12" max. material thickness, 40" blade dia., 75 HP blade drive, 16,000 SFPM blade spd., arranged for non-ferrous material, chip conveyor, cyclone style dust collector, PLC table & head feed system.
300	1	TENSILE TESTER, SATEC SYSTEMS 60,000 LB. CAP. 60,000 LB. CAP. MDL. 60HVL UNIVERSAL , Mark III smart digital indicator, independent hyd. pwr. supply, joy stick controlled, S/N 60HVL-1311
301	1	HOLLOW SPINDLE ENGINE LATHE, SPARK MDL. CW6636 , new 2010, 39.37" sw. over bed, 25.19" sw. over crossslide, 20' dist. btn. centers, 14.17" spdl. bore, spds: 8–315 RPM, 22 kW drive motor, 31-1/2" dia. 4-jaw front & rear chucks, pwr. compound, (2) steadyrests, pwr. tailstock body, taper attach., inch/metric thdng., control pendant, 4-way toolpost, followrest, outboard steadyrest w/adj. height V roller unit, S/N 12-480.
302	1	PANEL SAW, MILWAUKEE 5' X 10'
303	1	SPREADER BAR, CUSTOM , (5) underhung hooks, approx. 400"L., stand
304	1	SPREADER BAR, CUSTOM , (5) underhung hooks, approx. 400"L., stand
305	1	SPREADER BAR, CUSTOM , (5) underhung hooks, approx. 400"L., stand
306	1	SPREADER BAR, CUSTOM , (5) underhung hooks, approx. 400"L., stand
307	1	SPREADER BAR, CUSTOM , (5) underhung hooks, approx. 400"L., stand
308	1	SPREADER BAR, SHANNAHAN 4 T. CAP. , 24'L., stand, (5) underhung hooks.
309	1	SPREADER BAR, CUSTOM , approx. 22'L., w/(5) underhung hooks
309A	1	LOT CONSISTING OF: racks & assorted steel

TRIDENT METALS CATALOG

LOT	QTY	DESCRIPTION
310	1	COUNTER ROTATING DEEP HOLE BORING MACHINE, WOHLBERG MDL. PB2-1000 X 11M , new 1995, 39.37" sw. over bed, 433" (11 M) max. boring depth, 7.87" solid boring cap, 22,000 lb. max. workpiece weight, 13.93" counterboring cap., boring spds: 1.19-196 IPM, main spdl. spds: 2.9-1120 RPM, 4.09" spdl. bore, 100 HP main spdl. drive, 100 HP boring spdl. drive, dbl. rack drive carriage, Fanuc 0-T CNC Control, (3) damper rests w/ med. dampers, med. size pressure head, 20" dia. 3-jaw universal chuck, (3) H.D. steadyrests, chip conveyor, 50 HP vert. coolant pump, coolant chiller unit, Polo Mdl. SAFI-T1.7 pressure filter unit w/paper filter or American Heller cartridge filter, S/N D4516
311	1	LANTERN CHUCK
312	1	PRESSURE HEAD (large)
313	1	PRESSURE HEAD (small)
314	1	LOT OF DAMPENERS (3) (large)
315	1	BORING BAR, 6" x 40'
316	1	BORING BAR, 5" x 40'
317	1	BORING BAR, 5-1/2" x 40'
318	1	BORING BAR, 4-1/2" x 40'
319	1	BORING BAR, 2-1/2" x 40'
320	1	BORING BAR, 3-1/2" x 40'
321	1	BORING BAR, 3-1/4" x 40'
322	1	BORING BAR, 3" x 40'
323	1	BORING BAR, 2-1/2" x 40'
324	1	BORING BAR, 2" x 40'
325	1	BORING BAR, 1-3/4" x 32'
326	1	BORING BAR, 1-3/4" x 32'
327	1	BORING BAR, 1-1/2" x 32'
328	1	STEEL A-FRAME BAR STORAGE RACK (cannot be removed until contents have been taken)
329	1	CNC COUNTER ROTATING DEEP HOLE BORING & GUN DRILLING MACHINE, TIEFBOHRTECHNIK (TBT) MDL. 630-1-3700NC , new 1998, 33.4" sw. over bed, 145.6" max. boring depth, .78" to 5.9" solid drilling cap., headstock spds: 0-100 RPM headstock, drilling spds: 10-2000 RPM, 22 kW headstock motor, Fanuc Powermate PLC, 12-1/2" 3-jaw universal chuck, Shenck Mdl. TM2000 balancer unit, (2) damper rests, large selection of bushings, stuffing boxes, flanges & boring bars, chip conveyor, Koolant Koolers Mdl. HAV10000-P-CL-SO coolant filtration system, paper filter coolant unit, S/N 11.05509.026
330	1	FREE STANDING PEDESTAL JIB CRANE, AMERICRANE 1/2 T. CAP. , approx. 10' reach, 8' ht. under hook, DeMag 1/2 T. elect. chain hoist
331	1	STEEL STORAGE RACK, 16'L. x 24"W. x 74" ht.
332	1	LOT OF CABINETS: (6) 2-door supply & (1) 3-drawer lateral file

TRIDENT METALS CATALOG

LOT	QTY	DESCRIPTION
333	1	LOT CONSISTING OF: assorted eye beams & stock racks
334	1	PLATFORM SCALE , 10,000 lb. cap., 84" x 60", w/Mettler Toledo Lynx readout
335	1	OIL DRAINAGE STAND , 164" x 48"
340	1	CNC COUNTER ROTATING GUN DRILL, SIG MDL. B 17/4 , new 1983, Fanuc CNC control, 157" max. drilling depth, 10" max. swing, V/S headstock & drill spdls., assorted pressure heads w/accessories, (3) steadyrests, (2) fixture tables, 10" dia. 3-jaw chuck, S/N 25-350
341	1	RACK , w/gun drills
342	1	FREE STANDING PEDESTAL JIB CRANE, AMERICRANE ½ T. CAP. , approx. 10' reach, 8' ht. under hook, DeMag ½ T. elect. chain hoist
343	1	COUNTER ROTATING DEEP HOLE BORING MACHINE, WOHLBERG MDL. PB2-1000 X 11M , new 1983, 39.37" sw. over bed, 433" (11 M) max. boring depth, 7.87" solid boring cap, 22,000 lb. max. workpiece weight, 13.93" counterboring cap., boring spds: 1.19-196 IPM, main spdl. spds: 2.9-1120 RPM, 4.09" spdl. bore, 100 HP main spdl. drive, 100 HP boring spdl. drive, dbl. rack drive carriage, Fanuc "Powermate" PLC, (3) damper rests w/ med. dampers, med. size pressure head, 20" dia. 3-jaw universal chuck, (3) H.D. steadyrests, chip conveyor, 50 HP vert. coolant pump, coolant chiller unit, Polo Mdl. SAFI-T1.7 pressure filter unit w/paper filter or American Heller cartridge filter, S/N 4293
344	1	PRESSURE HEAD (large)
345	1	PRESSURE HEAD (small)
346	1	LOT OF DAMPERS (3) (large)
347	1	LOT OF DAMPERS (3) (small)
348	1	DRIVER (large)
349	1	GRINDING ATTACHMENT
349A	1	RACK , w/tooling, assorted
350	1	BORING BAR , 8" x 48'
351	1	BORING BAR , 6-1/2" x 48'
352	1	BORING BAR , 5-1/2" x 48'
353	1	BORING BAR , 5" x 48'
354	1	BORING BAR , 4-1/2" x 48'
355	1	BORING BAR , 4" x 48'
356	1	BORING BAR , 3-1/2" x 48'
357	1	BORING BAR , 3" x 48'
358	1	BORING BAR , 2-1/2" x 48'
359	1	BORING BAR , 3" x 48'
360	1	BORING BAR , 2" x 48'
361	1	BORING BAR , 2" x 35'
362	1	BORING BAR , 2" x 37'
363	1	BORING BAR , 2" x 32'

TRIDENT METALS CATALOG

LOT	QTY	DESCRIPTION
364	1	STEEL A-FRAME BAR STORAGE RACK (cannot be removed until contents have been taken)
365	1	LOT OF DAMPERS (4) (medium)
366	1	LOT OF DAMPERS (4) (small)
367	1	LOT OF DAMPERS (large)
368	1	LOT OF DAMPNER HOUSINGS (4)
369	1	LOT OF STEADYRESTS (2)
370	1	LOT OF STEADYRESTS (2)
371	1	LOT OF WOHLBERG PARTS , assorted (in two skids)
372	1	CABINET , w/solid bore tool cutters, assorted
373	1	LOT OF STUFFING BOXES (6) (large)
374	1	LOT OF STUFFING BOX ADAPTERS (6) (large)
375	1	LOT OF STARTER BUSHING HOUSINGS (4) (large)
376	1	LOT OF STARTER BUSHING HOUSINGS (3) (large)
377	1	LOT OF STARTER BUSHING HOUSINGS (6) (large)
378	1	LOT OF STARTER BUSHING HOUSINGS (9) (large)
379	1	LOT OF STARTER BUSHINGS (17) , assorted
380	1	LOT OF BORING BAR COLLETS (9) (on one skid)
381	1	LOT OF BORING BAR COLLETS (11) (on one skid)
382	1	LOT OF BORING BAR COLLETS (8) (on one skid)
383	1	LOT OF BORING BAR COLLETS (48) (on one skid)
384	1	LOT OF BORING BAR COLLETS (42) (on one skid)
385	1	LOT OF BORING BAR COLLETS , assorted (on one skid)
386	1	LOT OF STUFFING BOXES (4)
387	1	LOT OF STUFFING BOXES (4)
388	1	LOT OF STUFFING BOXES (4)
389	1	LOT OF STUFFING BOXES (4)
390	1	LOT OF STUFFING BOXES (4)
391	1	LOT OF STUFFING BOXES (4)
392	1	LOT OF STUFFING BOXES (4)
393	1	LOT OF STUFFING BOXES (3)
394	1	LOT OF STUFFING BOXES (3)
395	1	LOT OF STUFFING BOXES (3)
396	1	LOT OF STUFFING BOXES (3)
397	1	LOT OF STUFFING BOXES (3)
398	1	LOT OF STUFFING BOXES (3)
399	1	LOT OF STUFFING BOXES (3)
400	1	LOT OF STUFFING BOXES (3)
401	1	LOT OF STUFFING BOXES (4)
402	1	LOT OF STUFFING BOXES (3)
403	1	LOT OF STUFFING BOXES (3)
404	1	LOT OF STUFFING BOXES (3)
405	1	LOT OF STUFFING BOXES (3)
406	1	LOT OF STUFFING BOXES (3)
407	1	LOT OF STUFFING BOXES (2)
408	1	LOT OF STUFFING BOX ADAPTERS (4)
409	1	LOT OF STUFFING BOX ADAPTERS (4)

TRIDENT METALS CATALOG

LOT	QTY	DESCRIPTION
410	1	LOT OF STEEL CLAMPS (4)
411	1	LOT OF STEEL CLAMPS (4)
412	1	LOT OF STEEL CLAMPS (4)
413	1	LOT OF STEEL CLAMPS (5)
414	1	LOT OF STEEL CLAMPS (6)
415	1	LOT OF STEEL CLAMPS (12)
416	1	LOT OF STEEL CLAMPS (12)
417	1	LOT OF STEEL CLAMPS (12)
418	1	LOT OF STEEL CLAMPS (21)
419	1	LOT OF BORING BAR COLLETS (8) (for manual machine)
420	1	LOT OF BORING BAR COLLETS (30) (for manual machine)
421	1	LOT OF STARTER BUSHING HOLDERS (4)
422	1	LOT OF STARTER BUSHING HOLDERS (4)
423	1	LOT OF STARTER BUSHING HOLDERS (4)
424	1	LOT OF STARTER BUSHING HOLDERS (5)
425	1	LOT OF STARTER BUSHING HOLDERS (4)
426	1	LOT OF STARTER BUSHING HOLDERS (4)
427	1	LOT OF STARTER BUSHING HOLDERS (4)
428	1	LOT OF STARTER BUSHING HOLDERS (4)
429	1	LOT OF STARTER BUSHING HOLDERS (4)
430	1	LOT OF STARTER BUSHING HOLDERS (4)
431	1	LOT OF STUFFING BOX ADAPTERS (9)
432	1	LOT OF STUFFING BOX ADAPTERS (3)
433	1	LOT OF TOOL ADAPTERS (2)
434	1	LOT OF TOOL ADAPTERS (6)
435	1	LOT OF TOOL ADAPTERS (6)
436	1	LOT OF TOOL ADAPTERS (6)
437	1	LOT OF TOOL ADAPTERS (8)
438	1	LOT OF TOOL ADAPTERS (10)
439	1	LOT OF TOOL ADAPTERS, assorted (in one box)
440	1	LOT OF TOOL ADAPTERS, assorted (in one box)
441	1	LOT OF STEEL STORAGE RACKS (3), assorted (cannot be removed until contents have been taken)
442	1	TREPAN HEAD, 8.5" dia.
443	1	TREPAN HEAD, 8" dia.
444	1	TREPAN HEAD, 8" dia.
445	1	TREPAN HEAD, 7.5" dia.
446	1	TREPAN HEAD, 7" dia.
447	1	TREPAN HEAD, 6.5" dia.
448	1	TREPAN HEAD, 6.625" dia.
449	1	TREPAN HEAD, 6.750" dia.
450	1	TREPAN HEAD, 7.125" dia.
451	1	TREPAN HEAD, 5.775" dia.
452	1	TREPAN HEAD, 5.5" dia.
453	1	TREPAN HEAD, 4" dia.

TRIDENT METALS CATALOG

LOT	QTY	DESCRIPTION
454	1	TREPAN HEAD, 3.625" dia.
455	1	SOLID BORING HEAD, 8" dia.
456	1	SOLID BORING HEAD, 6.750" dia.
457	1	SOLID BORING HEAD, 6.615" dia.
458	1	SOLID BORING HEAD, 7.00" dia.
459	1	SOLID BORING HEAD, 6.650" dia.
460	1	SOLID BORING HEAD, 6.625" dia.
461	1	SOLID BORING HEAD, 6.5" dia.
462	1	SOLID BORING HEAD, 7.00" dia.
463	1	SOLID BORING HEAD, 6.25" dia.
464	1	SOLID BORING HEAD, 6.312" dia.
465	1	SOLID BORING HEAD, 6.250" dia.
466	1	SOLID BORING HEAD, 6.200" dia.
467	1	SOLID BORING HEAD, 6.440" dia.
468	1	SOLID BORING HEAD, 6.00" dia.
469	1	SOLID BORING HEAD, 5.937" dia.
470	1	SOLID BORING HEAD, 5.937" dia.
471	1	SOLID BORING HEAD, 5.937" dia.
472	1	SOLID BORING HEAD, 5.687" dia.
473	1	SOLID BORING HEAD, 5.875" dia.
474	1	SOLID BORING HEAD, 5.750" dia.
475	1	SOLID BORING HEAD, 5.750" dia.
476	1	SOLID BORING HEAD, 5.750" dia.
477	1	SOLID BORING HEAD, 5.625" dia.
478	1	SOLID BORING HEAD, 5.500" dia.
479	1	SOLID BORING HEAD, 5.250" dia.
480	1	SOLID BORING HEAD, 5.500" dia.
481	1	SOLID BORING HEAD, 5.25" dia.
482	1	SOLID BORING HEAD, 5.25" dia.
483	1	SOLID BORING HEAD, 5.375" dia.
484	1	SOLID BORING HEAD, 5.375" dia.
485	1	SOLID BORING HEAD, 5.000" dia.
486	1	SOLID BORING HEAD, 4.875" dia.
487	1	SOLID BORING HEAD, 4.875" dia.
488	1	SOLID BORING HEAD, 4.812" dia.
489	1	SOLID BORING HEAD, 4.687" dia.
490	1	SOLID BORING HEAD, 4.687" dia.
491	1	SOLID BORING HEAD, 4.937" dia.
492	1	SOLID BORING HEAD, 4.750" dia.
493	1	SOLID BORING HEAD, 4.750" dia.
494	1	SOLID BORING HEAD, 5.125" dia.
495	1	SOLID BORING HEAD, 4.475" dia.
496	1	SOLID BORING HEAD, 4.625" dia.
497	1	LOT OF SOLID BORING HEADS (2), assorted
498	1	LOT OF SOLID BORING HEADS (2), assorted
499	1	LOT OF SOLID BORING HEADS (2), assorted
500	1	LOT OF SOLID BORING HEADS (2), assorted

TRIDENT METALS CATALOG

LOT	QTY	DESCRIPTION
501	1	LOT OF SOLID BORING HEADS (2), assorted
502	1	LOT OF SOLID BORING HEADS (2), assorted
503	1	LOT OF SOLID BORING HEADS (2), assorted
504	1	LOT OF SOLID BORING HEADS (2), assorted
505	1	LOT OF SOLID BORING HEADS (2), assorted
506	1	LOT OF SOLID BORING HEADS (2), assorted
507	1	LOT OF SOLID BORING HEADS (2), assorted
508	1	LOT OF SOLID BORING HEADS (2), assorted
509	1	LOT OF SOLID BORING HEADS (2), assorted
510	1	LOT OF SOLID BORING HEADS (2), assorted
511	1	LOT OF SOLID BORING HEADS (2), assorted
512	1	LOT OF SOLID BORING HEADS (2), assorted
513	1	LOT OF SOLID BORING HEADS (2), assorted
514	1	LOT OF SOLID BORING HEADS (2), assorted
515	1	LOT OF SOLID BORING HEADS (2), assorted
516	1	LOT OF SOLID BORING HEADS (2), assorted
517	1	LOT OF SOLID BORING HEADS, assorted (in one box)
518	1	LOT OF SOLID BORING HEADS, assorted (in one box)
519	1	LOT OF SOLID BORING HEADS, assorted (in one box)
520	1	LOT OF SOLID BORING HEADS, assorted (in one box)
521	1	LOT OF SOLID BORING HEADS, assorted (in one box)
522	1	LOT OF SOLID BORING HEADS, assorted (in one box)
523	1	COUNTER BORE, 1721
524	1	COUNTER BORE, 1723
525	1	COUNTER BORE, 7.460" dia.
526	1	COUNTER BORE, 1719
527	1	COUNTER BORE, 6.595" dia.
528	1	COUNTER BORE, 1717
529	1	COUNTER BORE, AHC1718
530	1	COUNTER BORE, 5.450" to 5.730" dia.
531	1	COUNTER BORE, AHC1716
532	1	COUNTER BORE, 5.875" to 5.250" dia.
533	1	COUNTER BORE, 5.600" dia.
534	1	COUNTER BORE, 6.035" dia.
535	1	COUNTER BORE, AHC1714
536	1	COUNTER BORE, 5.620" dia.
537	1	COUNTER BORE, 3.290" to 3.360" dia.
538	1	COUNTER BORE, 5.450" dia.
539	1	COUNTER BORE, 5.545" dia.
540	1	LOT OF COUNTER BORES (2), assorted
541	1	LOT OF COUNTER BORES (2), assorted
542	1	LOT OF COUNTER BORES (2), assorted
543	1	LOT OF COUNTER BORES (2), assorted
544	1	LOT OF COUNTER BORES (3), assorted
545	1	LOT OF COUNTER BORES (3), assorted
546	1	LOT OF COUNTER BORES (3), assorted
547	1	LOT OF COUNTER BORES (4), assorted

TRIDENT METALS CATALOG

LOT	QTY	DESCRIPTION
548	1	LOT OF COUNTER BORES (4), assorted
549	1	LOT OF BOTTOM CUTTERS (4), assorted
550	1	LOT OF BOTTOM CUTTERS (4), assorted
551	1	LOT OF BOTTOM CUTTERS (4), assorted
552	1	LOT OF BOTTOM CUTTERS (4), assorted
553	1	LOT OF BOTTOM CUTTERS (4), assorted
554	1	LOT OF BOTTOM CUTTERS (4), assorted
555	1	LOT OF REAMERS (2), assorted
556	1	LOT OF REAMERS (2), assorted
557	1	LOT OF REAMERS (2), assorted
558	1	LOT OF REAMERS (4), assorted
559	1	LOT OF REAMERS (5), assorted
560	1	LOT OF REAMERS (2), assorted
561	1	LOT OF REAMERS (8), assorted
562	1	LOT OF BOTTOM TOOLS (9), assorted
563	1	LOT OF COUNTER BORE TOOLS (6), assorted
564	1	PULL BORE TOOL, 5.750" to 6.250"
565	1	LOT OF PULL BORE TOOLS (3), assorted
566	1	LOT OF PULL BORE TOOLS (5), assorted
567	1	LOT OF PULL BORE TOOLS (6), assorted
568	1	LOT OF PULL BORE TOOLS (8), assorted
569	1	BORING HEAD, 8.650"
570	1	BORING HEAD, 1724
571	1	LOT OF PILOT BUSHINGS, assorted (located under one bench)
572	1	LOT OF SCREWS, assorted (in two parts cabinets)
573	1	LOT OF WORKBENCHES (8), assorted (cannot be removed until contents have been taken)
574	1	LOT OF STEEL STOCK RACKS (10) (cannot be removed until contents have been taken)
575	1	DRILLING ATTACHMENT
576	1	GUN DRILL SHARPENER, TBT TWIN WHEEL, new 2003, angular sharpening fixtures, coolant system, S/N 824539-03
577	1	TOOL & CUTTER GRINDER, CINCINNATI NO. 2, 6" x 35-1/2" pwr. feed swivel table, Torit dust collector, tilt swivel spd. unit, gun drill sharpening fixture, universal workhead, grinding vice, internal grinding attach., wheel collets, assorted table change gears, tooth rests, (2) sets of centers, S/N F5860-E-81-09-08.
578	1	TRUING DEVICE, brake controlled
579	1	LOT OF DIAMOND WHEELS (2), 6"
580	1	LOT OF DIAMOND WHEELS (2), 6"
581	1	LOT OF DIAMOND WHEELS (2), 3-1/2"
582	1	LOT OF DIAMOND WHEELS (25), 6"
583	1	LOT OF DIAMOND WHEELS (16), 6"
584	1	LOT OF DIAMOND WHEELS, assorted

TRIDENT METALS CATALOG

LOT	QTY	DESCRIPTION
585	1	HOLLOW SPINDLE ENGINE LATHE, WOHLBERG MDL. V1180 , new 1983, 40.35" sw. over bed, 26.37" sw. over crossslide, 36' dist. btn. centers, 14 7/8" spdl. bore, spds: 1.8–355 RPM, front & rear 31-1/2" dia. 4-jaw chucks, (3) large steadyrests, (3) med. steadyrests, pwr. compound, grinding attach., inch/metric thdng., 4-way toolpost, taper attach., (2) outboard roller steadyrests on pedestals on sliding base, S/N 4300.
586	1	LOT CONSISTING OF WORKBENCH & STEEL SHELF
587	1	HYDRAULIC TRAVELING COLUMN STRAIGHTENING PRESS, SAVAGE 1,000 T. CAP. MDL. TFS , new 1998, 46'L. x 34"W. bed, approx. 48" dist. btn. columns, pwr. motion V blocks, pwr. motion lift blocks w/hyd. lift & pwr. rotation, approx. 40" ram face to bed, approx. 14" stroke, pwr. gantry travel, digital tonnage meter, .001" digital ram position readout, top mtd. hydraulics, S/N 2120.
587A	1	TRAVELING COLUMN CNC HORIZONTAL MACHINING CENTER, SHW MDL. POWERSPEED 5 , new 2007, Heidenhain TNC530 4-axis CNC control, 39.37" x 354.3" T-slotted work table, 314.96" X, 63" Y & 51" Z-axis travels, 1,181 IPM rapids, 360 deg. C-axis head swivel, 180 deg. A-axis head swivel, CAT-50 spdl. taper, spdl. spds: 36-6000 RPM, 45 kW spdl. drive motor, 90 pos. ATC, roll work holding & rotation system incl: FIBRO CNC B-axis vert. rotary table w/13.77" thru hole, 27.5" center ht., 5,500 lb. max. rotary table cap., 27.5" 4-jaw chuck, (3) Autoblok hyd. steadyrests, 3.93" to 13.77" cap., probe system, (1) manual suppt. rest, scale feed back system, roller chip shields, S/N 5236 (Sold by Photo - relocated to the PMI storage facility, 11744 Telge Road, Cypress, TX, 77429)
587B	1	TRAVELING COLUMN CNC HORIZONTAL MACHINING CENTER, SHW MDL. POWERSPEED 5 , new 2007, Heidenhain TNC530 4-axis CNC control, 39.37" x 354.3" T-slotted work table, 314.96" X, 63" Y & 51" Z-axis travels, 1,181 IPM rapids, 360 deg. C-axis head swivel, 180 deg. A-axis head swivel, CAT-50 spdl. taper, spdl. spds: 36-6000 RPM, 45 kW spdl. drive motor, 90 pos. ATC, roll work holding & rotation system incl: FIBRO CNC B-axis vert. rotary table w/13.77" thru hole, 27.5" center ht., 5,500 lb. max. rotary table cap., 27.5" 4-jaw chuck, (3) Autoblok hyd. steadyrests, 3.93" to 13.77" cap., probe system, (1) manual suppt. rest, scale feed back system, roller chip shields, S/N N.A. (Sold by Photo - relocated to the PMI storage facility, 11744 Telge Road, Cypress, TX, 77429)

TRIDENT METALS CATALOG

LOT	QTY	DESCRIPTION
587C	1	CNC HOLLOW SPINDLE LATHE, LODGE & SHIPLEY MDL. PROFITURN 40 , rebuilt & retrofitted 2015 w/Fanuc Oi-TD CNC control, 34-1/2" sw. over bed & carriage wings, 20" sw. over crossslide, spds: 6-650 RPM in (3) ranges, 12-1/2" spdl. hole, 14' dist. btn. centers, 4 pos. sq. turning turret, 12 pos. hex boring turret, 45 kW main spdl. drive motor, front & rear 28" dia. 4-jaw chucks, outboard work suppt. rest w/pneu. lift, roller jaw steadyrest, pwr. tailstock, add'l. control axis for customized tooling, full length chip conveyor, S/N 50938 (Auctioneers Note: is 90+% finished on rebuilt & retrofit) (Sold by Photo - relocated to the PMI storage facility, 11744 Telge Road, Cypress, TX, 77429)
587D	1	CNC HOLLOW SPINDLE LATHE, LODGE & SHIPLEY MDL. PROFITURN 40 , Fanuc 18iT CNC control, 34-1/2" sw. over bed & carriage wings, 20" sw. over crossslide, spds: 6-650 RPM in (3) ranges, 12-1/2" spdl. bore, 14' dist. btn. centers, 8 pos. sq. turning turret, 12 pos. hex boring turret, interchangeable 4 pos. turning turret & 6 pos. boring turret, 37 kW main spdl. drive motor, front & rear 32" dia. 4-jaw hollow spdl. chucks, outboard work suppt. rest w/pneu. lift, roller jaw steadyrest, pwr. tailstock, S/N 50937 (Sold by Photo - relocated to the PMI storage facility, 11744 Telge Road, Cypress, TX, 77429)
589	1	HORIZONTAL AIR COMPRESSOR, POWEREX , 30 HP motor, 3 phase, S/N N.A.
590	1	RACK , w/steel & aluminum, assorted
591	1	LOT OF SUPPLY CABINETS (3) , 2-door
592	1	LOT OF ROLLER BURNISHING HEADS (4) , assorted
593	1	LOT OF ROLLER BURNISHING HEADS (6) , assorted
594	1	LOT OF ROLLER BURNISHING HEADS (3) , assorted
595	1	LOT OF ROLLER BURNISHING HEADS (6) , assorted
596	1	LOT OF ROLLER BURNISHING HEADS (6) , assorted
597	1	LOT OF ROLLER BURNISHING HEADS (6) , assorted
598	1	STEEL RACK (cannot be removed until contents have been taken)
599	1	LOT OF FLANGES , assorted (in one row)
600	1	LOT OF FLANGES , assorted (in one row)
601	1	LOT OF FLANGES , assorted (in one row)
602	1	LOT OF FLANGES , assorted (in one row)
603	1	LOT OF ADAPTERS , assorted (in one row)
604	1	LOT OF ADAPTERS , assorted (in one row)
605	1	LOT OF ADAPTERS , assorted (in one row)
606	1	LOT OF ADAPTERS , assorted (in one row)
607	1	STEEL A-FRAME STORAGE RACK (cannot be removed until contents have been taken)
608	1	LOT OF ALUMINUM STOCK , assorted
609	1	LOT OF ALUMINUM STOCK , assorted
610	1	LOT OF ALUMINUM STOCK , assorted

TRIDENT METALS CATALOG

LOT	QTY	DESCRIPTION
611	1	GEARED HEAD DRILL, KIRA MDL. KRTG-540, #4 MT spdl., spds: 95–1700 RPM, pwr. feed, adj. height table, S/N 53908.
612	1	BORING HEAD, 14"
613	1	BORING HEAD, 14"
614	1	BORING HEAD, 13"
615	1	BORING HEAD, 13"
616	1	BORING HEAD, 12-1/2"
617	1	BORING HEAD, 11-3/4"
618	1	BORING HEAD, 11-1/2"
619	1	BORING HEAD, 11"
620	1	BORING HEAD, 9-1/2"
621	1	LOT OF GRINDING MANDRELS, assorted (on one shelf)
622	1	LOT OF BUSHINGS, assorted (on two shelves)
623	1	LOT OF BUSHINGS, assorted (on three shelves)
624	1	LOT OF BUSHINGS, assorted (on three shelves)
625	1	LOT OF BUSHINGS, assorted (on three shelves)
626	1	LOT OF STEEL SHELVES (2) (cannot be removed until contents have been taken)
627	1	DOUBLE END PEDESTAL GRINDER, CINCINNATI 12", 3 phase, 2 HP, H.D.
628	1	BRIDGE CRANE, R&M MATERIALS HANDLING INC. 7.5 T. CAP. MDL. SPACEMASTER 2000 CABLE TYPE, 480 v., S/N B0003810
629	1	LOT CONSISTING OF: conduit & misc. (in one corner)
630	1	LOT CONSISTING OF: maintenance supplies, rack & cabinet
631	1	VERTICAL AIR COMPRESSOR, INGERSOLL-RAND MDL. 242- 5N, 5 HP motor, S/N 30T655292
632	1	SELF-DUMPING HOPPER, GALBREATH, 5 cu. yd.
633	1	SELF-DUMPING HOPPER, GALBREATH, 5 cu. yd.
634	1	SELF-DUMPING HOPPER, GALBREATH, 5 cu. yd.
635	1	SELF-DUMPING HOPPER, GALBREATH, 5 cu. yd.
636	1	SELF-DUMPING HOPPER, GALBREATH, 5 cu. yd.
637	1	SELF-DUMPING HOPPER, GALBREATH, 5 cu. yd.
638	1	SELF-DUMPING HOPPER, GALBREATH, 5 cu. yd.
639	1	SELF-DUMPING HOPPER, GALBREATH, 5 cu. yd.
640	1	SELF-DUMPING HOPPER, GALBREATH, 5 cu. yd.
641	1	SELF-DUMPING HOPPER, GALBREATH, 5 cu. yd.
642	1	SELF-DUMPING HOPPER, GALBREATH, 5 cu. yd.
643	1	SELF-DUMPING HOPPER, GALBREATH, 5 cu. yd.
644	1	SELF-DUMPING HOPPER, GALBREATH, 5 cu. yd.
645	1	SELF-DUMPING HOPPER, GALBREATH, 5 cu. yd.
646	1	SELF-DUMPING HOPPER, GALBREATH, 5 cu. yd.
647	1	SELF-DUMPING HOPPER, GALBREATH, 2 cu. yd.
648	1	SELF-DUMPING HOPPER, GALBREATH, 2 cu. yd.
649	1	SELF-DUMPING HOPPER, GALBREATH, 2 cu. yd.

TRIDENT METALS CATALOG

LOT	QTY	DESCRIPTION
650	1	SELF-DUMPING HOPPER, GALBREATH, 2 cu. yd.
651	1	SELF-DUMPING HOPPER, GALBREATH, 2 cu. yd.
652	1	SELF-DUMPING HOPPER, GALBREATH, 2 cu. yd.
653	1	SELF-DUMPING HOPPER, GALBREATH, 2 cu. yd.
654	1	SELF-DUMPING HOPPER, GALBREATH, 2 cu. yd.
655	1	SELF-DUMPING HOPPER, GALBREATH, 2 cu. yd.
656	1	SELF-DUMPING HOPPER, GALBREATH, 2 cu. yd.
657	1	SELF-DUMPING HOPPER, GALBREATH, 2 cu. yd.
658	1	SELF-DUMPING HOPPER, GALBREATH, 2 cu. yd.
659	1	SELF-DUMPING HOPPER, GALBREATH, 2 cu. yd.
660	1	SELF-DUMPING HOPPER, GALBREATH, 2 cu. yd.
661	1	SELF-DUMPING HOPPER, JESCO, 1.5 cu. yd.
662	1	SELF-DUMPING HOPPER, 2 cu. yd.
663	1	SELF-DUMPING HOPPER, 1-1/2 cu. yd.
664	1	STEEL STOCK TRANSFER CART
665	1	STEEL STOCK TRANSFER CART
666	1	STEEL STOCK TRANSFER CART
667	1	STEEL STOCK TRANSFER CART
668	1	STEEL STOCK TRANSFER CART
669	1	SHEAR, WYSONG 12' X 1/4" MDL. 1225, S/N P28-371 (out of service)