

SHAMROCK MACHINERY CATALOG

LOT	QTY	DESCRIPTION
1	1	GENERATOR, TSURUMI MDL. TPG-4300H-DX, AC, 4,300 watt
2	1	BANDSAW, ROCKWELL MDL. 28-200, 6" vertical, 14" x 14" table, S/N LJ5734
3	1	PEDESTAL GRINDER, BLACK & DECKER, 3/4 HP motor
4	1	PEDESTAL GRINDER, BALDOR, 1/3 HP motor
5	1	UPRIGHT DRILL PRESS, ROCKWELL MDL. 15-081, S/N 81F80261
6	1	UPRIGHT DRILL PRESS, ATLAS MDL. 1060, S/N 024260
7	1	ARC WELDER, LINCOLN ELECTRIC MDL. AC-225-S, w/(2) welding curtains
8	1	WELDING MACHINE, AIRCO MDL. MSM STINGER II, 225 amp
9	1	ROLL AROUND TOOLBOX, CRAFTSMAN, 23-drawer
10	1	ROLL AROUND TOOLBOX, CRAFTSMAN, 15-drawer
11	1	ROLL AROUND TOOLBOX, CRAFTSMAN, 25-drawer
12	1	ROLL AROUND TOOLBOX: Kennedy (top) & Master Mechanic (bottom), 14-drawer
13	1	ROLL AROUND TOOLBOX: Kennedy (top) & Craftsman (bottom), 15-drawer
14	1	ROLL AROUND TOOLBOX: Kennedy (top) & Craftsman (bottom), 14-drawer
15	1	ROLL AROUND TOOLBOX, MAGNUM, 8-drawer
16	1	ROLLER CART, w/misc. toolboxes
17	1	LOT OF WELDING CARTS (3), w/misc. tips & tanks
18	1	PORTABLE SPOT WELDER, LITTON PRECISION MDL. A, No. 122
19	1	HEATER, DAYTON, 150,000 BTU, oil fired
20	1	HEATER, REDDY HEATER
21	1	HEATER, REDDY HEATER, 60,000 BTU
21A	1	LOT OF SHOP VACUUMS (2)
22	1	HAND TRUCK, w/foot brake
23	1	HAND TRUCK
24	1	HAND TRUCK
25	1	HYDRAULIC PALLET JACK
26	1	LOT OF TOOL CABINETS (2), THE WRIGHT LINE, 20-drawer (ea.)
27	1	LOT CONSISTING OF: drawers & shelves w/metric nuts & bolts
28	1	BATTERY CHARGER, NAPA, 225 amp, 12 v.
29	1	HYDRAULIC JACK KIT, 10 T. cap.
30	1	HYDRAULIC HAND PUMP, OTC, 2-spd.
31	1	LOT OF RATCHET PALLET JACKS (4): (3) Simplex Mdl. 106 & (1) Simplex Mdl. 107
32	1	SHOP FAN, DAYTON 36"
33	1	SHOP FAN, DAYTON 36"
34	1	SHOP FAN, DAYTON 36"
35	1	SHOP FAN, DAYTON 36"

SHAMROCK MACHINERY CATALOG

LOT	QTY	DESCRIPTION
36	1	SHOP FAN, DAYTON 36"
37	1	SHOP FAN, PATTON 30"
38	1	SHOP FAN, PATTON
39	1	ROUND SHOP FAN, DAYTON 36"
40	1	BOX SHOP FAN, QUIETAIRE 36"
41	1	BOX SHOP FAN, QUIETAIRE 36"
42	1	BOX SHOP FAN, QUIETAIRE 36"
43	1	BOX SHOP FAN, QUIETAIRE 36"
44	1	BOX SHOP FAN, DAYTON 36"
45	1	BOX SHOP FAN, DAYTON 36"
46	1	BOX SHOP FAN, DAYTON 36"
47	1	BOX SHOP FAN, DAYTON 36"
48	1	SHOP FAN, "OLD SCHOOL" 36" , round
48A	1	SHOP FAN, 32"
49	1	SHOP FAN, DAYTON 24" , round
50	1	ROLL AROUND FAN, DAYTON 18" , round
51	1	CNC HOLLOW SPINDLE LATHE, GURUTZPE 40" X 157" MDL. B1400 HEAVY DUTY , new 1996, Fanuc OT CNC control, 10-1/4" bore, interchangeable 4 & 6-station turrets, 80 HP motor, 30,865 lbs. recommended workpiece weight btn. centers unsupported, S/N 1-29
52	1	CNC MULTI-AXIS LATHE, MORI SEIKI MDL. MT-25B , new 1996, Fanuc MF-T6 (16T) CNC control, 37.8" sw. over crossslide, 13.78" max. turning dia., 22.4" turning length, 11.81" Y-axis travel, .001 deg. C-axis, 1 deg. B-axis milling head, 3.15" spdl. bore, spdl. spds: 35-3500 RPM, 20 HP motor, CAT-40 milling spdl., 4,000 RPM milling, 6.7 HP motor, 10 pos. turret, 30 pos. ATC, 16" dia. 4-jaw chuck, S/N 18 (<i>Note: ATC parameters not installed</i>)
53	1	CNC HOLLOW SPINDLE LATHE, MORI SEIKI MDL. LL8B-2500 , Fanuc 11T CNC control, 51.6" sw. over bed, 29.5" sw. over crossslide, 98" centers, 10.2" spdl. bore, 500 RPM in (4) ranges, 40 HP spdl. motor, Cushman 30" dia. 4-jaw chuck, twin 4 pos. turrets, S/N 163
54	1	TABLE TYPE HORIZONTAL BORING MILL, WOTAN 3" MDL. B75-M , new 1969, 4-way bed, 32" x 39" built-in rotary table, 39" vert., 48" cross, 32" long. & 23.5" spdl. travels, #40 spdl. taper, spds: 15-1200 RPM, 10 HP motor, Newall D.R.O., #30 quick change adaptor, right angle head, S/N 58380
55	1	CNC VERTICAL MACHINING CENTER, DAHLIY MDL. MCV-1500 , new 11/2005, Fanuc 21iMB CNC control, 67" x 26.8" table, 3,300 lb. table load, 59" X, 25" Y & 27.6" Z-axis travels, CAT-50, 3,500 RPM, 20 HP motor, 40 pos. ATC, Tsudakoma Mdl. RNCB402R 4th axis w/6" bore, Set-True 15.5" dia. 6-jaw chuck & tailstock, S/N 3001060038

SHAMROCK MACHINERY CATALOG

LOT	QTY	DESCRIPTION
56	1	CNC VERTICAL MACHINING CENTER, DAHLIY MDL. MCV-1500 , new 12/2002, Fanuc 18M CNC control, 67" x 26.8" table, 3,300 lb. table load, 59" X, 25" Y & 27.6" Z-axis travels, CAT-50, 3,500 RPM, 20 HP motor, 40 pos. ATC, Tsudakoma Mdl. RB250R 4th axis w/2.7" bore, 10" dia. 3-jaw chuck & tailstock, S/N 15000844
57	1	HOLLOW SPINDLE LATHE, ROUGHNECK (CHU SHING) 26" X 80" MDL. HR-VS (NEW) , 26-7/8" sw. over bed, 17-3/8" sw. over crossslide, 38-1/8" sw. in gap, 6.1" spdl. bore, variable spds: 24-800 RPM in (4) ranges, 15 HP motor, 4-way rapid traverse, 11" steadyrest, taper, (2) 20" dia. 4-jaw chucks, removable gap, S/N 23090114
58	1	HOLLOW SPINDLE LATHE, ROUGHNECK (CHU SHING) 26" X 80" MDL. HR-VS (NEW) , 26-7/8" sw. over bed, 17-3/8" sw. over crossslide, 38-1/8" sw. in gap, 6.1" spdl. bore, variable spds: 24-800 RPM in (4) ranges, 15 HP motor, 4-way rapid traverse, 11" steadyrest, taper, (2) 20" dia. 4-jaw chucks, removable gap, S/N 23100114
59	1	GAP BED ENGINE LATHE, ROUGHNECK (CHU SHING) 26" X 118" (NEW) , 17-3/8" sw. over crossslide, 38-1/8" sw. in gap, 4-1/8" spdl. bore, spds: 12-1000 RPM, 20 HP motor, 20" 4-jaw chuck, steadyrest, taper attach., 4-way rapid, S/N 23231014
60	1	GAP BED ENGINE LATHE, ROUGHNECK 26" X 80" (CHU SHING) (NEW) , 17-3/8" sw. over crossslide, 38-1/8" sw. in gap, 4-1/8" spdl. bore, spds: 12-1000 RPM, 20 HP motor, 20" 4-jaw chuck, steadyrest, taper attach., 4-way rapid, S/N 23221014
61	1	GAP BED ENGINE LATHE, ROUGHNECK 26" X 80" (CHU SHING) (NEW) , 17-3/8" sw. over crossslide, 38-1/8" sw. in gap, 4-1/8" spdl. bore, spds: 12-1000 RPM, 20 HP motor, 20" 4-jaw chuck, steadyrest, taper attach., 4-way rapid, S/N 2211014
61A	1	ROLLER STEADYREST, ROUGHNECK (Chu Shing) , 21-1/2" cap.
61B	1	ROLLER STEADYREST, ROUGHNECK (Chu Shing) , 21-1/2" cap.
61C	1	ROLLER STEADYREST, ROUGHNECK (Chu Shing) , 21-1/2" cap.
61D	1	ROLLER STEADYREST, ROUGHNECK (Chu Shing) , 21-1/2" cap.
61E	1	ROLLER STEADYREST, ROUGHNECK (Chu Shing) , 16" cap.
61F	1	ROLLER STEADYREST, ROUGHNECK (Chu Shing) , 16" cap.
61G	1	ROLLER STEADYREST, ROUGHNECK (Chu Shing) , 16" cap.

SHAMROCK MACHINERY CATALOG

LOT	QTY	DESCRIPTION
61H	1	ROLLER STEADYREST, ROUGHNECK (Chu Shing), 16" cap.
61I	1	ROLLER STEADYREST, ROUGHNECK (Chu Shing), 16" cap.
62	1	PRECISION TOOLROOM ENGINE LATHE, MONARCH 12-1/2" X 20" MODEL 10EE PRECISION, 7-1/4" sw. over crossslide, 1-13/32" spdl. bore, 2,500 RPM, 5 HP motor, taper attach., S/N 12843
63	1	VERTICAL MILL, CLARK 9" X 49" MDL. B3V (NEW), R-8 spdl. taper, 3 HP variable spd. head, 6" vise, Sino brand D.R.O., long. pwr. feed, clamping kit, collet set, S/N 160547
64	1	VERTICAL MILL, CLARK 9" X 49" MDL. B3V (NEW), R-8 spdl. taper, 3 HP variable spd. head, 6" vise, Sino brand D.R.O., long. pwr. feed, clamping kit, collet set, S/N 160549
65	1	VERTICAL MILL, CLARK 9" X 49" MDL. B3V (NEW), R-8 spdl. taper, 3 HP variable spd. head, 6" vise, Sino brand D.R.O., long. pwr. feed, clamping kit, collet set, S/N 160544
66	1	CNC HORIZONTAL BORING MILL, FEMCO 4.3" MDL. BMC110-R3, new 12/2006, Fanuc 0i-MB CNC control, 56.7" x 63" built-in rotary table, 13,860 lb. table load, 118" X, 70.9" Y, 66.9" Z & 27.6" W-axis travels, 4.33" spdl. dia., 2,500 RPM, 33 HP motor, 60 pos. ATC, S/N BA44350
67	1	VERTICAL MILL, SUPERMAX 9" X 49" MDL. YCM 1-1/2 VST, new 1993, Anilam D.R.O., long. pwr. feed, Bridgeport slotting attach., S/N 8210597
68	1	DOUBLE END PEDESTAL GRINDER, THE UNITED STATES ELECTRIC TOOL CO., 1 HP motor, 10" wheels
69	1	CNC VERTICAL BORING MILL, BULLARD 56" HIGH COLUMN, new 1984, 2017 refurbished & updated by Travis Jaroszewski w/M.E.H. Machine Tool Service, G.E. Fanuc Oi-TC CNC control, 68" swing, 93.5" under rail (48" extra height), 50" ram stroke, 62" dia. 4-jaw chuck, 320 RPM in (2) ranges, 70 HP motor, 16 pos. ATC, assorted tool holders, S/N 58VNC2992
70	1	LOT OF TOOLHOLDERS (for the Bullard CNC Vertical Boring Mill)
71	1	LOT OF TOOLHOLDERS (for the Bullard CNC Vertical Boring Mill)
72	1	CNC VERTICAL MACHINING CENTER, TAKUMI MDL. V32A, new 2000, Fanuc 18M CNC control, 126" x 40" table, 9,900 lbs. table load, 126" X, 40.9" Y & 29.5" Z-axis travels, CAT-50, 3,500 RPM in (2) ranges, 30 HP motor, 32 pos. ATC, plumbed for thru-spdl. coolant, chip conveyor, S/N K0115

SHAMROCK MACHINERY CATALOG

LOT	QTY	DESCRIPTION
73	1	CNC VERTICAL MACHINING CENTER, DAHLIH MDL. MCV-1500 , new 2001, Fanuc 18M CNC control, 67" x 26.8" table, 3,300 lb. table load, 59" X, 25" Y & 27.6" Z-axis travels, CAT-50, 3,500 RPM, 20 HP motor, 40 pos. ATC, Tsudakoma Mdl. RB250R 4th axis w/2.7" bore, 10" dia. 3-jaw chuck & tailstock, S/N 15000804
74	1	CNC VERTICAL MACHINING CENTER, DAHLIH MDL. MCV-1500 , new 2001, Fanuc 18M CNC control, 67" x 26.8" table, 3,300 lb. table load, 59" X, 25" Y & 27.6" Z-axis travels, CAT-50, 3,500 RPM, 20 HP motor, 40 pos. ATC, Tsudakoma Mdl. RB250R 4th axis w/2.7" bore, 10" dia. 3-jaw chuck & tailstock, S/N 15000808
75	1	CNC VERTICAL MACHINING CENTER, DAHLIH MDL. MCV-1500 , new 12/2002, Fanuc 18M CNC control, 67" x 26.8" table, 3,300 lb. table load, 59" X, 25" Y & 27.6" Z-axis travels, CAT-50, 3,500 RPM, 20 HP motor, 40 pos. ATC, Tsudakoma Mdl. RB250R 4th axis w/2.7" bore, 10" dia. 3-jaw chuck & tailstock, S/N 15000845
76	1	ENGINE LATHE, TOS 49" X 160" MDL. SU-125 HEAVY DUTY , new 1975, 37" sw. over crossslide, 4" spdl. bore, spds: 1.6-355 RPM, 36 HP pwr. feed compound, 45" chuck, 6-way rapid, (2) steadyrests, S/N 0443144
77	1	ENGINE LATHE, RYAZAN (STANKO) 33" X 118" MDL. 16K40-3 HEAVY DUTY , new 2005, 19.29" sw. over crossslide, 4.13" spdl. bore, spds: 10-1250 RPM, 24.8 HP motor, pwr. compound, 6-way rapid traverse, Bison 15" dia. 3-jaw chuck, steadyrest, taper attach., S/N 1504
78	1	HOLLOW SPINDLE LATHE, DEAN SMITH & GRACE 25" X 120" MDL. 25P , new 1982, 26.5" sw. over bed, 16" sw. over crossslide, 10-7/8" spdl. bore, spds: 4.2-290 RPM, 20 HP motor, "fast threading" air kick-out, taper attach., front & rear 4-jaw chucks, reground & reconditioned 2016, S/N 40911
78A	1	LOT OF CHUCK GUARDS
79	1	RAM TYPE TURRET LATHE, WARNER & SWASEY #4 MDL. M-1420 , 12" dia. 3-jaw chuck, 18" swing, 10/5HP 2-spd. motor, S/N 701808
80	1	DRILL GRINDER, OLIVER MDL. 600 , new 1971, 1/2" to 3" drill cap., 2/3/4 flute, 2 HP motor, Stock No. 10074, S/N G7135
81	1	ROTARY SCREW AIR COMPRESSOR, ROTARY AIRE OIL FREE AIR END MDL. 0-350 , new 1996, 600 CFM, 125 PSI, 350 HP motor, GHH Rand CD26D 2-stage compressor, noise enclosure, skid mtd., S/N 838-001
82	1	CHIP CONVEYOR, MAYFRAN CHIP-TOTE , 22" W. x 12" ht. x 36" length of flat, 72" discharge ht., S/N 11M4462 (like new)
83	1	CHIP CONVEYOR, TURBO MDL. 6297-8200 , 59" length of flat, 47" chip exit height, 58" x 117" x 70-1/2" ht., S/N 310525

SHAMROCK MACHINERY CATALOG

LOT	QTY	DESCRIPTION
84	1	CHIP CONVEYOR, TURBO MDL. 6297-8200 , 37" x 8" dims. on flat, 57" length of flat, 47" chip exit height, 58" x 117" x 70-1/2" ht., S/N 311065
85	1	CHIP CONVEYOR, MAYFRAN , 37"W. x 8" ht. dims. on flat, 10-1/2" length of flat, 60" chip exit height, 16-1/2" x 87" x 84" ht., S/N 740801-1
86	1	CHIP CONVEYOR, JORGENSEN , 16"W. x 8" ht. x 56"L. dims. on flat, 42" discharge height, S/N A-87/237-6
87	1	CHIP CONVEYOR, JORGENSEN , 9"W. x 7" ht. x 80"L. of flat, 42" discharge, S/N A80782
88	1	CHIP CONVEYOR, TURBO MDL. 6275-8379 , 12"W. x 4-1/2" ht. x 76"L., 42" discharge ht., S/N 319164
89	1	CHIP CONVEYOR, MAYFRAN CHIP-TOTE , 22" W. x 12" ht. x 36" length of flat, 72" discharge ht., S/N 811448 (like new)
90	1	CHIP CONVEYOR, KIA , open style for cast iron, 12" L. x 6" ht. x 43" on flat, 20 1/2 discharge ht.
90A	1	LOT OF PALLETS
91	1	SANDBLAST CABINET, ZERO "BLAST N PEEN" MDL. 50-2 , new 7/2012, 23" x 23" loading door on each side, 43"W. inside cabinet, will accept a 21" dia. part, gloves, blasting gun, hoses & abrasives, S/N 16755
92	1	AIR COMPRESSOR, INGERSOLL RAND MDL. 30T2545E10 , Type T30, 10 HP motor, 2-cyl., 120 gal tank, 230/460VAC, S/N 803736
93	1	AIR COMPRESSOR, INGERSOLL RAND MDL. 242 , Type 30, 5 HP motor, 2-cyl., 60 gal tank, 230/460 v. A/C, S/N 30T621147
95	1	LOT OF LADDERS: A-frame & extension (approx. 10)
96	1	LOT OF EMPTY OIL DRUMS , 55 gal. cap. (approx. 25)
97	1	PAINT STORAGE CABINET, EAGLE MDL. PI-32 , 40 gal. cap.
98	1	LOT OF EMPLOYEE LOCKERS, PENCO
99	1	PARTS WASHER, HANDI-KLEEN , 7 gal. cap.
100	1	PARTS & EQUIPMENT WASHER, GREY CLEAN-O-MATIC MDL. 800A , 50-85 gal. cap.
101	1	LOT CONSISTING OF: table, shelves, paint supplies, spray gun & sanders
101A	1	WELDER'S CART
101B	1	LOT OF BINS: metal & plastic
102	1	DC MOTOR, GENERAL ELECTRIC 150 HP WITH BLOWER , Type CD5453, Mdl. 5CD25D24C900034, 400/1200 RPM, 500 v., 245 armature amp, 10.2/3.0 field amp, 2 HP blower motor
103	1	DC MOTOR, YASKAWA MDL. GEELR-K , new 1982, 40 HP, 220VA/150VF, spds: 3500-1150 RPM, 2002P frame size, S/N S12191102

SHAMROCK MACHINERY CATALOG

LOT	QTY	DESCRIPTION
104	1	DC MOTOR, YASKAWA MDL. GEELR-K , new 1982, 40 HP, 220VA/150VF, spds: 3500-1150 RPM, 2002P frame size, S/N S11833101
105	1	DC MOTOR, YASKAWA MDL. GEELR-K , new 1981, 40 HP, 220VA/150VF, spds: 3500-1150 RPM, 2002P frame size, S/N S11832101
106	1	DC MOTOR, SCOTT MDL. BS2613 , 50 HP, spds: 3200–1000 RPM, BK250MSB frame size, 40VA/120VF, S/N 336904
107	1	DC MOTOR, SCOTT MDL. BS2613 , 50 HP, spds: 3200–1000 RPM, BK250MSB frame size, 40VA/120VF, S/N 338206
108	1	DC MOTOR, SCOTT MDL. BS2613 , 50 HP, spds: 3200–1000 RPM, BK250MSB frame size, 40VA/120VF, S/N 340989
109	1	DC MOTOR, SCOTT MDL. BS2613 , 50 HP, spds: 3200–1000 RPM, BK250MSB frame size, 40VA/120VF, S/N 340988
110	1	ELECTRIC MOTOR, KURZ MDL. VD354/4 , 45 kW, 1,750 RPM, 460 v.
111	1	ELECTRIC MOTOR, VEBE1btalwerk , 32.5 kW
112	1	ELECTRIC MOTOR, GENERAL ELECTRIC , DC, 15 HP, 1,150/2,600 RPM, 240 v.
113	1	ELECTRIC MOTOR, RUSSIAN , 22 kW, 220/440 v., 1,785 RPM
114	1	ELECTRIC MOTOR, GENERAL ELECTRIC , 25 HP, 230/460 v., 1,765 RPM
115	1	INDUCTION MOTOR, WORLD ENERGY , 3 phase
116	1	INDUCTION MOTOR, METROPOLITAN , 7-1/2 HP
117	1	LOT OF MOTORS (5) , misc.
118	1	LOT OF MOTORS: Fanuc, A060b-0502-B001#7000, A06b-0146-9177, A06b-0502-B001#7000
119	1	ARC WELDER, LINCOLN MDL. SAF-600 DC , 1,800 RPM, 600 amps, S/N A-688073
120	1	LOT CONSISTING OF: electrical contactors & transformers (on one pallet)
120A	1	LOT OF TRANSFORMERS, CONTROL TRANSFORMER , 220 v. to 24 v. & 440 v. to 24 v.
120B	1	LOT CONSISTING OF: (2) Weg SSW05 soft starter, 220/460 v, 3 phase, 45 amp & (1) Allen Bradley Ultra 3000 digital servo drive Mdl. 2098-DSD-010
121	1	LOT CONSISTING OF: electrical boxes, switch gear, on/off boxes
122	1	LOT CONSISTING OF: Fanuc drives, circuit boards, misc.
123	1	CONTROL BOX, FANUC , w/electric cabinet
124	1	LOT CONSISTING OF: leadscrews & feed shafts

SHAMROCK MACHINERY CATALOG

LOT	QTY	DESCRIPTION
125	1	RADIAL ARM DRILL, CARLTON 6' X 19" MDL. 4A , new 1969, #6 MT, 4" drilling in mild steel, preselect spds. & fds., spds: 12-1200 RPM, 20 HP motor, 8, 11-½, 14, 18 & 27 TPI tap leads, pwr. elevation & rapid traverse, S/N 4A-5520
126	1	RADIAL ARM DRILL, POLAMCO 7' X 20" MDL. RD-7 , new 1980, #6 MT, 4" drilling in mild steel, spds: 20-1600 RPM, 20 HP motor, 11, 14 & 19 TPI tap leads, pwr. rapid, clamping & elevating, box table, S/N 032018
127	1	RADIAL ARM DRILL, KAO MING 5' X 15-3/8" MDL. 1600DH , new 1984, #5 MT, spds: 30-1580 RPM, 7.5 HP motor, hyd. clamping, 2-1/4" drill cap. in steel, S/N 1728
128	1	RADIAL ARM DRILL, FOSDICK 5' X 15" , #5 MT, spds: 14-1010 RPM, 7.5 HP motor, 8, 11.5 & 14 TPI tap leads, S/N 9012
129	1	HORIZONTAL BANDSAW, DAKE MDL. 974025-2 , 17" x 24" SAR 440, swiveling frame (for parts use only)
130	1	BANDSAW, CAROLINA MDL. HD10 . 10" (for parts use)
131	1	CONTOUR SAW, DO-ALL (for parts use)
132	1	FINGERBRAKE , 36", w/segmented fingers, manually operated
132A	1	MILLING MACHINE, MILLPORT , w/riser block (for parts use)
133	1	CNC FLATBED LATHE, RYAZAN (STANKO) 41" X 197" MDL. RT755F3 , new 1993, Fanuc 0-T CNC control, 23.3" sw. over crossslide, 5.04" spdl. bore, 500 RPM in (4) ranges, 60 HP motor, 8-station turret, 39" dia. 4-jaw chuck, steadyrest, pwr. tailstock travel, Heidenhain scales, chip conveyor, S/N RT755F3-577-1
134	1	VERTICAL TURRET LATHE, DEFUM 43" MDL. KNA-110/135 , new 1982, 53" max. swing, 39" turning height, 23.6" turret travel, 43" dia. 4-jaw chuck, 200 RPM, 30 HP motor, 5-pos. turret, side head, thdng. capability, Heidenhain D.R.O., S/N 7330
134A	1	RADIAL DRILL BASE, AMERICAN , 84" x 36' x 8" thk. (base only)
135	1	PORTABLE POWER ROLLER CART, CUTLER HAMMER , 200 amp dbl. throw switch for phase change, input voltage display meter reads up to 600 v.
136	1	PORTABLE POWER ROLLER CART, SQUARE D , 200 amp dbl. throw switch for phase change, input voltage display meter reads up to 600 v.
137	1	PORTABLE POWER ROLLER CART, FPE , 200 amp dbl. throw switch for phase change, input voltage display meter reads up to 600 v.
138	1	PORTABLE POWER ROLLER CART, CUTLER HAMMER , 200 amp dbl. throw switch for phase change, input voltage display meter reads up to 600 v.

SHAMROCK MACHINERY CATALOG

LOT	QTY	DESCRIPTION
139	1	CNC HORIZONTAL MACHINING CENTER, HYUNDAI KIA MDL. HX630 , new 2006, Fanuc 18i-MB CNC control, (2) 24.8" pallets w/1 deg. index, 2,640 lbs. load, 41.3" X, 34.4" Y & 34.4" Z axis travels, CAT-50, 8,000 RPM in (2) ranges, 25/30 HP motor, 120 pos. ATC, coolant thru spdl., (2) spare pallets, S/N HX63018
140	1	CNC VERTICAL BORING MILL, TOSHULIN 49" MDL. SKIQ 12 215 VERTICAL , new 1996, G.E. Fanuc 0T-C CNC control w/Fanuc 60/75 HP AC spdl. motor, 49" dia. 4-jaw chuck w/built-in master jaws, 59" max. dia., 70" max. workpiece height, 17,600 lbs. max. workpiece weight, 400 RPM, S/N 215
141	1	AUTOMATIC HORIZONTAL BANDSAW, DAKE 13" MODEL LE 13A , new 2000, 13" rd., 11.8" sq., 9.8" x 13.7" rect. cap., 1-1/4" blade, variable spd. blade drive, 5 HP, S/N 1033942
142	1	HORIZONTAL BANDSAW, CAROLINA 10" MDL. HD10
143	1	LOT OF SHELVES , 36"W. x 19" dp. x 72" ht., w/contents
144	1	CANTILEVER RACK , w/misc. lifting bars & tubes
144A	1	CANTILEVER RACK , w/misc. bars
145	1	LOT CONSISTING OF: rack, stand & box w/misc. hooks, shackles, eyebolts & straps
145A	1	LOT OF WOODEN CRIBBING , up to 12" x 12" timber
146	1	ROUND SOFT SLING, GERTEX 30'L. , 31,000 lb. vertical or 62,000 lb. basket lift
147	1	ROUND SOFT SLING, GERTEX 12'L. , 66,000 lb. vertical or 132,000 lb. basket lift
148	1	ROUND SOFT SLING, TUFLEX 20'L. , 31,000 lb. vertical or 62,000 lb. basket lift
149	1	LOT CONSISTING OF: rope, slings, straps & tarp
150	1	WALL RACK , w/chain & rating tags
151	1	OVAL LIFTING RING , 3" dia. steel, 23" across oval, (4) 1-1/2" x 92"L. wire ropes
152	1	LOT OF OVAL LIFTING RINGS (2) , 2" dia. steel, 15" across oval, (2) 1-1/4" x 100"L. wire ropes on each ring
153	1	LOT OF OVAL LIFTING RINGS (2) , 1-1/4" dia. steel, 10" across oval, (3) 3/4" x 144"L. wire ropes on each ring
154	1	LOT OF OVAL LIFTING CABLES (2), CROSBY , 1-1/2 ring, 200" L.
155	1	LOT OF OVAL LIFTING CABLES, CROSBY 2" , 4-legged. 144" L.
156	1	LOT OF OVAL LIFTING CABLES , 1-1/2", 4-legged, 82" L.
157	1	LOT OF LIFTING CABLES , 1-1/2", 4-legged, 92" L.
158	1	LOT OF OVAL LIFTING CABLES , 2", 4-legged, 90"
159	1	LOT OF OVAL LIFTING CABLES , 2", 4-legged, 90" L.
160	1	LOT OF SINGLE WIRE CABLE , assorted

SHAMROCK MACHINERY CATALOG

LOT	QTY	DESCRIPTION
160A	1	SPREADER BEAM, ANCHOR CRANE 25 T. CAP. , 15' x 8', made to lift crates, etc. w/o damaging side walls
160B	1	MULE , 6", w/72" wooden handle
161	1	SPREADER BEAM , 2,000 lb. cap. x 226", 6-1/2" x 8" I-beam
162	1	SPREADER BAR , 4" x 4" ht. beam, 96"L.
163	1	SPREADER BAR , 4-1/2" dia. X 85"L.
164	1	TUBULAR SKID , 248" x 62", designed for lathe transport for field repairs
165	1	ROLLING CHIP HOPPER , 3' x 3'
165A	1	ROLLING CHIP HOPPER , 4' x 2'
166	1	ROLLING CHIP HOPPER , 3' x 2'
167	1	ROLLING CHIP HOPPER , 3' x 3'
168	1	ROLLING CHIP HOPPER , 3' x 2'
169	1	LOT OF WIRE METAL CONTAINERS (3), CARGOTAINER , 4' sq.
170	1	METAL STORAGE BIN , 36" x 36" x 27" ht., stackable
171	1	METAL STORAGE BIN , 30" x 48" x 22" ht., stackable
172	1	METAL STORAGE BIN , 38" x 40" x 12" ht., stackable
173	1	CNC MULTI-AXIS LATHE, HAAS MDL. SL40L , new 2011, Haas CNC control, 40" sw. over bed, 25.5" sw. over crossslide, 89" btn. centers, 7.08" spdl. bore, 1,400 RPM, 55 HP motor, C-axis, 12-station VDI turret w/4,000 RPM/12 HP live tooling, Schunk 18" air chuck w/7" bore, Atling hyd. steadyrest, programmable tailstock, live & standard toolholders, w/pallet of accessories, S/N 3087834
174	1	CNC SLANT BED LATHE, CHEVALIER MDL. FBL-300 , new 2012, Fanuc 0i-TD CNC control, manual guide conversational w/graphics, 27.5" sw. over bed, 20" max. turning dia., 29.4" dist. btn. centers, 3.58" spdl. bore, 2,500 RPM, 24 HP motor, 12" chuck, tool setter, 12 pos. turret, chip conveyor, 980 H.O.M., w/pallet of accessories, S/N 0111101
175	1	AIR COMPRESSOR, SPEEDAIRE 15 HP X 2-CYL. , new 1990, 120 gal tank, 230/460 v. A/C
176	1	LOT OF BEARINGS , misc.
177	1	METAL SHOP TABLE , 64" x 35" x 53", H.D., w/Wilton 6" vise
178	1	LOT OF SHELVES (4) , 24" x 48" x 85", w/contents
179	1	SHELF , 18" x 37" x 74" ht., w/0-Ring kits, snap ring kits, etc.
179A	1	SHOP TABLE , 7' x 2', w/vise & toolholders
179B	1	STEEL FABRICATED TABLE , 72" x 36" x 34" ht.
179C	1	STEEL FABRICATED ROLLER TABLE , 42" x 32" x 29" ht., w/vise
179D	1	LOT OF TABLES: (1) 84" x 33" x 32" ht. wooden & (1) 29" x 24" x 30" ht. steel
179E	1	STEEL FABRICATED STEP TABLE , 97" x 36"

SHAMROCK MACHINERY CATALOG

LOT	QTY	DESCRIPTION
180	1	CNC VERTICAL MACHINING CENTER, DAEWOO MDL. MYNX-500 , new 2000, Fanuc 21M CNC control, 47.2" x 19.7" table, 1,760 lb. table load, 40.1" X, 20" Y & 22.6" Z-axis travels, CAT-40, spds: 80-8000 RPM, 15/20 HP motor, 24 pos. ATC 1,254 H.O.M., S/N AV5E0496
181	1	LOT OF ELECTRICAL WIRE , on spools or loose (Unused)
182	1	WOODEN WORKBENCH , w/D.R.O.'s, scales, test equipment, new & used electrical wire
182A	1	LOT CONSISTING OF: extension cords & drop lights
183	1	LOT OF METAL SHELVING (5) , w/starters, fuses, control transformers
184	1	RADIAL ARM SAW, CRAFTSMAN MDL. 100
185	1	TABLE TOP WOOD PLANER, CRAFTSMAN 6"
186	1	BENCH GRINDER, BELSAW , 1/2 HP motor, 7" wheel, 30 deg. tilting table
187	1	LOT CONSISTING OF: metal drawers, cabinets, w/47" x 82" wooden work surface
188	1	LOT CONSISTING OF: fittings, springs, lock nuts, dog screws, etc. (Located in two drawers)
189	1	LOT CONSISTING OF: control lamps, lubrication system, metering devices
189A	1	LOT OF SHELVING UNITS (7) , w/contents
190	1	CNC VERTICAL BORING MILL, STERLITAMAK 31.5" MDL. 800VT HIGH COLUMN MILL/TURN , new 2007, Siemens 840D CNC control, 31.5" table, 37" max. turning dia., 39" vert. travel, 374 RPM max. turning spd., 48 HP motor, C-axis, live tooling, scale feedback, 27" max. square milling, 12,000 RPM/HSK-63 25.5 HP milling spd. w/20 pos. ATC, plumbed for 1,000 PSI thru-spd. coolant, full enclosure (<i>Note: unused factory "show machine"</i>)
191	1	TRAVELING FRAME STRAIGHTENING PRESS, ENERPAC IPR 50 T. CAP. , 13" stroke, 30" head side travel, 42" gantry frame travel, 60" approx. max. ram to table, 55" dist. btn. uprights, hyd. cross rail lift
192	1	H-FRAME PRESS, DAKE 150 T. CAP. MDL. 5-150 ELEC-DRAULIC I , movable work head, 4" dia. ram, 16' ram travel, 24- $\frac{3}{4}$ " work head travel, 31" max. to table, 48" dist. btn. uprights, S/N 201594
193	1	H-FRAME PRESS, 50 T. CAP. , HSR-506T 50 T. cap. on cylinder, brake bending attach.
194	1	H-FRAME PRESS, OTC 50 T. CAP. MDL. A , Series 1506C, 36" dist. btn. housings
195	1	H-FRAME PRESS FRAME , 48" dist. btn. housings, w/o cylinder

SHAMROCK MACHINERY CATALOG

LOT	QTY	DESCRIPTION
196	1	SADDLE TYPE TURRET LATHE, WARNER & SWASEY 5A MDL. M-3600 , new 1982, 36" sw. over carriage, 32-3/4" sw. over crossslide, 96" spdl. to turret face, 12-1/2" bore, spds: 10-281 RPM, 75 HP motor, 36" dia. 4-jaw chuck, crosssliding hex turret, full length leadscrew, taper attach. on both carriages, toolholders, S/N 3093222
197	1	GAP BED ENGINE LATHE, MAZAK REX 34" X 80" MDL. 34 , new 1976, 24-3/4" sw. over crossslide, 44-1/2" sw. in gap, 4-1/16" spdl. bore, spds: 12-1200 RPM, 20 HP motor, 28" dia. 4-jaw chuck, Newall D.R.O., 4-way rapid traverse, taper attach., steadyrest, S/N 31843
198	1	CNC MULTI-AXIS LATHE, MORI SEIKI MDL. SL75MC , new 1996, recently serviced by Ellison Technologies, Mori MSD-516 II (Fanuc 16TB) CNC control, 35.8" sw. over bed, 22.8" turning dia., 68.9" btn. centers, 6.6" spdl. bore, spds: 11-1010 RPM, 50 HP motor, C-axis spdl., 12-station turret w/1,500 RPM/7.5 HP live tooling, S/N 31
199	1	CNC SLANT BED LATHE, MORI SEIKI MDL. SL-2B , new 1981, Yasnac 2000GII CNC control, 2,500 RPM, 10" chuck, 10 pos. turret, chip conveyor, S/N 760
200	1	TUBE BENDER, PINES MDL. 1 , new 1978, Series 110-30, 1-1/2" x .188" wall mild steel tubing cap., 1" x .179" wall schedule 80 cap., 7.5 HP, auto. indexing degree of bend turret, S/N 11030-78126
201	1	BACKSAVER HYDRAULIC LIFT, SOUTHWORTH 3,500 LB. CAP. MDL. LS4-36FMTT , new 2003, 34" x 48" flush mount turntable, 36" vert. travel, twin cylinders, 1 HP pump motor, S/N 17761-100
201A	1	LOT CONSISTING OF: 18" power chuck & misc. hyd. cylinders
202	1	ROLLER CONVEYOR , 2" dia. X 15-1/2" rollers, (2) 120"L. pcs.
203	1	ROLLER CONVEYOR , 2-1/2" x 20" rollers, (2) 60"L. pcs.
204	1	LOT OF ANGLE PLATES (1 pair) , 24" x 6" x 60", 1-3/8" face thickness
204A	1	TOMBSTONE FIXTURE , 19"W. x 18" ht., 28" x 28" base
205	1	RADIAL DRILL, CARLTON , 120" x 50" x 10" thk., T-slotted (base only)
206	1	T-SLOTTED TABLE , 122" x 60" x 7-1/2" thk. (from horiz. boring mill)
207	1	BOX TABLE, NATCO , 29-7/8" x 41-5/8" x 20" ht., T-slotted on top surface
208	1	T-SLOTTED BOX TABLE , 46" x 31" x 22-1/2" ht.
209	1	TILTING BOX TABLE , 19-3/4" x 24" x 21-5/8" ht., 90 deg. tilt, T-slotted;
210	1	BOX TABLE , 17-3/4" x 25-5/8" x 16" ht., T-slots
211	1	TOOL PLATEN BOLSTER , 26" x 26" x 5-3/16" thk., w/T-slots on top & side mtd. slots

SHAMROCK MACHINERY CATALOG

LOT	QTY	DESCRIPTION
212	1	T-SLOTTED TILTING BOX TABLE , 22" x 27' x 22" ht.
213	1	BOX TABLE , 40-1/8" x 58-1/8" x 20-5/8" ht., T-slotted on top surface
214	1	T-SLOTTED ROTARY TABLE , 48" x 48" x 12" ht.
214A	1	ROTARY TABLE, SIP 31" MDL. ROTOPTIC-6 MOTORIZED , 1 second angular precision, 3,300 lbs. table load, hand wheel, ¼ HP motor with fwd./rev. buttons, Vernier w/optics, S/N 9811
214B	1	ROTARY TABLE, CINCINNATI 20" , vert. axis of rotation, 7" ht. table, scribed increments
214C	1	TILTING TABLE, 10" x 15"
215	1	T-SLOTTED MILLING MACHINE TABLE , 87" x 16-1/2" x 4" ht.
216	1	T-SLOTTED TABLE , 11" x 58" x 4" (from Bridgeport Series II)
217	1	POSITIONING TABLE, SUMMIT DANA NC , Dana control, 12" x 16" travel, servos
217A	1	CNC VERTICAL MILLING MACHINE, SUPERMAX , Dynapath Delta CNC control (head & control only)
218	1	HYDRAULIC POWER SOURCE, REXROTH , 7.5 HP motor, 220/440/60 VAC, built-in chiller, w/tank
219	1	HYDRAULIC POWER SOURCE, TRUE TRACE , 5 HP motor, 220/440/3/60 VAC, built-in chiller, w/tank
220	1	HYDRAULIC POWER SOURCE, RACINE , 5 HP motor, 230/460/3/60 VAC, w/200 liter tank
221	1	HYDRAULIC POWER SOURCE, RACINE , 30 HP motor, 230/460/3/60 VAC, w/tank
222	1	HYDRAULIC POWER SOURCE , 3 HP motor, Vickers pump, 125 to 500 PSI, w/tank
223	1	HYDRAULIC POWER SOURCE, REXROTH , 5.5 kW, 430/3/60 VAC, w/tank
223A	1	OIL FILTRATION UNIT, R202
224	1	HYDRAULIC POWER SOURCE, HYDRAULIC RING , 1 HP motor, 220/440/3/60 VAC, w/tank
225	1	HYDRAULIC TANK, RACINE , 33" x 16" x 23" ht.
226	1	HYDRAULIC POWER SOURCE , 3 HP motor, 440/3/60 VAC, w/tank
226A	1	HYDRAULIC UNIT, TRU-TRACE , 3 HP motor, 220/460 v.
227	1	HYDRAULIC POWER SOURCE , 1 HP motor, filter, smaller lubrication unit, w/tank
228	1	HYDRAULIC POWER SOURCE, CONTINENTAL HYDRAULICS , 2 HP motor, w/10 gal. tank
229	1	HYDRAULIC POWER SOURCE , 2 HP motor, w/tank
230	1	LOT OF HYDRAULIC POWER SOURCES (3) , w/tanks
231	1	LOT OF HYDRAULIC POWER SOURCES (2) , w/tanks
232	1	LOT OF HYDRAULIC POWER SOURCES (2) , w/tanks
233	1	HYDRAULIC PUMP, BALDOR , 5 HP motor, 230/460/3/60 VAC

SHAMROCK MACHINERY CATALOG

LOT	QTY	DESCRIPTION
234	1	LOT CONSISTING OF: 3/4 HP coolant pump & tank
234A	1	PNEUMATIC OIL PUMP, JERGEN
235	1	COOLANT PUMP, GUSHER, 1/2 HP motor, 230/460/3/60 VAC, 28" x 40" x 20" tank
236	1	COOLANT PUMP, GUSHER, 1/2 HP motor, 230/460/3/60 VAC, 20" dia. X 12" ht. tank
237	1	TRANSFORMER, MGM, 75 KVA, 3 phase, 60 cycle, H.V. 480 Delta, L.V. 208Y/120 w/taps
238	1	TRANSFORMER, THORMAG, 110 KVA, 3 phase, 60 cycle, H.V. 600 Delta, L.V. 380Y/440Y w/taps
239	1	TRANSFORMER, G.S., 138 KVA, 3 phase, 60 cycle, 230x460 delta primary, 480Y/277 secondary, SCR drive
240	1	TRANSFORMER, EGS HEVI-DUTY, 75 KVA, 3 phase, 60 cycle, H.V. 480 Delta, L.V. 240 Delta/120 CT
241	1	TRANSFORMER, K&T, 66.5 KVA, 3 phase, 60 cycle, Pri. 460 Delta/230 delta, Sec. 408Y/277 w/taps
242	1	TRANSFORMER, ALLENWEST SIMPLEX, 50 HP, 3 phase, 50/60 cycle, Pri. 220/575, Sec. 460
243	1	TRANSFORMER, THORMAG, 87 KVA, 3 phase, 60 cycle, H.V. 600 L.V. 220
244	1	ELECTRIC TRANSFORMER, SQUARE D, 75 KVA, 480 to 220
245	1	TRANSFORMER, GENERAL ELECTRIC, 50 HP motor, 220 primary, 440 secondary, 3 phase
246	1	TRANSFORMER, ACME, 37.5 KVA, Acme 1 phase 60 cycle primary 240x480 w/taps, secondary 120/240
247	1	TRANSFORMER, SQUARE D, 30 KVA, 3 phase, 60 cycle, H.V. 480 w/taps, L.V. 208/120
248	1	TRANSFORMER, PRECISION, 100 KVA, 3 phase, 60 cycle H.V., 600 L.V., 480
249	1	TRANSFORMER, HAMMOND, 112.5 KVA, 3 phase, 60 cycle, H.V. 600 Delta L.V. 208Y/120
250	1	TRANSFORMER, 3 phase
251	1	TRANSFORMER, OLSUN, 45 KVA, 3 phase, 60 cycle H.V., 460 L.V., 460Y Delta/Y Dry type
252	1	TRANSFORMER, MGM, 100 KVA, 3 phase, 60 cycle, 460 HV, 120/208 LV
253	1	TRANSFORMER, REX, 45 KVA, 3 phase, Auto 60 cycle, H.V. 575Y, L.V. 380Y
254	1	TRANSFORMER, ALLEN BRADLEY, 5 KVA, 3 phase, 60 cycle, 240/480 v. primary, 230 v. secondary
255	1	TRANSFORMER, BRUCE ELECTRIC, 30 KVA, 3 phase, 60 cycle, H.V. 240 L.V. 208
256	1	TRANSFORMER, REX, 15 KVA, 3 phase, Auto 60 cycle, H.V. 380Y, L.V. 208Y
257	1	TRANSFORMER, BRUCE, 45 KVA, 3 phase, 60 cycle, 208 v. primary, 240 v. secondary
259	1	LOT OF TRANSFORMERS: sgl. phase & 3 phase

SHAMROCK MACHINERY CATALOG

LOT	QTY	DESCRIPTION
260	1	CHUCK , 49" dia. x 6-1/4" thk. manual 4-jaw with 2 pc. jaws, from Schiess VTL
261	1	CHUCK , 42-1/2" dia. x 7" thk. manual 3-jaw with 2 pc. jaws, from Bullard
262	1	CHUCK , 34" x 7-1/2" thk. manual 3-jaw with 2 pc jaws., from Bullard
263	1	CHUCK , 31-1/2" dia. x 5" thk. manual 4-jaw with 2 pc. jaws, 10" bore, A-type mount
264	1	CHUCK , 30" dia. x 4-1/2" thk. manual 4-jaw with solid jaws, flat back mount
265	1	CHUCK , 26" dia. x 4-1/2" thk. manual 4-jaw with 2 pc. jaws, 5" bore, A-type mount
266	1	CHUCK , 23" dia. x 7-1/4" thk. manual 3-jaw with solid jaws, 8" bore, flat back type mount
267	1	CHUCK , 24" dia. x 6-3/4" thk. power 3-jaw with 2 pc. jaws, A-type mount
268	1	CHUCK , 24" dia. x 6-1/2" thk. power 3-jaw with 2 pc. jaws, D-type mount
269	1	CHUCK , 23" dia. x 3-1/2" thk. power 4-jaw with solid jaws, 4" bore, flat back type mount
270	1	CHUCK , 21-1/2" dia. x 5-1/4" thk. manual 3-jaw with 2 pc. jaws, 6 1/2" bore, A-type mount
271	1	CHUCK , 21" dia. x 4" thk. manual 4-jaw with solid jaws, 4" bore, D-type mount
272	1	CHUCK , 19-1/2" dia. x 3-1/2" thk. manual 4-jaw with solid jaws, 3 1/2" bore, flat back type mount
273	1	CHUCK , 18" dia. x 4-1/2" thk. manual 4-jaw with solid jaws, 3-1/2" bore, flat back type mount
274	1	CHUCK , 18" dia. x 7-1/2" thk. manual 3-jaw with 2 pc. jaws, 6" bore, flat back type mount
275	1	CHUCK , 18" dia. x 5-3/4" thk. manual 4-jaw with solid jaws, 7" bore, A-type mount
276	1	CHUCK , 18" dia. x 4-1/2" thk. manual 4-jaw with solid jaws, flat back type mount
277	1	CHUCK , 18" dia. x 5-3/4" thk. power 3-jaw chuck with 2 pc. jaws, A-type mount
278	1	CHUCK , 18" dia. x 5" thk. manual 3-jaw chuck with 2 pc. jaws, 4-1/2" bore, A-type mount
279	1	CHUCK , 18" dia. x 5-3/4" thk. power 3-jaw chuck with 2 pc. jaws, L3-type mount
280	1	CHUCK , 18" dia. x 5-1/4" thk. power 3-jaw chuck with 2 pc. jaws, L3-type mount
281	1	CHUCK , 16" dia. x 4-1/4" thk. manual 3-jaw chuck with 2 pc. jaws, 5-1/4" bore, flat back type mount
282	1	CHUCK , 15" dia. x 4-1/2" thk. manual 3-jaw chuck with 2 pc. jaws, 4-1/2" bore, A-type mount
283	1	CHUCK , 15-1/2" dia. x 4" thk. manual 3-jaw chuck with 2 pc. jaws, 3-1/2" bore, flat back type mount

SHAMROCK MACHINERY CATALOG

LOT	QTY	DESCRIPTION
284	1	CHUCK , 15" dia. x 5-1/2" thk. manual 3-jaw chuck with 2 pc. jaws, 5" bore, A-type mount
285	1	CHUCK , 15" dia. x 4-1/4" thk. manual 4-jaw chuck with 2 pc. jaws, 2-1/2" bore, A-type mount
286	1	CHUCK , 15" dia. x 5-1/2" thk. power 3-jaw chuck with 2 pc. jaws, 4-1/2" bore, A-type mount
287	1	CHUCK , 15" dia. x 5-1/4" thk. manual 3-jaw chuck with 2 pc. jaws, 3" bore, A-type mount
288	1	CHUCK , 15" dia. x 5-1/4" thk. power 3-jaw chuck with 2 pc. jaws, A-type mount
289	1	CHUCK , 15" dia. x 6-1/4" thk. power 3-jaw chuck with 2 pc. jaws, 2-3/4" bore, A-type mount
290	1	CHUCK , 14" dia. x 3-3/4" thk. manual 4-jaw chuck with solid jaws, 2-1/2" bore, flat back type mount
291	1	CHUCK , 12" dia. x 3-3/4" thk. manual 3-jaw chuck with 2 pc. jaws, 5" bore, A-type mount
292	1	CHUCK , 12" dia. x 4-1/2" thk. power 3-jaw chuck with 2 pc. jaws, A-type mount
293	1	CHUCK , 12" dia. x 4" thk. power 3-jaw chuck with solid jaws, 2-1/2" bore, A-type mount
294	1	CHUCK , 12" dia. x 3-3/4" thk. manual 4-jaw chuck with 2 pc. jaws, 2-1/2" bore, D-type mount
295	1	CHUCK , 12" dia. x 4-1/2" thk. power 3-jaw chuck with solid jaws, A-type mount
296	1	CHUCK , 12" dia. x 4-1/2" thk. power 3-jaw chuck with 2-pc. jaws, A-type mount
297	1	CHUCK , 12" dia. x 4-1/2" thk. power 3-jaw chuck with 2-pc. jaws, 3" bore, A-type mount
298	1	CHUCK , 12" dia. x 3-1/2" thk. manual 3-jaw chuck with 2-pc. jaws, 2-1/2" bore, flat back type mount
299	1	CHUCK , 12" dia. x 4-1/2" thk. manual 3-jaw chuck with 2-pc. jaws, 5" bore, A-type mount
300	1	CHUCK , 12" dia. x 4-1/2" thk. power 3-jaw chuck with 2-pc. jaws, 3-1/4" bore, flat back mount
301	1	CHUCK , 11" dia. x 4" thk. power 3-jaw chuck with 2-pc. jaws, 3-1/4" bore, A-type mount
302	1	CHUCK , 10-1/2" dia. x 4-1/2" thk. power 3-jaw chuck with 2-pc. jaws, 3" bore, A-type mount
303	1	CHUCK , 10" dia. x 4" thk. manual 3-jaw chuck with 2-pc. jaws, 2" bore
304	1	CHUCK , 10" dia. x 4" thk. manual 4-jaw chuck, 2-1/2" bore (jaw missing)
305	1	CHUCK , 10" dia. x 3-1/2" thk. manual 6-jaw chuck with solid jaws
306	1	CHUCK , 10" dia. x 4" thk. power 3-jaw chuck with 2-pc. jaws, 2-1/2" bore, A-type mount
307	1	CHUCK , 9-3/4" dia. x 3-3/4" thk. power 3-jaw chuck with 2-pc. jaws

SHAMROCK MACHINERY CATALOG

LOT	QTY	DESCRIPTION
308	1	CHUCK , 10" dia. x 3-3/4" thk. power 2-jaw chuck with 2-pc. jaws
309	1	CHUCK , 10" dia. x 3-1/2" thk. manual 6-jaw chuck with 2-pc. jaws, 2-1/2" bore
310	1	CHUCK , 9" dia. x 3" thk. manual 3-jaw chuck with solid jaws, 2" bore
311	1	CHUCK , 8-1/2" dia. x 4-1/2" thk. power 3-jaw chuck with 2-pc. jaws
312	1	CHUCK , 8" dia. x 3-1/4" thk. power 3-jaw chuck with 2-pc. jaws
313	1	CHUCK , 8" dia. x 4-1/2" thk. power 3-jaw chuck with 2-pc. jaws, 1-1/2" bore
314	1	CHUCK , 8" dia. x 3" thk. manual 3-jaw chuck with 2-pc. jaws, 2" bore
315	1	CHUCK , 8" dia. x 3" thk. manual 3-jaw chuck with 2-pc. jaws, 2" bore
316	1	CHUCK , 8" dia. x 3-1/2" thk. power 3-jaw chuck with 2-pc. jaws
317	1	CHUCK , 10" dia. x 4-1/2" thk. power 3-jaw chuck with 2-pc. jaws
318	1	CHUCK , 10" dia. x 5" thk. power 3-jaw chuck with 2-pc. jaws
319	1	LOT OF CHUCKS , misc. (Incomplete)
320	1	LOT OF CHUCK ADAPTERS , misc.
321	1	CHUCK , 21" dia. x 6-3/4" thk. power 3-jaw chuck with 2-pc. jaws
322	1	CHUCK , 21" dia. x 6-3/4" thk. power 3-jaw chuck with 2-pc. jaws
323	1	CHUCK , 18" dia. x 5-1/2" thk. power 3-jaw chuck with 2-pc. jaws
324	1	CHUCK , 22" dia. x 11" thk. SMW Air 3-jaw chuck with 2-pc. jaws, 6" bore, stationary fixture chuck
325	1	CHUCK , 13" dia. x 6" thk. SMW Air 3-jaw chuck with 2-pc. jaws, 4" bore, Mdl. SP315/105
326	1	CHUCK , 13-1/2" dia. x 7-1/2" thk. Pratt Air 3-jaw chuck with 2-pc. Jaws, 5-1/2" bore
327	1	AIR CHUCK , SMW, SP345/105, A-type mount, 4" bore
328	1	AIR CHUCK , SMW 12", LP305, A-type mount, 3/4" bore
329	1	AIR CHUCK , SMW 10", SP250, A-type mount, 2-1/2" bore
330	1	NON-ROTATING FIXTURE CHUCK , 12", manual
330A	1	PNEUMATIC CONTROL (for air chuck)
331	1	POWER CHUCK , 18", H-18, 5" bore, w/tube & actuator
331A	1	TUBULAR SQUARE , 4-1/2" dia. x 40"L. (for machine alignment)
331B	1	CONE SHAPED DRIVE , 14" dia., w/D-11 mount
331C	1	LOT OF ROLLER STEADYREST OUTBOARDS (2)

SHAMROCK MACHINERY CATALOG

LOT	QTY	DESCRIPTION
332	1	FACING HEAD, LUCAS 23" FOR 3" SPINDLE , new 1962, Type CBFH, 10" slide stroke (+/- 5" from centered position), 33" max. recommended facing dia., S/N 1573
333	1	FACING HEAD , 3" x 19-1/2" dia., 8" stroke (from a Horizontal Boring Mill)
334	1	T-SLOTTED FACEPLATE , 36", L-type mount
335	1	T-SLOTTED FACEPLATE , 36", D-type mount
336	1	T-SLOTTED FACEPLATE , 27", D-type mount
337	1	T-SLOTTED FACEPLATE , 27", A-type mount
338	1	T-SLOTTED FACEPLATE , 27", D-type mount
339	1	T-SLOTTED FACEPLATE , 28", D-type mount
340	1	T-SLOTTED FACEPLATE , 30", D-type mount
341	1	T-SLOTTED FACEPLATE , 27", A-type mount
342	1	LOT OF T-SLOTTED FACEPLATES , misc.
343	1	TAIL SUPPORT (for Horizontal Boring Mill)
344	1	STEADYREST (BODY ONLY) , 20" opening, 19" or 24" centerline, w/riser
345	1	ROLLER STEADYREST , 27-1/2" opening, 20" centerline
346	1	ROLLER STEADYREST , 18" opening, 15" centerline
347	1	ROLLER STEADYREST , 16" opening, 12" centerline
348	1	STEADYREST (BODY ONLY) , 16" opening, 13" centerline
349	1	ROLLER STEADYREST , 16-1/2" opening, 11" centerline
350	1	STEADYREST , 22" opening, 17" centerline
351	1	FOLLOWREST, RYAZAN (STANKO) , 2" to 9.8", for 39.4" sw. (1h65) & larger
352	1	ROLLER STEADYREST, TOS , 7-1/2" opening, 12-1/2" centerline
353	1	ROLLER STEADYREST, KINGSTON , 12" opening, 20" centerline
354	1	ROLLER STEADYREST , 10" opening, 13" centerline
355	1	ROLLER STEADYREST , 20-1/2" opening, 12-1/2" centerline
356	1	STEADYREST (BODY ONLY) , 14-1/2" opening, 16" centerline
357	1	HYDRAULIC OPEN SIDED ROLLER STEADYREST , approx. 10" cap.
358	1	STEADYREST (BODY ONLY) , 9-1/2" opening, 13" centerline
359	1	STEADYREST (BODY ONLY) , 10-1/2" opening, 18" centerline
360	1	STEADYREST (BODY ONLY) , 10" opening, 13" centerline
361	1	STEADYREST (BODY ONLY) , 8-1/2" opening, 14" centerline
362	1	STEADYREST (BODY ONLY) , 8-1/2" opening, 14" centerline
363	1	ROLLER STEADYREST , 6-1/2" opening, 11" centerline
363A	1	LOT CONSISTING OF: 2-3/4" cap. 5-1/2" center height steadyrest & 4" cap. followrest
364	1	LOT CONSISTING OF: steadyrest rollers & steadyrest clamps

SHAMROCK MACHINERY CATALOG

LOT	QTY	DESCRIPTION
365	1	ROTARY TABLE, PRATT & WHITNEY 30" VERTICAL (HORIZONTAL CENTERLINE), 30" dia. T-slotted faceplate w/(8) T-slots, Cushman 32" dia. 3-jaw chuck, Vernier scale to 2 arc seconds, ½ HP forward/reverse motor, S/N 28332
366	1	ROTARY CHUCK, 24" dia., w/hydraulic cylinder, 6" dia. X 10" L., max. part size
367	1	LOT OF DRILL BITS, misc. (large)
368	1	LOT OF DRILL BITS, misc.
369	1	LOT OF DRILL BITS, misc.
370	1	LOT OF CENTERS: live & dead
371	1	LOT OF CENTERS: live & dead
372	1	LOT OF CENTERS: live & dead
373	1	LOT OF CENTERS: live & dead
374	1	LOT OF INSERT TURNING TOOLHOLDERS
375	1	LOT OF CUTTING TOOLS, TOOL STEEL
376	1	LOT CONSISTING OF: BT50 toolholders & Renishaw probe
377	1	LOT OF QUICK CHANGE TOOLHOLDERS
378	1	LOT OF TOOLHOLDERS: CAT-40 & MT40
379	1	LOT CONSISTING OF: MT30 toolholders & Tapmatic attachment
380	1	LOT OF TOOLHOLDERS, CAT-50
381	1	LOT OF TOOLHOLDERS, CAT-50
382	1	LOT CONSISTING OF: CAT-45 toolholders & Renishaw probe
383	1	LOT OF TOOLHOLDERS, MT50
384	1	LOT OF TOOLHOLDERS, MT50
385	1	LOT OF TOOLHOLDERS, MT50
386	1	LOT OF TOOLHOLDERS, MT50
387	1	LOT OF TOOLHOLDERS, MT50
388	1	LOT OF TOOLHOLDERS, MT50
389	1	LOT OF TOOLHOLDERS, MT50
390	1	LOT OF TOOLHOLDERS, MT50
391	1	LOT OF TOOLHOLDERS, MT50
392	1	LOT OF TOOLHOLDERS, MT50
393	1	LOT OF TOOLHOLDERS, MT50
394	1	LOT OF TOOLHOLDERS, MT50
395	1	LOT OF TOOLHOLDERS, MT50
396	1	LOT OF TOOLHOLDERS, MT50
397	1	LOT OF TOOLHOLDERS, MT50
398	1	LOT OF TOOLHOLDERS, MT50
399	1	LOT OF TOOLHOLDERS, MT50
400	1	LOT OF TOOLHOLDERS, MT50
401	1	LOT OF TOOLHOLDERS, MT50
402	1	LOT OF TOOLHOLDERS, MT50
403	1	LOT OF TOOLHOLDERS, MT50
404	1	LOT OF TOOLHOLDERS, MT50
405	1	LOT OF TOOLHOLDERS, MT50

SHAMROCK MACHINERY CATALOG

LOT	QTY	DESCRIPTION
406	1	LOT OF TOOLHOLDERS, MT50
407	1	LOT OF TOOLHOLDERS, MT50
408	1	LOT OF TOOLHOLDERS, MT50
409	1	LOT OF TOOLHOLDERS, MT50
409A	1	LATHE THREAD ROLLING ATTACHMENT
409B	1	LOT CONSISTING OF: morse taper to MT50 adaptor
409C	1	LOT CONSISTING OF: morse taper to MT50 adaptor
409E	1	LOT OF COLLETS, R8 & misc. sizes
409F	1	LOT CONSISTING OF: Jacobs chucks, R8 & morse shank, misc.
409G	1	LOT CONSISTING OF: Jacobs chucks, R8 & morse shank, misc.
409H	1	LOT CONSISTING OF: milling tools & R8 shank
409I	1	SWIVELING VISE (small)
409J	1	LOT OF MILLING MACHINE SET-UP BLOCKS
409K	1	LOT CONSISTING OF: tool stool & inserts
409L	1	LOT CONSISTING OF: mechanics tools, etc. (located on table top)
409M	1	LOT CONSISTING OF: mechanics tools, etc. (located on table top)
409N	1	LOT OF MECHANIC'S WRENCHES
409O	1	LOT OF FILES
409P	1	LOT OF T-WRENCHES
409Q	1	KNOCK-OUT PUNCH SET, GREENLEE, 1/2" to 2"
409R	1	THREAD REPAIR KIT, NUTSERT
409S	1	DRILL SHARPENER, DRILL DOCTOR
409T	1	DIE GRINDER, DREMEL MDL. 3000
409U	1	RETAINING RING PLIER
409V	1	IMPACT SOCKET SET
409W	1	TAP EXTRACTOR, WALTON
409X	1	RATCHET SET, HUSKY
410	1	BORING BAR, KENNAMETAL, D40TTB35, 113216659C4CV
411	1	BORING BAR, KENNAMETAL, D32TTB28, 113216659C4CV
412	1	BORING BAR, KENNAMETAL, A32-NER4NL3
413	1	BORING BAR, SANDVIK CORETURN RC, 826465
414	1	LOT OF BORING BARS (6), misc.
414A	1	LOT OF BORING BARS (in one box)
415	1	LOT OF MILLING CUTTERS (on one pallet)
416	1	TOOLPOST, ALORIS DA
417	1	TOOLPOST, ALORIS BXA, w/toolholders
418	1	TOOLPOST, ALORIS CA, w/toolholders
419	1	LOT CONSISTING OF: toolpost & holders, Quick Change, American style
420	1	HEX LATHE TURRET, McCROSKY, Size 8
421	1	HEX LATHE TURRET, McCROSKY, Size 8

SHAMROCK MACHINERY CATALOG

LOT	QTY	DESCRIPTION
422	1	4-WAY TOOLPOST
423	1	LOT OF MILLING MACHINE ARBORS
424	1	LOT OF MORSE TAPER DRILLS , misc.
425	1	LOT OF MORSE TAPER MILLING CUTTERS
426	1	LOT OF MACHINE PARTS , misc. (for the Warner & Swasey Turret Lathe)
427	1	LOT OF DOVETAIL TOOLHOLDERS , boring & turning, misc.
428	1	LOT OF MORSE TAPER TOOLING , misc.
429	1	LOT OF TAPER ATTACHMENT PARTS , misc.
430	1	LOT OF LATHE TOP SLIDES
431	1	LOT CONSISTING OF: Multi-Fix splined toolpost & holders
432	1	LOT OF BORING TOOLHOLDERS, EDWARD ANDREWS
433	1	LOT OF BORING TOOLHOLDERS, EDWARD ANDREWS
434	1	LOT OF BORING BARS
435	1	LOT OF TOOLHOLDERS: boring & turning
436	1	LOT OF TOOLHOLDERS: boring & turning (for the Mori Seiki & Mazak CNC lathes)
437	1	LOT OF BORING TOOLHOLDERS (for the Mori Seiki CNC Lathes)
438	1	LOT OF BORING BAR TOOLHOLDERS
439	1	LOT OF TOOLS: large boring & turning
440	1	LOT OF VDI TOOLING: right angle & straight live tooling
441	1	LOT OF CAT TAPER TOOLING: #30 short
442	1	LOT OF LEVELING WEDGES , H.D.
443	1	LOT OF LEVELING WEDGES
444	1	COOLANT PUMP, GRUNDFOS, SPK8-2 AMA-RUUV , 9" dist. from bottom of mounting plate to the bottom of pump
445	1	COOLANT PUMP, GRUNDFOS, SPK8-2 AMA-RUUV , 9" dist. from bottom of mounting plate to the bottom of pump
446	1	ELECTRIC COOLANT PUMP, FUJI , 9-1/2" dist. from mounting plate to bottom of pump
447	1	COOLANT PUMP, GRUNDFOS, MTH 4-40 AWA-AUUV , 7-3/4" dist. from bottom of mounting plate to the bottom of pump
448	1	COOLANT PUMP, GRUNDFOS, MTH 4-40 AWA-AUUV , 7-3/4" dist. from bottom of mounting plate to the bottom of pump
449	1	COOLANT PUMP, GRUNDFOS, MTA 4-250 AWA , 9-3/4" dist. from bottom of mounting plate to the bottom of pump
450	1	LOT OF ELECTRIC MOTORS (on one pallet)
451	1	LOT CONSISTING OF: Bullard vertical turret lathe toolholders
452	1	LOT OF LEVELING PADS (on one pallet)
453	1	LOT OF ELECTRIC MOTORS (on one pallet)
454	1	LOT OF COOLANT PUMPS (on one pallet)
455	1	LOT OF PNEUMATIC ACCESSORIES

SHAMROCK MACHINERY CATALOG

LOT	QTY	DESCRIPTION
456	1	MACHINE VISE, 17", H.D., 17" jaw opening x 5-1/2" chucking height
457	1	MACHINE VISE, 12", 16" opening, H.D.
458	1	WISE, 8", 15" opening
459	1	MACHINE VISE, YUASA 6" MDL. 550-603, w/swivel vise
460	1	MACHINE VISE, YUASA 6" MDL. 590-306, w/swivel vise
460A	1	WORK FIXTURE, 10", w/swiveling base
461	1	ANG LOCK VISE, KURT 6" MDL. D688
462	1	MACHINE VISE, 6"
463	1	MOUNTING TABLE TOP VISE, w/2-way swiveling head
464	1	MACHINE VISE, 6"
465	1	DOUBLE SWIVEL MACHINE VISE, 6"
466	1	2-CROSSWAY SLIDE VISE
467	1	MACHINE VISE, 6"
468	1	LOT OF SWIVELING BASES
469	1	PNEUMATIC VISE, HEINRICH TOOLS MDL. DA6601
470	1	DOUBLE END PNEUMATIC VISE
471	1	HYDRAULIC MACHINE VISE, 7"
472	1	DIVIDING HEAD, CINCINNATI UNIVERSAL, 12" swing, 10" dia. 4-jaw chuck
473	1	LOT CONSISTING OF: (2) RedHead spindles & 5 HP motor
474	1	LOT CONSISTING OF: hand wheels, levers, cranks, knobs (from various machines)
475	1	LOT OF GRINDING WHEELS, NORTON, assorted (for cylindrical grinder)
475A	1	GRINDING WHEEL, 30" dia., w/hub
476	1	ELECTROMAGNETIC CHUCK, 7" x 48"
477	1	ELECTROMAGNETIC CHUCK, WALKER, 8" x 48"
478	1	ELECTROMAGNETIC CHUCK, 6" x 37"
479	1	ELECTROMAGNETIC CHUCK, 10" x 24"
480	1	MAGNETIC CHUCK, 6" x 18"
481	1	ELECTROMAGNETIC CHUCK, 6" x 18"
482	1	MAGNETIC CHUCK, 5" x 10"
483	1	MAGNETIC CHUCK, 6" x 10"
484	1	PNEUMATIC CYLINDER, 5" x 12" stroke
485	1	LOT CONSISTING OF: tool & cutter grinder parts
486	1	INDEPENDENT OVERARM, CINCINNATI, w/swiveling right angle head, 5 HP motor
487	1	RIGHT ANGLE HEAD
488	1	SWIVELING RIGHT ANGLE HEAD, HERCULES
489	1	SWIVELING RIGHT ANGLE HEAD
490	1	SWIVELING PRESETTING SPINDLE
491	1	RIGHT ANGLE HEAD
492	1	MICROBORE PRESETTING SPINDLE, DEVLIEG MDL. 2P-100
493	1	TURRET (from a Mazak CNC machine)

SHAMROCK MACHINERY CATALOG

LOT	QTY	DESCRIPTION
494	1	CNC ROTARY TABLE, TSUDAKOMA MDL. RB-250R , taken from a vertical machining center, Fanuc Mdl. A02B-0228-B502 servo drive, 9.84" table w/chuck & tailstock, 330 lb. cap., S/N 001177 (<i>*Note: servo drive not included</i>)
495	1	ANGLE PLATE, 12" x 12"
496	1	ANGLE PLATE, 6" x 14"
497	1	ANGLE PLATE, 6" x 6" , w/tool block
498	1	LOT OF LATHES PARTS, SASTA
499	1	LOT OF KURAKI LATHE , including brass nuts, screws, gears, shifters
500	1	LOT OF CHUCK JAWS
501	1	LOT OF CHUCK JAWS
502	1	LOT CONSISTING OF: milling machine parts (Bridgeport style) & phase converters
502A	1	COLLET CHUCK, CUSHMAN , D1-8 camlock mount, Hardinge Mdl. 315, 1", 1-1/2" & 2" collets
503	1	LOT CONSISTING OF: collets & collet chucks
504	1	LOT CONSISTING OF: Gibs, misc. machine parts, cutters, toolholders
505	1	LOT OF CHUCK WRENCHES
506	1	LOT CONSISTING OF: Rynzan (Stanko) parts, gears, shafts, shifters, clutches, etc. (in one box)
507	1	BORING BAR, #6 MT, 115"L. x 5" dia.
508	1	BORING BAR, #6 MT, 88"L. x 5" dia.
509	1	BORING BAR, 70"L. x 5" dia.
510	1	BORING BAR, 29"L. x 4" dia.
511	1	O.D. MICROMETER, 7" to 8" , .0001"
512	1	O.D. MICROMETER, 6" to 7" , .0001"
513	1	LOT OF MICROMETERS: (1) Aerospace 18" & (1) Mitutoyo 12"
514	1	LOT OF MICROMETERS (2), MITUTOYO 12"
515	1	LOT OF GAUGE BLOCKS, .5 mm to 100 mm (one set)
516	1	LOT OF GAUGE BLOCKS, .0050" to 4" (one set)
517	1	LOT OF O.D./I.D. MICROMETERS, 1" to 6" (one set)
518	1	PARALLEL SET, PHASE II
519	1	LOT OF I.D. GAUGES, 1/2" to 1-1/4" (one set)
520	1	LOT OF RADIUS GAUGES, STARRETT, 3/64" to 1/2" (one set)
521	1	LOT OF DIAL INDICATORS
522	1	LOT CONSISTING OF: Lufkin end measuring set & micrometer standards
523	1	LOT OF O.D. MICROMETERS, misc.
524	1	LOT CONSISTING OF: dial calipers, measuring devices, thickness gauges
525	1	LOT OF MAGNETIC BASES
526	1	LOT OF MAGNETIC BASES
527	1	LOT OF MAGNETIC BASES

SHAMROCK MACHINERY CATALOG

LOT	QTY	DESCRIPTION
528	1	LOT OF TRANSFER PUNCHES
528A	1	STRAIGHT EDGE, STARRETT 24"
529	1	LOT OF 1-2-3 BLOCKS
530	1	RUBBER COLLET SET, JACOBS
531	1	COUNTERBORE SET
532	1	HEIGHT GAUGE, VAUGH TOOL
533	1	ANGLE SET, OSHLUN
534	1	LOT OF TABLES (3)
534A	1	LOT OF JACKS, SIMPLEX, 8 T. cap. & 6 T. cap.
534B	1	LOT CONSISTING OF: tube benders, Ridgid flaring tools, Ridgid pipe cutters
534C	1	ANGLE HEAD, Mdl. PAH042R, BT50-AG-90/NBS20-230, spd. ratio 1:1, reverse mat 3,000 RPM
534D	1	LOT OF KNURLING TOOLS
534E	1	LOT CONSISTING OF: Ridgid pipe threader heads & pipe wrenches
534F	1	LOT OF TIG WELDING ACCESSORIES (in one box)
534G	1	PRECISION MACHINE LEVEL, BUSCH 24" MDL. T6624
534H	1	PRECISION MACHINE LEVEL, THE CHALLENGE MACHINERY CO. 36" MDL. SE-36
534I	1	ELECTRIC WAX SCRAPER, BIAx TYPE HM10, #200040240/622, w/hand scraper
534J	1	ELECTRIC SCRAPER, Type 7ELM, #200040044/8967
534K	1	AIR ANGLE GRINDER, STARLITE INDUSTRIES
534L	1	PULLER SET, MORGAN (in one box)
534M	1	SPRAY METAL GUN & POWDER FLUX ROTOTEC
535	1	LOT OF TABLES (3)
536	1	LOT OF TABLES (3)
537	1	LOT OF TABLES (4)
538	1	LOT OF TABLES (6)
539	1	METAL TABLE, w/Ridgid BC-610 1/4" to 6" chain vise
540	1	LOT OF STEEL FABRICATED SHELVING: 144"L. x 48" dp. x 96" ht.
541	1	LOT OF PALLET SHELF SECTIONS (5), 94" x 42"
542	1	LOT OF PALLET SHELF SECTIONS (3), 94" x 42"
543	1	LOT OF PALLET SHELF SECTIONS (3), 94" x 42"
544	1	LOT OF PALLET SHELF SECTIONS (2), 94" x 42"
545	1	LOT OF SHELVING: vertical & horizontal (disassembled)
546	1	FORKLIFT, DOOSAN 4,600 LBS. CAP. MDL. G25E-5, new 2007, Type LP, propane pwr., 3-stage mast, 186" lift ht., 48" forks, hyd. side shift, back tilt, solid tires, S/N MB-00220
547	1	FORKLIFT, HYSTER 6,650 LB. CAP. MDL. S60ES, Type LP, propane, 141" lift height, 5' forks, solid tires, Stock No. 9682, S/N D002D5811Y
548	1	LOT OF FORKLIFT FORK EXTENSIONS, 60"
549	1	ELECTRICAL CABINET, 65" x 15" x 80" ht., w/misc. electrical parts

SHAMROCK MACHINERY CATALOG

LOT	QTY	DESCRIPTION
550	1	COMBINATION/KEY GUN SAFE, CANNON , 30"W. x 24" dp. x 60" ht.
551	1	SODA VENDING MACHINE, COCA COLA MDL. USS-8-64 , new 1964, 28"W. x 23" dp. X 55" ht. (can use bottles or cans)
552	1	LOT OF FILE CABINETS (6) , w/brochures (orange dots)
553	1	LOT OF FILE CABINETS , w/manuals, drawings, etc. (located in office & warehouse) (green dots)
554	1	CABINET , w/DeWalt tools & oilers
555	1	LOT CONSISTING OF: GBC document binder, UPS scale, office supplies (on cart), APC battery backup, multi function printer, Brother