

LOT	QTY	DESCRIPTION
1	1	PORTABLE DC WELDER/GENERATOR, MILLER MDL. TRAILBLAZER 275 , new 2013, 275 amp cap., gasoline engine, 87 H.O.M., S/N MD491002R. (Location M-Houston)
2	1	PORTABLE DC WELDER/GENERATOR, MILLER MDL. TRAILBLAZER 275 , new 2013, 275 amp cap., gasoline engine, 209 H.O.M., S/N MD490739R (Location M-Houston)
3	1	ACORN TABLE, 5' x 7' , w/Wilton 8" bench vise (Location M-Houston)
4	1	WELDING TABLE, 4' x 8' , w/Wilton 8" vise, Ridgid Mdl. BC-410 chain vise (Location M-Houston)
5	1	WELDING TABLE, 4' x 8' , w/Wilton 8" vise, Ridgid Mdl. BC-410 chain vise (Location M-Houston)
6	1	ROUND WELDING TABLE, 6' , w/2" thk. Top & leveling screws (Location M-Houston)
7	1	ROUND WELDING TABLE, 4.5' , w/2" thk. Top & leveling screws (Location M-Houston)
8	1	PEDESTAL MOUNTED DOUBLE END GRINDER, JET (Location M-Houston)
9	1	PEDESTAL MOUNTED DOUBLE END GRINDER, DEWALT (Location M-Houston)
10	1	PEDESTAL MOUNTED BENCH VISE (Location M-Houston)
11	1	PEDESTAL MOUNTED BENCH VISE (Location M-Houston)
12	1	PANEL SAW, MILWAUKEE MDL. 6480 , S/N 7978401400063 (Location M-Houston)
13	1	EXTERNAL TRUCK FUEL TANK, TRADESMAN , w/Fillrite pump (Location M-Houston)
14	1	EXTERNAL TRUCK FUEL TANK, TRADESMAN , w/Fillrite pump (Location M-Houston)
15	1	SET OF UTILITY TRUCK TYPE TOOL BOXES, (2) LARGE CABINET STYLE, (1) DELTA TOP OPENING TOOLBOX (Location M-Houston)
16	1	SET OF UTILITY TRUCK TYPE TOOL BOXES, (2) LARGE CABINET STYLE, (1) DELTA TOP OPENING TOOLBOX (Location M-Houston)
17	1	SET OF UTILITY TRUCK TYPE TOOL BOXES, (2) LARGE CABINET STYLE, (1) DELTA TOP OPENING TOOLBOX (Location M-Houston)
18	1	SET OF UTILITY TRUCK TYPE TOOL BOXES, (2) LARGE CABINET STYLE, (1) DELTA TOP OPENING TOOLBOX (Location M-Houston)
19	1	TRUCK MOUNT GAS BOTTLE SUPPLY RACK , w/retractable hose reel (Location M-Houston)
20	1	TRUCK MOUNT GAS BOTTLE SUPPLY RACK , w/retractable hose reel (Location M-Houston)
21	1	TRUCK MOUNT GAS BOTTLE SUPPLY RACK , w/retractable hose reel (Location M-Houston)
22	1	TRUCK MOUNT GAS BOTTLE SUPPLY RACK , w/retractable hose reel (Location M-Houston)
23	1	TRUCK MOUNT GAS BOTTLE SUPPLY RACK , w/retractable hose reel (Location M-Houston)
24	1	RECIPROCATING TYPE AIR COMPRESSOR, CUSTOM 25 HP 3-STAGE , horiz. air receiver, air aftercooler, skid mtd. (Location M-Houston)
25	1	ENGINE LATHE, MONARCH 20.5" X 72" , Mdl. 18"C, 14-600 RPM, 15" 3-jaw chuck, Aloris tool post, steadyrest, taper, splash guard, S/N 30414 Plus; Faceplate, 4-jaw chuck and toolpost grinder, (Location M-Houston).
26	1	VERTICAL TURRET MILL, BRIDGEPORT, 9" x 48" table, 2 HP, pwr. Long. Table feed, 240-4200 RPM, Heidenhain 2 axis DRO, S/N 238597. Comes with 16" rotary table, 8" super spacer and 7" milling vise (Location M-Houston)
27	1	RADIAL DRILL, BRENDA 4' X 12" , Mdl. R220MP, spds: 30-2200 RPM, pwr. clamping, pwr. elevation, box table, vise, cart w/tie down tooling, S/N N.A. (Location M-Houston)
28	1	RAM TYPE RADIAL DRILL, ROCKWELL/DELTA MDL. 15-20 , spds: 175-8250 RPM, 26" x 18" table, S/N 1470501 (Location M-Houston)
29	1	H-FRAME PRESS, ENERPAC 5 T. CAP. , 32" btn. uprights, 3/4 HP (Location M-Houston)
30	1	HORIZONTAL JIG MILL, DEVLIEG SPIRAMATIC MDL. 4H-60 , 40" x 60" T-slotted table, 4" spdl., 48" vert. headstock travel, spdl. spds: 26-1220 RPM, threads & feeds, rapid feeds, way covers, lube system, Accu-rite 3-axis D.R.O., S/N 8358 (Location M-Houston).
31	1	FIXTURE PLATE, 40" x 60" , w/lifting eyes (Location M-Houston)
32	1	HORIZONTAL BANDSAW, KBC 12" X 19" , Mdl. LF-BS12A, 6-spd. settings, auto features, S/N 12060 (Location M-Houston)

LOT	QTY	DESCRIPTION
36	1	ROBOTIC WELDING SYSTEM, DYNAMIC MDL. DR4200L , Daihen Corp. 6-axis robotic arm, OTC Turbo Pulse Mdl. 350DF mag welding pwr. source, O&C DR control 2 w/teach pendant controls, Preston Eastin 600 lb. cap. positioner, new 2001, Mdl. RF1-30EW, S/N RFT-30EW-43, machine S/N 506202 (Location A-Navasota) F.O.B. CUSTOMER'S TRUCK.
37	1	ROBOTIC WELDING SYSTEM, DYNAMIC MDL. DR4000 , Daihen Corp. 6-axis robotic arm, OTC Turbo Pulse Mdl. 350DF mag welding pwr. source, OTC DR control w/teach pendant control, Mdl. TA-501 turn table, 600 lb. Cap., new 2000, S/N L7249YK5590903, machine S/N 316202 (Location A-Navasota) F.O.B. CUSTOMER'S TRUCK.
38	1	WELDING POSITIONER, VANGUARD 33,000 LB. CAP. , new 2006, mdl. HB150, rated loading 15,000 kilograms, rotation speed .02-.2 rpm, 86" round table, tilt axis 72 1/2", S/N 480662 (Location B-Houston) F.O.B. CUSTOMER'S TRUCK
39	1	WELDING POSITIONER, RANSOME/WORTHINGTON 6,000 LB. CAP. , 48" table, Reliance Electric SCR spd. control, pwr. tilt, 460 v. input, S/N 37276258 (Location B-Houston) F.O.B. CUSTOMER'S TRUCK
40	1	WELDING POSITIONER, UNIQUE 1,000 LB. CAP. , Mdl. UPC10, 29" x 29" table, 480 v. input, S/N 101841 (Location B-Houston) F.O.B. CUSTOMER'S TRUCK
41	1	TANK TURNING ROLLS, RANSOME 20 T. CAP. , 23"L. x 57"W., 3" x 16" rubber wheels, 120 v. input, variable spd. rotation (Location B-Houston) F.O.B. CUSTOMER'S TRUCK
42	1	SEAM WELDING MACHINE, AIRLINE 120" , variable spd. travel carriage, pneu. clamping, powered retractable mandrel, no welding power source, S/N 1166 (Location B-Houston) F.O.B. CUSTOMER'S TRUCK
43	1	PIPE CUTTER, BUG-O MDL. SE-4P , 12" max. pipe, oxy./acy. torch, S/N J011338 (Location B-Houston) F.O.B. CUSTOMER'S TRUCK
44	1	PLASMA CUTTER, THERMAL DYNAMICS MDL. PAK15XC , 150 amp output, 25' torch w/leads, S/N 84501 (Location B-Houston) F.O.B. CUSTOMER'S TRUCK
45	1	WELDING MACHINE, LINCOLN ELECTRIC MDL. AC-1200 , 1,200 amps, S/N AC802042 (Location B-Houston) F.O.B. CUSTOMER'S TRUCK
46	1	WELDING MACHINE, LINCOLN ELECTRIC MDL. DC-1000 , 1,000 amps, S/N AC822187 (Location B-Houston) F.O.B. CUSTOMER'S TRUCK
47	1	WELDING MACHINE, MILLER ELECTRIC DIMENSION MDL. 652 , 650 amps, S/N KD54279 (Location B-Houston) F.O.B. CUSTOMER'S TRUCK
48	1	WELDING MACHINE, MILLER ELECTRIC GOLDSTAR MDL. 652 , 650 amps, S/N KF776500 (Location B-Houston) F.O.B. CUSTOMER'S TRUCK
49	1	ROD OVEN, PHOENIX 300 LB. CAP. , 150 v. input, 550 deg. F. max. temp. (Location B-Houston) F.O.B. CUSTOMER'S TRUCK
50	1	PASS
51	1	PASS
52	1	CNC LASER CUTTING SYSTEM, MITSUBISHI MDL. ML2512LXP MODEL 3020D , new 1999, Mitsubishi 2,000 watt laser, machine positioning design flying optic laser resonator, Travels: X-axis = 48", Y-axis = 96", Z-axis = 3.9", Mitsubishi 32-bit Mdl. LC10BV CNC control, Dual 48" x 96" pallet shuttle tables, chiller unit, S/N 1825LXP325 SEE VIDEO Machine has now been crated and is awaiting shipping. (Location C-Deer Park) F.O.B. CUSTOMER'S TRUCK
53	1	PLATE BENDING ROLL, WEBB 10' X 1.25" (est.) CAP. , Mdl. 16L-C3-3, 3-roll design, main motor rebuilt 2009, bending motor rebuilt 2014, 8' x 24' x 8' O.D., 69,000 lbs., S/N 373 (Location D-Beaumont) F.O.B. CUSTOMERS TRUCKS
54	1	PLATE BENDING ROLL, WEBB 8' X 5/8" , Mdl. 9L-3, 3 roll design, 12" roll dia., 20 HP main motor, S/N 5373 (Location E-Beaumont) F.O.B. CUSTOMER'S TRUCK
55	1	HYDRAULIC PRESSBRAKE, BEATTY 200 T. X 8' , 99" bed, 99" between housings, 31" stroke, 31" daylight, 7.5" w. platen, 18" w. table, rapid advance and return, S/N N.A. (Location E-Beaumont) \$750 LOADING CHARGE
56	1	TILT FRAME VERTICAL BANDSAW, DOALL MDL. TF-14H , 14" x 21" cap., 230V/3ph/60, S/N 363-76168 (Location E-Beaumont) F.O.B. CUSTOMER'S TRUCK
57	1	PORTABLE PLASMA CUTTER, HYPER THERM MDL. POWERMAX 1100C , S/N 1100-011223 (Location E-Beaumont) F.O.B. CUSTOMER'S TRUCK
58	1	WELDING POWER SOURCE, LINCOLN POWERWAVE MDL. 450 , 450 amp cap., S/N U1980417710 (Location E-Beaumont) F.O.B. CUSTOMER'S TRUCK
59	1	WELDING POWER SOURCE, LINCOLN POWERWAVE MDL. 450 , 450 amp cap., S/N U1980417703 (Location E-Beaumont) F.O.B. CUSTOMER'S TRUCK

LOT	QTY	DESCRIPTION
60	1	WELDING POWER SOURCE, LINCOLN POWERWAVE MDL. 450 , 450 amp cap., S/N U1970910120 (Location E-Beaumont) F.O.B. CUSTOMER'S TRUCK
61	1	WELDING POWER SOURCE, LINCOLN POWERWAVE MDL. 450 , 450 amp cap., S/N U1960706197 (Location E-Beaumont) F.O.B. CUSTOMER'S TRUCK
62	1	TRUCK TRACTOR, 2004 FREIGHTLINER MDL. COLUMBIA 120 , tandem axle, sleeper cab, Eaton Fuller 10 spd. trans., 14.6L L6 diesel, Odo. reads: 580,000 miles, VIN 1FUJA6AV84LN24377 (Location E-Beaumont)
63	1	WELDING POWER SOURCE, LINCOLN MDL. AC 1200 , new 2003, 1200 amp cap., S/N U1030108961 (Location F-Houston) F.O.B. CUSTOMER'S TRUCK
64	1	WELDING POWER SOURCE, LINCOLN MDL. AC 1200 , new 2003, 1200 amp cap., S/N U1030108962 (Location F-Houston) F.O.B. CUSTOMER'S TRUCK
65	1	WELDING POWER SOURCE, LINCOLN MDL. DC 600 , new 2001, 600 amp cap., S/N U1011103191 (Location F-Houston) F.O.B. CUSTOMER'S TRUCK
66	1	WELDING POWER SOURCE, LINCOLN MDL. DC 600 , new 2001, 600 amp cap., S/N U1011004458 (Location F-Houston) F.O.B. CUSTOMER'S TRUCK
67	1	WELDING POWER SOURCE, LINCOLN MDL. DC 600 , 600 amp cap., S/N AC531250 (Location F-Houston) F.O.B. CUSTOMER'S TRUCK
68	1	ARONSON 3 T. CAP. WPR PIPE ROLL WIDLER , 20' track w/forward, reverse, and variable spd., 110 v. (Location F-Houston) F.O.B. CUSTOMER'S TRUCK
69	1	WEBB 15 T. CAP. DRIVE AND IDLER ROLL. (Location F-Houston) F.O.B. CUSTOMER'S TRUCK
70	1	ENGINE LATHE, BETTS -BRIDGFORD 71" X 456" HEAVY DUTY , 71" swing over bed, 48" swing over cross slide, 456" between centers, 6 spindle speeds, inf. var. to 120 RPM, 3-1/8" spindle hole, 56 feeds, 0.006 to 0.700 IPR, 56 threads, 1/2 to 56 TPI, 120,000 lbs. between centers (unsupported), 125 HP, 63" face plate chuck with 4 boring mill jaws, variable speed drive for main spindle, Timken bearing spindle, threading, anti-friction tailstock quill with 15" live center, power angular compound slide, taper turning attachment through gearing, 2 steady rests, 1 carriage, Rebuilt by the U.S. Navy in 1978 and used on two jobs, Solid state electric upgrade in 1990, S/N E-5475-6. (Location G-Houston) F.O.B. CUSTOMER'S TRUCK
71	1	ENGINE LATHE, LEBLOND 30" X 160" , 30" swing over bed, 20" swing over cross slide, 160" between centers, 16 spindle speeds, 10 to 600 RPM, 2-1/4" spindle hole, 48 feeds, 0.004 to 0.250 IPR, 48 threads, 3/4 to 46 TPI, 2-1/2" tailstock spindle hole, No. 6 Morse taper, 20" tailstock spindle travel, 26-1/4" bed width, 20 HP, 24" 4-jaw chuck, compound slide, steady rest, chip pan bed, S/N NI 1120, SEE VIDEO (Location G-Houston) F.O.B. CUSTOMER'S TRUCK
72	1	ENGINE LATHE, DEAN, SMITH & GRACE 21" X 96" , 21" swing over bed, 96" between centers, up to 600 RPM spindle speeds, 4-jaw chuck, chuck guard, tailstock, cross slide, S/N 29399 (Location G-Houston) F.O.B. CUSTOMER'S TRUCK
73	1	ENGINE LATHE, LODGE & SHIPLEY 20" X 120" , 20" swing over bed, 11" swing over cross slide, 120" between centers, 24 spindle speeds, 9 to 500 RPM, 2-3/4" spindle hole, Morse No. 6 spindle taper, 60 feeds, 0.0025 to 0.160 IPR, 60 threads, 1 to 64 TPI, 1-3/4" tailstock spindle hole, Morse No. 5 tailstock spindle taper, 11-5/8" tailstock spindle travel, 19-1/4" bed width, 18" 4-jaw chuck, cross slide, steady rest, chip pan bed, S/N N.A. SEE VIDEO (Location G-Houston) F.O.B. CUSTOMER'S TRUCK
74	1	ENGINE LATHE, CLAUSING 12" X 8" , 12" swing over bed, 7" swing over cross slide, 38" between centers, 52 – 280 RPM spindle speeds (low range), 360 to 2000 RPM (high range), 1-3/8" spindle hole, 3-3/4" tailstock spindle travel, 49" bed length, 7-1/4" bed width, 43-1/2" center height from floor, cross slide (no tool holder), chip pan bed, no chuck, S/N 510876 (Location G-Houston) F.O.B. CUSTOMER'S TRUCK
75	1	TURRET LATHE, HARDINGE , 13" swing over bed, 12-1/2" spindle to turret face, 8 position horizontal turret, 12" turret slide longitudinal travel, 4-3/4" turret slide cross travel, 47-1/2" center height from floor, 1.5 HP, 5c collet, Bijur manual lube, chip pan bed, high / low spindle speeds, forward / reverse, S/N N.A. (Location G-Houston) F.O.B. CUSTOMER'S TRUCK

LOT	QTY	DESCRIPTION
76	1	TABLE TYPE HORIZONTAL BORING MILL, GIDDINGS & LEWIS 4", 4" spdl., No. 45 taper, 30" spdl. longitudinal travel, 36 standard range spindle speeds, 10 – 600 RPM, 7 high range spindle speeds, 650 – 1300 rpm, 18 standard range feeds, 0.005 – 0.250 IPR, 18 high range feeds, 0.002 – 0.116 IPR, 48" x 74" table, 78" table cross travel, 52" table longitudinal travel, 48" headstock vertical travel, 90" bed length, 36" bed width, 8" wide bed ways, 22" column width, 4" wide column ways, 20 HP, pendant control, lot of misc. tooling, S/N 150-191-56, SEE VIDEO (Location G-Houston) F.O.B. CUSTOMER'S TRUCK
77	1	VERTICAL TURRET LATHE, BULLARD 36" , 36" table dia. with 4 jaws, 40" swing (with side head below table), 5 position vertical turret, 4 position side head turret, 18" turret horizontal travel on rail, S/N 18210 SEE VIDEO (Location G-Houston) F.O.B. CUSTOMER'S TRUCK
78	1	VERTICAL MILL, BRIDGEPORT SERIES I 9" X 42" , R-8 spindle taper, 5" spindle travel, 60 – 4200 RPM spindle speeds, 9" x 42" table, 3 T-slots, 300 lb. load cap., 30" table longitudinal travel, 12" cross travel, 16" knee vertical travel, +/- 45 deg. F-B head swivel, +/- 90 deg. head swivel L-R, 2 HP motor, 2-axis Newall DRO, expandable to 3 axis, S/N 204861, SEE VIDEO (Location G-Houston) F.O.B. CUSTOMER'S TRUCK
79	1	PLAIN HORIZONTAL MILL, KEARNEY & TRECKER MDL. K , No. 3, 64" x 13-1/2" table with 3 T-slots, 24 spindle speeds, 15 – 1500 RPM, 32 feeds, 3/8 to 90 IPM, 34" table longitudinal travel, 12" cross travel, 17" vertical travel, 7-1/2 HP, motorized overarm, S/N N.A. (Location G-Houston) F.O.B. CUSTOMER'S TRUCK
80	1	HORIZONTAL MILL, KEARNEY & TRECKER MDL. 205 S-12 , 56" x 12" table with 3 T-slots, 24 spindle speeds, 25 – 2000 RPM, 16 feeds, 1/4 to 32 IPM, 28" table longitudinal travel, 10" cross travel, 18" vertical travel, 7-1/2 HP, S/N N.A. (Location G-Houston) F.O.B. CUSTOMER'S TRUCK
81	1	RADIAL DRILL, TOAKIKAJ 2' X 6" , Mdl. TRD600C, 24" spindle center to column face, 6-1/2" column, 6 spindle speeds, 85 – 1440 RPM, 3 feeds, 0.0020, 0.0035, 0.0060 IPR, 7" spindle travel, 17" x 24" table, 3 T-slots on 5-1/8" centers, 30 table height, manual column rotation, power arm elevation, S/N RHR-HC, SEE VIDEO (Location G-Houston) F.O.B. CUSTOMER'S TRUCK
82	1	BALANCING MACHINE, IRD 5000 LB. CAP. , Mdl. B50, 94" max. dia., 0.16 g. in. max. sensitivity, 0.75" – 13" journal dia. range, 5.5" – 80" journal to journal separation, 85.5" standard bed length, 49.5" bed extension, 250 – 6000 RPM balancing speed, 5 HP motor, underslung belt drive w/manual belt tightening, S/N G23303 (Location G-Houston) F.O.B. CUSTOMER'S TRUCK
83	1	TABLE TYPE HORIZONTAL BORING MILL, PLAUERT WETZEL 3" CAP. , 3" spindle dia., built-in 40" x 49" rotary table, built-in 20" facing head, travels: X=2000 mm (6.5'), Y=1500 mm (4.9'), Z=1000 mm (3.3'), W= 30", spindle speeds: 50-1000 RPM, CAT-40 taper, pendant control, S/N 132413. (Location M-Humble)
84	1	CNC LATHE, HITACHI SEIKI MDL. 5NE-1100 , Fanuc 6T control, 27.5" sw. over head, 43" max. part length, 10-station turret, 15" chuck, 30 HP motor, 4.312" spindle hole, 20-1800 RPM, tailstock, S/N NE5378. (Location M-Humble)
85	1	CNC LATHE, OKUMA MDL. LC-20 , 2 axis, 10" chuck, 15.75" sw. over bed, 10.24" max. cutting dia., 25" max. cutting length, Okuma OSP 5000L-G CNC ctrl., 8 pos. turret, 20-2500 RPM, 20 HP motor, S/N N.A. (Location N - Humble)
86	1	PASS
87	1	(Lot of 12) ASSORTED PRESSURE GAUGES , Unused, Marshalltown, (6) Mdl. P5146: 4.5", scale: 0-60 PSI, PP case, 316 SST bourdon & socket, solid front, T case, LM mounting, 1/4 NPT; (3) Mdl. G10535: 4.5", scale: 0-5,000 PSI and 0-35,000 kPa, steel bourdon & socket, solid front, 1/2 NPT, front flange case; (2) Mdl. P0554: 4.5" dia., scale: 0-200 PSI, PP case, Ph. Brz. spring//Brs. socket/solid front, T case, LM Mounting, 1/2 NPT; (1) Mdl. P5140: 4.5" dia., scale: 0-15 PSI, PP case, 316 SST bourdon & socket, solid front, T case, LM mounting, 1/4 NPT. (Location H-Houston)
88	1	(Lot of 10) ASSORTED PRESSURE GAUGES , Unused, (1) Surex 2000 Series, Mdl. 40, 4", ANSI 316 tube and socket, welded, scale: 0-100 PSI, .5" NPT; (2) Marsh Mdl. X32713P, 3.5", 316 SST tube and socket, scale: 0-2000 & 0-14,000 kPa, 1/2 NPT; (7) Marshall town Mdl. G23867, 3.5", scale: 0-100 PSI and 0-230 ft H2O, 1/4 NPT (Location H-Houston)
89	1	(Lot of 11) AMMONIA GAUGES , Unused, Marsh Refrigeration Series Mdl. W0104, 2.5" dia., ranges: Inner scale: -30" Hg. Vac. To 150 PSI and kPa; Outer Scale: Corresponding Temp. -40 deg. F to 84 deg. F and kPa, 1/4 NPT (Location H-Houston)
90	1	(Lot of 12) PRESSURE GAUGES , Unused, Marshalltown Mdl. G10234, 2.5", scale: 0-400 PSI and kPa, 316 SST Bourdon tube, 1/4 NPT (Location H-Houston)

LOT	QTY	DESCRIPTION
91	1	(Lot of 12) PRESSURE GAUGES , Unused, Marshalltown Mdl. G10234, 2.5", scale: 0-400 PSI and kPa, 316 SST Bourdon tube, 1/4 NPT (Location H-Houston)
92	1	(Lot of 14) GENERAL SERVICE GAUGES , Unused, Marshalltown Mdl. J4620, 2.5", steel case, copper alloy internals, scale: 30" Hg VAC TO 200 PSI, LM case, 1/4 NPT. (Location H-Houston)
93	1	(Lot of 10) ASSORTED GAUGES , Unused, (7) Marsh Mdl. G27896, 2.5", scale: 30 x 300 HGX PSI R12 R22 temp -100 - 130/170, 1/8 NPT, back mount, alignment posts, black steel case; (3) Marshalltown Mdl. G26271, 2.5", scale: 30 x 150 PSI and R12 -100 to 100 F., 1/8 NPT, back mount, alignment posts, black steel case (Location H-Houston)
94	1	(Lot of 11) AMMONIA GAUGES , Unused, Marshalltown 2.5", steel case, black finish, scale: 0-30 #, 1/4 NPT, bottom connection, Fig. 52 (Location H-Houston)
95	1	(Lot of 7) ASSORTED GAUGES , Unused, (2) Oilchem Ammonia type Mdl. 3534, 2.5", SS case, range: 30"Hg/0/150 psi, 1/4 NPT, T mount; (1) Marshalltown Mdl. G10129 235", range 0/300 psi and kPa, back mount, alignment posts, 1/4 NPT; (2) Marshalltown Mdl. G14521, 2.5", range: 30" Hg vac/30PSI and kPa, back mount, alignment posts, 1/4 NPT; (1) Marshalltown Mdl. J4610, 2.5", steel case, copper alloy internals, LM mounting/case style, scale: 30" Hg VAC to 15 psi, 1/4 NPT; (1) Marshalltown Mdl. J4618, 2.5", steel case, copper alloy internals, LM mounting/case style, scale: 30" Hg VAC to 150 psi, 1/4 NPT. (Location H-Houston)
96	1	(Lot of 10) ASSORTED SEVERE SERVICE GLYCERIN FILLED GAUGES , Unused, (2) Marshalltown Mdl. G27179, 2.5", 304 SS case, UC mounting/case style, scale: 0-1000 psi, 1/4 NPT; (2) Marshalltown Mdl. J7258P, 2.5", 304 SS case, back mount, scale: 0-300 psi, 1/4 NPT; (2) Marshalltown Mdl. J6472P, 2.5", 304 SS case, UC mounting/case style, scale: 0-1000 psi, 1/4 NPT; (2) Marshalltown Mdl. J6458P, 2.5", 304 SS case, back mount, scale: 0-300 psi, 1/4 NPT; (2) Marshalltown Mdl. J7852P, 2.5", 304 SS case, bottom mount, scale: 0-160 psi, 1/4 NPT. (Location H-Houston)
97	1	(Lot of 12) PRESSURE GAUGES , Unused, Marshalltown Mdl. J2640, 2", steel case, copper alloy internals, UC mounting/case style, scale: 0-15 psi and kPa, 1/4 NPT (Location H-Houston)
98	1	(Lot of 12) PRESSURE GAUGES , Unused, Marshalltown Mdl. J2640, 2", steel case, copper alloy internals, UC mounting/case style, scale: 0-15 psi and kPa, 1/4 NPT (Location H-Houston)
99	1	(Lot of 12) PRESSURE GAUGES , Unused, Marshalltown Mdl. J2040, 2", steel case, copper alloy internals, CB mounting/case style, scale: 0-15 psi and kPa, 1/4 NPT (Location H-Houston)
100	1	(Lot of 11) PRESSURE GAUGES , Unused, Marshalltown Mdl. J2040, 2", steel case, copper alloy internals, CB mounting/case style, scale: 0-15 psi and kPa, 1/4 NPT (Location H-Houston)
101	1	(Lot of 12) PRESSURE GAUGES , Unused, Marshalltown Mdl. G14420 (J1142), 2", steel case, copper alloy internals, LM Mounting/case style, scale: 0-30 psi and kPa, 1/4 NPT (Location H-Houston)
102	1	(Lot of 11) PRESSURE GAUGES , Unused, (4) Marshalltown Mdl. J1146, 2", steel case, copper alloy internals, LM Mounting/case style, scale: 0-30 psi and kPa, 1/4 NPT; (4) Marshalltown Mdl. J1148, 2", steel case, copper alloy internals, LM Mounting/case style, scale: 0-100 psi and kPa, 1/4 NPT; (3) Marshalltown Mdl. J0658, 2", steel case, copper alloy internals, CB Mounting/case style, scale: 0-300 psi and kPa, 1/4 NPT. (Location H-Houston)
103	1	(Lot of 12) GENERAL SERVICE GAUGES , Unused, (2) Marshalltown Mdl. J1412, 2", steel case, copper alloy internals, LM Mounting/case style, scale: 30" Hg VAC to 30 psi and kPa, 1/4 NPT; (2) Marshalltown Mdl. J1416, 2", steel case, copper alloy internals, LM Mounting/case style, scale: 30" Hg VAC to 100 psi and kPa, 1/4 NPT; (2) Marshalltown Mdl. J1416, 2", steel case, copper alloy internals, LM Mounting/case style, scale: 30" Hg VAC to 200 psi and kPa, 1/4 NPT; (6) Marshalltown Mdl. J1440, 2", steel case, copper alloy internals, LM Mounting/case style, scale: 0-30 PSI AND KpA, 1/4 NPT. (Location H-
104	1	(Lot of 14) ASSORTED GAUGES , Unused, (1) Marshalltown 2", scale: 0-30 PSI, Merlon plastic case, back mount, 1/4 NPT; (1) McDaniel 2", scale: 0-30 psi, back mount, 1/4 NPT; (2) Marshalltown Mdl. J2652, 2", scale: 0-160 psi and kPa, flange mopunt, 1/4 NPT; (5) Marshalltown Mdl. J1812, 2", 30x30"HgX# adn kPa, 1/8 NPT, back mount; (3) Marsh Mdl. J1460, 2", scale: 0-400 psi and kPa, bottom mount, 1/4 NPT; (1) Marshalltown Mdl. G14381, 2", scale: 0-15 psi and kPa, bottom mount, 1/4 NPT, bottom mount; (1) Marshalltown Mdl. J1440, 2", scale: 0-15 psi adn kPa, 1/4 NPT, bottom mount. (Location H-Houston)

LOT	QTY	DESCRIPTION
105	1	(Lot of 19) PRESSURE GAUGES , Unused, (2) Marshalltown 2", Merlon plastic case, scale: 0-160 psi, 1/8 NPT, bottom mount, Fig. 23; (3) Marshalltown 2", Merlon plastic case, scale: 0-300 psi, 1/8 NPT, bottom mount, Fig. 23; (14) Marshalltown 2", Merlon plastic case, scale: 0-300 psi, 1/8 NPT, back mount, Fig. 23. (Location H-Houston)
106	1	(Lot of 37) VACUUM GAUGES , Unused, scale: 30/0" Hg., 1/8 NPT, bottom
107	1	(Lot of 37) VACUUM GAUGES , Unused, scale: 30/0" Hg., 1/8 NPT, bottom mount (Location H-Houston)
108	1	(Lot of 10) THERMOMETERS , Unused, 2" dial face, Reotemp Mdl. H, temp range: 0-100 deg. C, 2.5" stem, plain bushing mounting nut. (Location H-Houston)
109	1	(Lot of 13) ASSORTED THERMOMETERS , Unused, (4) Trend Instruments Mdl. 20, temp range: 50/500 F and 10/260 C, back connected, 2.5" stem, 2" plain glass lens, 1/4" NPT connection; (9) Trend Mdl. 20, temp range: 50/300 F, back connected, 2.5" stem, 2" plain glass lens, 1/4" NPT connection; (Location H-Houston)
110	1	(Lot of 13) ASSORTED THERMOMETERS , Unused, (2) Trend Instruments Mdl. 20, temp range: 50/500 F & 10/260 C, back connected, 2.5" stem, 2" dia. plain glass lens, 1/4" NPT connection; (6) Wika Mdl. 20, temp range: 50/300 F & 10/150 C, back connected, 2.5" stem, 2" plain glass lens, 1/4" NPT connection; (5) Reotemp Mdl. G, temp range: 0-100 deg C, back connected, 2.5" stem, 1.5" plain glass lens, 1/4" NPT connection: (Location H-Houston)
115	1	MANLIFT, GENIE MDL. S65 , new 2005, 4WD, dual fuel (gas/LPG), 65' lift, approx. 4,600 H.O.M., S/N 19751 (Location K-Converse)
116	1	FORKLIFT, HOIST 60,000 LB. CAP. , Mdl. FKS30, new 1997, compact design, Ram Cummins engine inline 6 cylinder with factory propane conversion, 14' mast ht., 9'4" max. lift ht., 2 speed auto trans., cushion tires, new drive tires, S/N 21143 (Location L-Irving) No charge to remove mast and load onto
117	1	FORKLIFT, CATERPILLAR 33,000 LB. CAP. , Mdl. DP150, diesel engine, 144" standard mast, 177" lift ht., dual drive pneu. tires, 8' forks, S/N 6DP00268 (Location L-Irving)
118	1	FORKLIFT, TAYLOR 30,000 LB. CAP. , Mdl. Y30W, diesel, 14' standard mast, 180" lift ht., 8'L. forks, S/N 14169 (Location K-Converse).
119	1	FORKLIFT, TAYLOR 30,000 LB. CAP. , Mdl. LG-30-WO, diesel engine, 30,000 lbs @ 24" load center, double mast, 151" lowered mast, gearbox, 87" forks, S/N S-40-11263 (Location J-Winter Springs FL)
119A	1	FORKLIFT, CATERPILLAR 15,000 LB. CAP , Mdl. T150D, new 1999, LPG, 98" standard mast, 129" lift height, cushion tires, fork positioner, 42" forks, S/N 5MB3702 (Location L-Irving)
120	1	FORKLIFT, YALE 15,000 LB. CAP. , Mdl. GDP1504BJUB1099, diesel, 8' 3 1/2" 3-stage mast height down, 14" max. lift ht., 8'L. forks, solid tires, 3,302 H.O.M., S/N N43571 (Location B-Houston)
121	1	FORKLIFT, HYSTER 12,000 LB. CAP. , Mdl. H120XM, new 2005, diesel, 95" triple stage mast, 208" lift height, pneumatic style wheels with puncture-resistant solid tires, 42" forks, 2716 H.O.M., S/N L005V05566C (Location L-Irving)
121A	1	FORKLIFT, YALE 11,000 LB. CAP. , Mdl. GDP110, new 2008, diesel, 96" triple-stage mast, 185" lift ht., side shift, fork positioner, pneu. Tires, 60" forks, S/N F813V02746F.
122	1	FORKLIFT, MITSUBISHI 11,000 LB. CAP. , Mdl. FD50, diesel, 96" triple stage mast, 187" lift height, pneumatic tires, side shift, 72" forks, 8658 hours on meter, S/N AF28A50050 (Location K-Converse)
123	1	FORKLIFT, TOYOTA 10,000 LB CAP. , Mdl. 7FGCU45, new 2011, LPG, 87" triple stage mast, 187" lift height, cushion tires, side shift, fork positioner, 42" forks, S/N 71820 (Location L-Irving).
124	1	FORKLIFT, CATERPILLAR 10,000 LB. CAP. , Mdl. DP45K, new 2004, diesel, 83" standard mast, 120" lift ht., side shift, pneumatic tires, 48" forks, S/N AT19C80888 (Location L-Irving)
125	1	FORKLIFT, TOYOTA 7,000 LB. CAP. , Mdl 8FGCU32, new 2012, LPG, 87" triple stage mast, 189" lift height, cushion tires, side shift, 42" forks, S/N 17414 (Location L-Irving)
126	1	FORKLIFT, HYSTER 7,000 LB. CAP. , Mdl. S70FT ,new 2006, LPG, 95" triple stage mast, 211" lift height, cushion tires, side shift, 42" forks, S/N F187V06610D (Location L-Irving)
127	1	FORKLIFT, CATERPILLAR 7,000 LB. CAP. , new 2007, Mdl. P7000, diesel engine, 83" standard mast, 130" lift ht., pneu. tires, S/N AT14E5029 (Location L-Irving)
128	1	FORKLIFT, HYSTER 5,000 LB. CAP. , Mdl S50FT, new 2011, LPG, 89" triple stage mast, 200" lift height, cushion tires, side shift, 42" forks, S/N F187V19736J (Location L-Irving)

LOT	QTY	DESCRIPTION
129	1	FORKLIFT, HYSTER 5,000 LB. CAP. , Mdl S50FT, new 2011, LPG, 89" triple stage mast, 200" lift height, cushion tires, side shift, 42" forks, S/N F187V19259J (Location L-Irving)
130	1	FORKLIFT, HYSTER 5,000 LB. CAP. , Mdl. H50FT, new 2006, LPG, 83" triple stage mast, 189" lift height, pneumatic tires, side shift, 42" forks, S/N 177B04612D (Location L-Irving)
131	11	FORKLIFT, CLARK 5,000 LB. CAP. , Mdl. C500-50, gasoline, 6' 11" 3-stage mast height down, 16" max. lift ht., 48"L. forks, side shift, cushion tires, 2,027 H.O.M., S/N 314045 (Location B-Houston)
132	1	FORKLIFT, YALE 4,000 LB. CAP. , Mdl. NR040ADNL36T125, new 1999, electric, 36v battery, no charger, 125" triple stage mast, 287" lift height, 42" forks, unit shows 2655 H.O.M., S/N B815N03353W (Location L-Irving)
133	1	ELECTRIC PALLET JACK, HYSTER 4,000 LB. CAP. , Mdl. W40Z, new 2007, battery, 27" X 48", S/N B218N14425E (Location L-Irving)
134	1	TOW TRACTOR, HARLAN 3,000 LB. CAP. , Mdl HTAG30, LPG, S/N 308559 (Location L-Irving)
135	1	PERSONNEL CARRIER, MOTREC MDL. E-260 , new 1999, electric, S/N 0905271 (Location L-Irving)