

HUGE ONLINE AUCTION - (14) LOCATIONS

LOT	QTY	DESCRIPTION
1	1	<b>COMBINATION CNC LATHE, ROMI 27" X 80" MDL. M-27</b> , new 2007, G.E. Fanuc 21i-T CNC control, 21" 4-jaw chuck w/7" hole, 26.97" sw. over bed, 16.93" sw. over crossslide, 80" center, 21.26" sw. over carriage, 18.7" X-axis travel, 15" bed, 6.7" through hole, spdl. spds: 2-1000 RPM, 2.36" quill dia., 175.6" x 80" approx. floor space, 13,955 lbs. approx. weight, S/N 002-093292-405 (Location B - Houston, TX)
2	1	<b>UNUSED AUTOMATIC MAGAZINE STYLE BARFEEDER, EDGE TECHNOLOGIES (IEMCA) MINUTEMAN 320</b> , 12'5" bar length, 1/8" - 3/4" bar dia., fds: square, round, hex bar stock, holds 10 linear inches, forward feed rate: 600mm/sec, Mitsubishi controller & servo drives w/remote pendant (no charge for loading) (Location A - Houston, TX)
3	1	<b>UNUSED CNC ROBOT ARM, YASKAWA MOTOMAN 6-AXIS MDL. HP20D</b> , 20 kg. payload 1,717 mm hz. reach, 3,063 mm vert. reach, + - 0.06 repeatability, Mdl. DX100 CNC controller w/Windows CE programming pendant w/color touch screen & USB interface, 4-drawer parts storage unit (no charge for loading) (Location A - Houston, TX)
4	1	<b>UNUSED CNC VERTICAL TURRET LATHE WITH MILLING, FORCE ONE MDL. EVL12M</b> , Fanuc Oi-TD Control, milling, full C-axis, 49.21" table, 62.99 max. swing, 62.99 max. turning dia, 45.27" max. turning height, 12 pos. ATC, Cat 50, UNDER POWER (Location A - Houston, TX)
5	1	<b>UNUSED CNC VERTICAL TURRET LATHE, FORCE ONE MDL. EVL10</b> , Fanuc Oi-TD Control, 40" table, 55" max. swing, 40" max. turning dia., 48.9" max. turning height, 12 pos. ATC, Cat 50, UNDER POWER (Location A - Houston, TX)
6	1	<b>CNC VERTICAL MACHINING CENTER, FADAL MDL. 3020</b> , new 2000, 3 axis, Siemens CNC control, 20" x 40" T-slotted table, Travels: 30" X, 20" Y, 20" Z, variable spdl. spds. up to 10,000 RPM, CAT-40 spdl. taper, 21pos. ATC, full enclosure, RS232 port, pendant control, 15 HP (Location D - Stafford, TX)
7	1	<b>CNC HORIZONTAL MACHINING CENTER, CINCINNATI MILACRON MDL. HPC-630XT</b> , new 1999, Acramatic A-950 CNC control, 40.4" X-axis travel, 31.5" Y-axis travel, 31.5" Z-axis travel, 360 deg. B rotary axis, 27 HP spdl., 7,000 RPM, CAT-50, (2) pallets, 24.8" x 24.8" pallet size, 3,000 lb. cap., 80 pos. ATC, high pressure CTS, chip conveyor, S/N KB00D03990012 (Location C - Houston, TX)

HUGE ONLINE AUCTION - (14) LOCATIONS

LOT	QTY	DESCRIPTION
8	1	<b>CNC HORIZONTAL MACHINING CENTER, CINCINNATI MILACRON MAGNUM MDL. 800</b> , new 1995, Acramatic 950 CNC control, 51" X-axis travel, 43" Y-axis travel, 44" Z-axis travel, 360 deg. B rotary axis, 50 HP spdl., 6,500 RPM, CAT-50, (4) pallets, 31.5" x 31.5" pallet size, 3,000 lb. cap., 90 pos. ATC, high pressure CTS, chip conveyor, S/N 3144A0195-0026 (Location C - Houston, TX)
9	1	<b>CNC VERTICAL MACHINING CENTER, MORI SEIKI MDL. MV40</b> , Fanuc 10M CNC control, 18" x 43" table, 31.5" X-axis travel, 16" Y-axis travel, 20" Z-axis travel, wired for 4th axis, 8" dia. 6-jaw chuck, 20 pos. ATC (not operational), CAT-40, 3 ph., 220 v., 60 Hz, 24.6 KVA, Mfg. No. 1372 (Location E - Katy, TX)
10	1	<b>ZNC SINKER TYPE EDM MACHINE, GENSPARK AMERICA MDL. CY38</b> , new 2004, 15-½" x 24" x 38" max. workpiece, programmable Z-axis, 15-¾" Y-axis travel, 11-13/16" Z-axis travel, 9" Z-axis sliding column, 7" electrode cap., 75 amp, outboard hyd. unit, S/N 77 (no loading charge) (Location E - Katy, TX)
11	1	<b>VERTICAL MILL, LAGUN MDL. FTV-3L</b> , 10 x 50 table, R8 spdl., servo pwr. feed, pwr. knee, wired for D.R.O., 4,200 max. RPM, 3 HP motor, S/N SE37474 (no loading charge) (Location E - Katy, TX)
12	1	<b>VERTICAL MILL, LAGUN MDL. FTV-2</b> , 10 x 50 table, pwr. feed on table & feed, R8 spdl., Kool Mist, Lagun powerfeed, wired for D.R.O., Acu-Rite scale on Z & Y, pwr. in X & Y, 4,200 max. RPM, 2 HP motor, S/N SE36927 (no loading charge) (Location E - Katy, TX)
13	1	<b>VERTICAL MILL, BRIDGEPORT SERIES I</b> , 9 x 48 table, pwr. feed, Kool Mist, spdl. spds: 140- 4200 RPM, wired for D.R.O., 2 HP cont, 3 HP for 30 min. intermittently, S/N BR258937 (no loading charge)
14	1	<b>ENGINE LATHE, TOOLMEX 26" X 120" MDL. TUR630A</b> , (2) 15.5" 4-jaw chucks w/5.5" hole, 15" dia. roller steadyrest, taper attach., 230 v., 60 Hz, 52 amp, spds: 15-1400 RPM, 20 HP motor, inch/metric thdng., no tailstock, S/N 50845 (no loading charge) (Location E - Katy, TX)
15	1	<b>GAP BED ENGINE LATHE, KINGSTON 34" X 196.9" MDL. HR5000</b> , new 1981, 34" sw. over bed, 24" sw. over crossslide, 196.9" btn. centers, 4.15" spdl. hole, spds: 8-800 RPM, 20 HP spdl., inch/metric thdng., taper attach., (2) steadyrests, S/N 05691021 (no loading charge) (Location F - Louisville, KY)

**HUGE ONLINE AUCTION - (14) LOCATIONS**

<b>LOT</b>	<b>QTY</b>	<b>DESCRIPTION</b>
16	1	<b>GAP BED ENGINE LATHE, MAZAK 18" X 80" REX</b> , 18" sw. over bed, 80" dist. btn. centers, spds: 25-1500 RPM, 2.15" spdl. hole, inch/metric thdng., S/N 16072 (no loading charge) (Location F - Louisville, KY)
17	1	<b>VERTICAL ROTARY SURFACE GRINDER, MATTISON 84"</b> , 84" chuck, 96" sw. inside table guards, 42" segmented wheel, 115 HP motor, approx. 36" max. height under wheel, variable neutrofier, variable magnetic controls, external coolant tank & pump, pendant control, eqpd. w/large selection of assorted grinding stones, S/N 60-22 (\$2,000 loading charge) (Location F - Louisville, KY)
18	1	<b>OPEN SIDE PLANER, ROCKFORD 60" X 217"</b> , 60" x 217" table, (2) airlift rail heads, (1) airlift side head, approx. 84" arm extension, approx. 60" ht. under rail, 60 HP hyd. drive system (\$2,000 loading charge) (Location F - Louisville, KY)
19	1	<b>OBI PUNCH PRESS, CLEARING TORC-PAC 45 T. CAP.</b> , 4" stroke, 12" shut ht., 2-1/2" adj., 90 SPM, 28" R-L x 18" F-B bed area, air clutch & brake, dual palm button control station, S/N 57-7250 (no loading charge) (Location F - Louisville, KY)
20	1	<b>PUNCH PRESS, V&amp;O 43 T. CAP. MDL. 4</b> , 4" stroke, 4" adj., 33" R-L x 20' F-B bed area, air clutch & brake, dual palm button controls, S/N 4W-44 (no loading charge) (Location F - Louisville, KY)
21	1	<b>HYDRAULIC SLOTTER, ROCKFORD 24"</b> , 42" built-in rotary table, S/N 89SA70 (no loading charge) (Location F - Louisville, KY)
22	1	<b>HORIZONTAL ANGLE BENDING ROLL, HERKULES WETZLAR 8" X 8" X 1"</b> , Mdl. BO-234K1, 13'-2" x 8' x 78" ht. approx. dims., capacities in mild steel: 8" x 8" x 1" angles (let out), 6" x 6" x 1" angles (leg in), 8" x 7" tees (web out & web in), 9" x 7.5" tees (foot on edge), 18" x 7.5" beams on flanges, 17" x 4" channels (flanges out & flanges in), 14" x 2.5" flats on flat; 8" x 1-5/8" flats on edge; 4-3/4" x 4-3/4" squares, spds: 13, 21, 33, 56 FPM, 40 HP motor (Location G - Houston, TX)
23	1	<b>CNC TURRET PUNCH, FINN POWER MDL. F5-25</b> , new 1996, Siemens 840D CNC control, 100" X-axis travel, 50" Y-axis travel, hyd. punch stroke, pneu. clamping, 21-station turret, 3.5" max. punch size, (3) tool clamps, 5/16" max. thickness, 3,940 IPM traversing spd., Jet Cam software, S/N 9.1-F52559296 (disassembled & ready to ship) (Location J - Van Buren, AR)

HUGE ONLINE AUCTION - (14) LOCATIONS

LOT	QTY	DESCRIPTION
24	1	<b>ROTARY SHOT BLAST TUMBLER, JET MDL. MT-6B</b> , 400 v., 3 ph., 3,600 RPM, 15 HP motor, variable spd. rotation, tilting drum, cycle timer, dust collector & shaker, 4,845.1 H.O.M., S/N N.A. (comes with spare insert basket made of heat treated steel) (no charge for loading) (Location J - Van Buren, AR)
25	1	<b>WIRE EDM MACHINE, JAPAX MDL. LDM-35</b> , new 1989, 10" x 12" x 12" approx. cap., Dielectric coolant unit, numeric control unit, S/N 174-03-069 (monitor should be replaced due to fading) (no charge for loading) (Location J - Van Buren, AR)
26	1	<b>CNC DRILLING &amp; TAPPING CENTER, BROTHER MDL. TC-217</b> , new 1991, Brother 520 CNC control, 11.8" X-axis travel, 8.6" Y-axis travel, 7.8" Z-axis travel, 7.87" to 15.74" table to spdl., 8.66" to 19.68" table to surface, 208/230 v, 3 ph., 10 pos. ATC, S/N 111292 (no charge for loading) (Location J - Van Buren, AR)
27	1	<b>CNC VERTICAL MACHINING CENTER, KITAMURA MDL. MYCENTER 1B</b> , Fanuc 10M CNC control, 12" x 27" table, 21" max. dist. from spdl. to table, 18" X-axis travel, 12" Y-axis travel, 16" Z-axis travel, spdl. spds: 150-10,000 RPM, S/N 01745 (no charge for loading) (Location J - Van Buren, AR)
28	1	<b>CNC VERTICAL MACHINING CENTER, KITAMURA MDL. MYCENTER 1</b> , Yasnac I80M CNC control, 14" x 31" table, 20" X-axis travel, 14" Y-axis travel, 16" Z-axis travel, spdl. spds: 150-13,000 RPM, 7.5 HP motor, 20 pos. ATC, 21" dist. from table to spdl. nose, 21.9" dist. from column to table center, oil cooler, manual pallet changer, BT-35 tooling (no charge for loading) (Location J - Van Buren, AR)
29	1	<b>CNC VERTICAL MACHINING CENTER, ACROLOC MDL. AF-15-40/OMC</b> , Fanuc OM CNC control, 16" x 46" table, 40" X-axis travel, 24" Y-axis travel, 30" Z-axis travel, 230 v., 3 ph., 48 amp AC motor, 6,000 RPM, 15 HP spdl. motor, programmable head, includes several cabinets of tooling plus spare controls, shafts, etc. (Location J - Van Buren, AR)

HUGE ONLINE AUCTION - (14) LOCATIONS

LOT	QTY	DESCRIPTION
30	1	<b>CNC VERTICAL MACHINING CENTER, CINCINNATI MILACRON MDL. ARROW 750</b> , new 1994, CT-FNC-3500 CNC control, 36" x 20" table, 30" X-axis travel, 20" Y-axis travel, 20" Z-axis travel, 25" spdl. to worktable, 22-1/4" throat depth, 5.9" dia. x 3.9" spdl., spdl. spds: 60-6000 RPM, 10 HP motor, 21 pos. ATC, No. 40 taper, wired for 4th axis, S/N 7043-C00-94-0041 (no charge for loading) (Location J - Van Buren, AR)
31	1	<b>ROTARY TABLE, TROYKE MDL. NC 30LPH CS360</b> , 30" table w/General powermate E, Fanuc control (no charge for loading) (Location J - Van Buren, AR)
32	1	<b>COOLANT RECOVERY SYSTEM, SANBORN MDL. SJ-700 PATRIOT 1</b> , 9' x 9' x 7' overall dims., 120 GPH, 40 amp, 480v, 3 ph, 60 Hz, S/N MR97-1161/87-003 (no charge for loading) (Location J - Van Buren, AR)
33	1	<b>4-POST HYDRAULIC PRESS, FEMCO 250 TON CAP</b> , no visible I.D. plate, UNDER POWER, S/N N.A. (Location I - Deer Park, TX)
34	1	<b>VERTICAL TURRET MILL, KING 54"</b> , S/N 20073 (requires repair) (Location I - Deer Park, TX)
35	1	<b>PLATE SHEAR, WYSONG 12 FT. W. CAP</b> , no visible I.D. plate (requires repair) (Location I - Deer Park, TX)
36	1	<b>METAL BUILDING, BOLT TOGETHER CONSTRUCTION</b> , 275'L. x 80'W. x 26' center ht., 24' eave ht., (7) roll-up doors, (3) man doors, insulated ceiling, lighted, sky lights (Location K - Houston, TX)
37	1	<b>OVERHEAD BRIDGE CRANE, LANDEL 30 T. X 57' SPAN DOUBLE GIRDER</b> , new 1975, center drive, 30 T. cap. Hoist, 57'-0" bridge span, 36'-0" lift ht., 150 FPM bridge spd., 50 FPM trolley spd., 11 FPM hoist spd., 12'-3" end truck wheelbase, 6'-8" trolley wheelbase, 25 HP hoist, 7-1/2 HP bridge, 2 HP trolley, S/N A361 (Location P - Houston, TX)
38	1	<b>OVERHEAD BRIDGE CRANE, LANDEL 20 T. X APPROX. 67' SPAN</b> , dbl. box girder, top riding, pendant control, AC pwr., center drive, S/N A385 (Location P - Houston, TX)
39	1	<b>OVERHEAD BRIDGE CRANE, LANDEL 20 T. X APPROX. 67' SPAN</b> , dbl. box girder, top riding, pendant control, AC pwr., center drive, S/N A387 (Location P - Houston, TX)

**HUGE ONLINE AUCTION - (14) LOCATIONS**

<b>LOT</b>	<b>QTY</b>	<b>DESCRIPTION</b>
40	1	<b>OVERHEAD BRIDGE CRANE, LANDEL 10 T. X APPROX. 51' SPAN</b> , dbl. girder, top riding, pendant control, AC pwr., center drive, S/N A299 (Location P - Houston, TX)
41	1	<b>OVERHEAD BRIDGE CRANE, ROBBINS &amp; MYERS 10 T. X 51' SPAN</b> , dbl. girder, top running, AC pwr., pendant control, center drive, S/N N.A. (Location P - Houston, TX)
42	1	<b>WIRE ROPE HOIST, R&amp;H MATERIALS HANDLING INC. 10 T. CAP.</b> , Mdl. Spacemaster SX, dbl. girder, dual spd., wire rope drum & guide (Location P - Houston, TX)
43	1	<b>UNUSED CENTRIFUGAL AIR COMPRESSOR, INGERSOLL RAND</b> , new 1993, 1,087 SCFM @ 125 PSIG, 2,300 v., 3 ph., 77.6 amp, Siemens 350 HP main motor, auto. dual control, water cooled, microcontroller computer, Square D electrical controls (has never been under power) (no charge for loading) (Location J - Van Buren, AR)
44	1	<b>AIR COMPRESSOR, ATLAS COPCO MDL. GA50VSDFF</b> (requires repair) (Location I - Deer Park, TX)
45	1	<b>MOBILE CRANE, GROVE 30 T. CAP.</b> , 4-section hyd. boom, mtd. to 3-wheel cushion tire crane unit w/extendable counterweight, 30 T. cap. block, hyd. counterweight extension, Gearmatic hoist unit (no loading charge) (Location F - Louisville, KY)
46	1	<b>TRUCK TRACTOR, FREIGHTLINER</b> , new 2002, sgl. axle, ISM 330 engine, 400 HP, lift axle w/super singles, Odo: 400,000 miles, VIN 1FU6A68802LK04935 (Location F - Louisville, KY)
47	1	<b>TRAILER, LANDOLL HAUL-ALL</b> , new 1997, 77,000 lb. G.V.W.R., all axles, bar grate steel deck w/extra reinforcement, Braden winch, rebuilt hydraulics, VIN 1LH17AUH21008902 (Location F - Louisville, KY)
48	1	<b>SPOTTER TRUCK, OTTAWA MDL. YY30</b> , new 1991, Cummins diesel engine, 106" wheel base, 10,225 H.O.M., S/N 65845-1-91 (no title - yard use only) (\$75 loading charge) (Location M - Irving, TX)
49	1	<b>TOW TRACTOR, UNITED 3,400 LB. CAP. MDL. SM340F-5</b> , S/N 17038 (\$75 loading charge) (Location M - Irving, TX)
50	1	<b>TOW TRACTOR, UNITED 3,400 LB. CAP. MDL. SM340F-5</b> , S/N 16218 (\$75 loading charge) (Location M - Irving, TX)
51	1	<b>LOT OF UNUSED PRESSURE GAUGES, (Approx. 15) MARSHALLTOWN</b> , 4.5", 403, 0/60 PSI, 1/4" bottom connection, Part No.'s P5146, G28840 (Location L - Houston, TX)

HUGE ONLINE AUCTION - (14) LOCATIONS

LOT	QTY	DESCRIPTION
52	1	<b>LOT OF UNUSED PRESSURE GAUGES, (Approx. 4)</b> <b>MARSHALLTOWN</b> , 4.5" PROC, 1/4 NPT, 0/100 PSI, bottom connection, Part No.'s 95007340, P5148 (Location L - Houston, TX)
53	1	<b>LOT OF UNUSED PRESSURE GAUGES, (Approx. 13) ABCO</b> , 2.5" - 4.0", 0-30 up to 0-10,000 PSI, 1/4" & 1/2" NPT, SS, bottom & back connections (Location L - Houston, TX)
54	1	<b>LOT OF UNUSED PRESSURE GAUGES, (Approx. 8)</b> <b>MARSHALLTOWN</b> , 4-1/2" fic. 177F - 5,000 LB. & KPA 1/2 back connection (Location L - Houston, TX)
55	1	<b>LOT OF UNUSED PRESSURE GAUGES, (Approx. 13)</b> <b>MARSHALLTOWN</b> , 2.5", 117C, 0/60 KPA, 1/4" back connection, Part No.'s Y2026, G10350 (Location L - Houston, TX)
56	1	<b>LOT OF UNUSED PRESSURE GAUGES, PRESSURE GAUGES, (Approx. 14) MARSHALLTOWN</b> , 3.5" 88B, 3/15 PSI, 1/4" bottom connection, Part No. G27281 (Location L - Houston, TX)
57	1	<b>LOT OF UNUSED PRESSURE GAUGES, (Approx. 13), (5)</b> <b>MARSHALLTOWN</b> , 2.5", 58KB, 1/8 NPT, 30 X 300" HGX PSI, Part No. G27896; <b>(8) MARSHALLTOWN</b> , 2-1/2" fig., 0-30 PSI, ammonia steel case 1/4" bottom connection (Location L - Houston, TX)
58	1	<b>LOT OF UNUSED PRESSURE GAUGES, (Approx. 25)</b> <b>MARSHALLTOWN</b> , 2.0", 23KT, 0/30 PSI, 1/4" bottom connection, Part No. G29706 (Location L - Houston, TX)
59	1	<b>LOT OF UNUSED PRESSURE GAUGES, (Approx. 19)</b> <b>MARSHALLTOWN</b> , 2.0", 300, 400, 600 KPA, 1/4" bottom connection, Part No.'s J1464, J1460, J1158, G14425 (Location L - Houston, TX)
60	1	<b>LOT OF UNUSED PRESSURE GAUGES, (Approx. 19)</b> <b>MARSHALLTOWN</b> , 2.0", 23B, 0/30+200 KPA, back connection, Part No. J2642 (Location L - Houston, TX)
61	1	<b>LOT OF UNUSED PRESSURE GAUGES, (Approx. 17)</b> <b>MARSHALLTOWN</b> , 2.0", 1.50/200 PSI/1400 KPA, 1/8" back connection, Part No.'s J1854, J0654 (Location L - Houston, TX)
62	1	<b>LOT OF UNUSED PRESSURE GAUGES, (Approx. 20)</b> <b>MARSHALLTOWN</b> , 2.0", 23B, 23 KC, 0/200 PSI 1400, 700 KPA, back connection, Part No.'s J2654, J248 (Location L - Houston, TX)

HUGE ONLINE AUCTION - (14) LOCATIONS

LOT	QTY	DESCRIPTION
63	1	<b>LOT OF UNUSED PRESSURE GAUGES, (Approx. 15)</b> <b>MARSHALLTOWN:</b> (10) Mdl. J2464, , 2.0", 23B, 0/600 PSI & KPA, 1/8" back connection; (5) Mdl. J2642, 2.0" 23B, 0/30" & KPA, 1/4" back connection, Part No.'s G10046, G10873 (Location L - Houston, TX)
64	1	<b>LOT OF UNUSED PRESSURE GAUGES, (Approx. 23)</b> <b>MARSHALLTOWN,</b> 2.0", 23 KT, 0/30 PSI, 1/4" top connection, Part No. G29706 (Location L - Houston, TX)
65	1	<b>LOT OF UNUSED PRESSURE GAUGES, (Approx. 26) WILSHER CO.,</b> 2.0" 0/30 PSI, 0/200 KPA, 1/4" top connection, Part No. W29799 (Location L - Houston, TX)
66	1	<b>LOT OF UNUSED PRESSURE GAUGES, (Approx. 26) WILSHER CO.,</b> 2.0", 0/30 PSI, 0/200 KPA, 1/4" top connection, Part No. W29799 (Location L - Houston, TX)
67	1	<b>LOT OF UNUSED PRESSURE GAUGES, (Approx. 19), (17)</b> <b>MARSHALLTOWN,</b> 2" FIG. 0-300 PSI, Merlon Plastic case, 1/8" bottom connection, Part No. G14341; <b>(2) MARSHALLTOWN,</b> 2-1/2", 138B, 30" x 150, R-12 black steel case, 1/8 NPT, back connection, Part No. G26271 (Location L - Houston, TX)
68	1	<b>LOT OF UNUSED PRESSURE GAUGES, (Approx. 30), (18)</b> <b>MARSHALLTOWN,</b> 2" fig., 0-160#, Merlon Plastic case, 1/8" bottom connection, <b>(12) MARSHALLTOWN,</b> 2" fig., 0-300 PSI, 1/8" NPT, Merlon case, back connection (Location L - Houston, TX)
69	1	<b>LOT OF UNUSED BIMETAL THERMOMETERS, (Approx. 9)</b> <b>REOTEMP,</b> 3.0", Mdl.'s A & L, 4", 6" & 9" stems, 0-250 F., 0-550 F., 1/2, 1-1/2 NPT, Part No. AA090D69 (Location L - Houston, TX)
70	1	<b>LOT OF UNUSED BIMETAL THERMOMETERS, (Approx. 9) ABCO &amp; REOTEMP,</b> 3.0" - 5.0", 0-550 F, 0 - 250 F, 0 - 140 C, 0 - 90 C, 4", 6", 9" & 12" stems, SS (Location L - Houston, TX)
71	1	<b>DIESEL FORKLIFT, TAYLOR 52,000 LB. CAP. MDL. TC520,</b> new 1989, diesel engine, 99" lift ht., 120" lift, 8' forks, fork positioner, cushion tires, S/N S-D1-19942 (contact site for loading charge) (Location M - Irving, TX)
72	1	<b>DIESEL FORKLIFT, DOOSAN 36,000 LB. CAP. MDL. D16S-5,</b> new 2009, diesel engine, 15'-5" lowered mast, 17'-3" raised mast, side shifting individual fork positioners, 120" forks, cold air AC & heat, 12,582 H.O.M., S/N LQ-0317 (\$75 loading charge) (Location M -



HUGE ONLINE AUCTION - (14) LOCATIONS

LOT	QTY	DESCRIPTION
73	1	<b>DIESEL FORKLIFT, ROYAL 36,000 LB. CAP. MDL. P360H</b> , new 2002, diesel engine, 36,000 lb. @ 3' L.C., 142"/168" standard mast, dual drive pneu., fork positioner, S/N L1030 (\$75 loading charge) (Location M - Irving, TX)
74	1	<b>DIESEL FORKLIFT, CATERPILLAR 26,500 LB. CAP. MDL. P26500</b> , new 2008, diesel engine, 26,500 lb. @ 2' L.C., 157" standard mast, dual drive pneu., side shift, fork positioner, S/N 37A-10059 (\$75 loading charge) (Location M - Irving, TX)
75	1	<b>DIESEL COMPACT RIGGING STYLE LIFT TRUCK, ROYAL 25,000 LB. CAP. MDL. TA220BH</b> , Perkins diesel engine, 25,000 lb. cap. @ 24", 22,000 lb. cap. @ 30", 10' 2-stage, 145" max. lift ht., 322 H.O.M., S/N T0866 (Location O - Conroe, TX)
76	1	<b>GASOLINE FORKLIFT, CATERPILLAR 22,500 LB. CAP. MDL. V225</b> , new 1978, gasoline engine, 160" std. mast, 218" lift, 80" forks, pneu. tires, side shift, S/N 18V148 (Location N - Converse, TX)
77	1	<b>DIESEL FORKLIFT, DOOSAN 11,500 LB. CAP. MDL. D50C-5</b> , new 2011, diesel engine, 114"/157" standard mast SS, dual drive pneu., 5,886 H.O.M., S/N FDB04-1240-01968 (\$75 loading charge) (Location M - Irving, TX)
78	1	<b>DIESEL FORKLIFT, MITSUBISHI 11,000 LB. CAP. MDL. FD50</b> , new 1996, diesel engine, 96" triple mast, 187" lift, 72" forks, solid pneu. style tires, side shift, 8,685 H.O.M., S/N AF28A50050 (Location N -
79	1	<b>DIESEL FORKLIFT, TOYOTA 8,000 LB CAP. MDL. 7FDU35</b> , new 2007, diesel engine, 127" std. mast, 199" lift ht., solid pneu. style tires, side shift, 6,865 H.O.M., S/N 70046 (Location N - Converse, TX)
80	1	<b>DIESEL FORKLIFT, CATERPILLAR 8,000 LB CAP. MDL. DP40K</b> , new 2005, diesel engine, 128" std. mast, 198" lift, 42" forks, solid pneu. style tires, side shift, 7,568 H.O.M., S/N AT19C01252 (Location N - Converse, TX)
81	1	<b>DIESEL FORKLIFT, CATERPILLAR 8,000 LB. CAP. MDL. DP40K</b> , new 2004, diesel engine, 128"std. mast, 198" lift, 42" forks, solid pneu. style tires, side shift, 6,867 H.O.M., S/N AT19C00898 (Location N - Converse, TX)

HUGE ONLINE AUCTION - (14) LOCATIONS

LOT	QTY	DESCRIPTION
82	1	<b>DIESEL FORKLIFT, KOMATSU 8,000 LB. CAP. MDL. FD40ZT-5,</b> new 1990, diesel engine, 110" 2-stage mast, 159" lift height, dual drive pneu. tires, 42" forks, S/N 11084A (\$75 loading charge) (Location M - Irving, TX)
83	1	<b>DIESEL FORKLIFT, CATERPILLAR 5,000 LB. CAP. MDL. P5000D,</b> new 2006, diesel engine, 113" std. mast, 178" lift, 42" forks, solid pneu. style tires, side shift, 7,593 H.O.M., S/N AT18C01125 (Location N - Converse, TX)
84	1	<b>DIESEL FORKLIFT, CATERPILLAR 5,000 LB. CAP. MDL. P5000,</b> new 2004, diesel engine, 162" standard mast, pneu. tires, S/N AT18C00380 (\$75 loading charge) (Location M - Irving, TX)
85	1	<b>DIESEL SIDE LOADER FORKLIFT, BAUMANN 13,000 LB. CAP. MDL. AS-60-14-40,</b> new 1997, Perkins diesel engine, 113" lowered mast, 127" raised mast, 1,866 H.O.M., S/N 4648 (\$75 loading charge)
86	1	<b>LPG FORKLIFT, CLARK 10,000 LB. CAP. MDL. C50SL,</b> new 2010, LPG engine, 114"/240" triple mast SS, dual drive pneu. 3,289 H.O.M., S/N P455L-0131-9784KF (\$75 loading charge) (Location M - Irving, TX)
87	1	<b>LPG FORKLIFT, YALE 8,000 LB. CAP. MDL. GLC080LINGAE092,</b> new 2005, LPG engine, 92" triple stage mast, 185" lift ht., 42" forks, cushion tires, side shift, S/N D818V02279C (Location C - Houston, TX)
88	1	<b>LPG FORKLIFT, TOYOTA 7,000 LB. CAP. MDL. 8FGCU32,</b> new 2012, LPG engine, 88" triple stage mast, 187" lift ht., 42" forks, cushion tires, side shift, S/N 17414 (Location C - Houston, TX)
89	1	<b>LPG FORKLIFT, CATERPILLAR 6,000 LB. CAP. MDL. P6000,</b> new 2007, LPG engine, 83" standard mast, 130" lift ht., 42" forks, side shift, pneu. tires, S/N AT13F10567 (\$75 loading charge) (Location M - Irving, TX)
90	1	<b>LPG FORKLIFT, YALE 5,000 LB. CAP. MDL. GLC050VXNVSE085,</b> new 2006, LPG engine, 85" triple stage mast, 195" lift ht., 42" forks, cushion tires, side shift, S/N A910V06530D (Location C - Houston, TX)
91	1	<b>LPG FORKLIFT, YALE 5,000 LB. CAP. MDL. GLC050VXNGSE094,</b> new 2005, LPG engine, 94" triple stage mast, 225" lift ht., 42" forks, cushion tires, side shift, S/N A910V3971C (\$75 loading charge) (Location M - Irving, TX)

HUGE ONLINE AUCTION - (14) LOCATIONS

LOT	QTY	DESCRIPTION
92	1	<b>LPG FORKLIFT, YALE 5,000 LB. CAP. MDL. GLC050VXNGSE094</b> , new 2005, LPG engine, 94" triple stage mast, 225" lift ht., 42" forks, cushion tires, side shift, S/N A910V3987C (\$75 loading charge) (Location M - Irving, TX)
93	1	<b>LPG FORKLIFT, YALE 5,000 LB. CAP. MDL. GLC050TGNUAQ084</b> , new 1999, LPG engine, 83" quad mast, 252" lift ht., 42" forks, cushion tires, side shift, S/N E187V10650W (\$75 loading charge) (Location M - Irving, TX)
94	1	<b>LPG FORKLIFT, DAEWOO 5,000 LB. CAP. MDL. G25S</b> , new 1997, LPG engine, 83" triple stage mast, 189" lift ht., 42" forks, pneu. tires, side shift, S/N 10-0172 (\$75 loading charge) (Location M - Irving, TX)
95	1	<b>LPG FORKLIFT, CATERPILLAR 3,000 LB. CAP. MDL. GC15</b> , new 1997, LPG engine, 83" triple stage mast, 189" lift ht., 42" forks, S/N 2EM04478 (\$75 loading charge) (Location M - Irving, TX)
96	1	<b>ELECTRIC FORKLIFT, HYSTER 8,000 LB. CAP. MDL. E80XL</b> , new 2005, 83" triple stage mast, 170" lift ht., cushion tires, 48 v. battery, 1,856 H.O.M, S/N C098N03565C (\$75 loading charge) (Location M - Irving, TX)
97	1	<b>ELECTRIC FORKLIFT, YALE 5,000 LB. CAP. MDL. ERC050GHN36TE088</b> , new 2007, 88" triple stage mast, 204" lift ht., 42" forks, 36 v. battery, side shift, 4,638 H.O.M., S/N A908N06502E (\$75 loading charge) (Location M - Irving, TX)
98	1	<b>ELECTRIC FORKLIFT, YALE 5,000 LB. CAP. MDL. ERC050GHN36TE084</b> , new 2007, 84" triple stage mast, 192" lift ht., 42" forks, 36 v. battery, side shift, 5,214 H.O.M., S/N A908N07518E (\$75 loading charge) (Location M - Irving, TX)
99	1	<b>ELECTRIC FORKLIFT, YALE 3,500 LB. CAP. MDL. ESC035FAN36T082</b> , new 2005, 82" triple stage mast, 189" lift height, 42" forks, 36 v. battery, cushion tires, side shift, 3,755 H.O.M., S/N A883N02397C (\$75 loading charge) (Location M - Irving, TX)
100	1	<b>ELECTRIC FORKLIFT, YALE 3,500 LB. CAP. MDL. NR035ADNL36TE107</b> , new 2000, 107" triple stage mast, 240" lift ht., 42" forks, 36 v. battery, side shift, 1,471 H.O.M., S/N B815N03715X (\$75 loading charge) (Location M - Irving, TX)

HUGE ONLINE AUCTION - (14) LOCATIONS

LOT	QTY	DESCRIPTION
101	1	<b>ELECTRIC FORKLIFT, YALE 3,000 LB. CAP. MDL.</b> <b>OS030EBN24TE095</b> , new 1999, 95" triple stage mast, 213" lift height, 24 v. battery, 4,338 H.O.M., S/N B801N01552W (\$75 loading charge)
102	1	<b>ELECTRIC WALKIE STACKER FORKLIFT, CATERPILLAR 2,200 LB. CAP. MDL. SF2200-90325560-2009</b> , 77"/60" fork over straddle, 600 H.O.M. (\$75 loading charge) (Location M - Irving, TX)
103	1	<b>ELECTRIC ORDER PICKER, YALE 3,000 LB. CAP. MDL.</b> <b>OSO30EAN24TE095</b> , S/N 801N06267T (requires repair) (Location I - Deer Park, TX)
104	1	<b>ELECTRIC PALLET JACK, YALE 4,000 LB. CAP. MDL.</b> <b>MPB040EN24T2748</b> , new 2010, 24 v. battery, 27 x 48, 455 H.O.M., S/N B827N40452 (\$75 loading charge) (Location M - Irving, TX)
105	1	<b>ELECTRIC PALLET JACK, YALE 4,000 LB. CAP. MDL.</b> <b>MPB040EN24T2748</b> , new 2008, 24 v. battery, 27 x 48, 475 H.O.M, S/N B827N31153F (\$75 loading charge) (Location M - Irving, TX)