

SYSTRONIX INC. CATALOG

LOT	QTY	DESCRIPTION
1	1	TOOLBOX, HUSKY , 9-drawer, wood top
2	1	TOOLBOX, HUSKY , 9-drawer, wood top
3	1	TOOLBOX, WATERLOO , 12-drawer
4	1	ARC WELDER, LINCOLN ELECTRIC, AC-225
5	1	AIR COMPRESSOR, HUSKY , 10 gal., 1.5 HP, 135 max. PSI
6	1	DRILL PRESS, RYOBI 10"
7	1	SHOP VACUUM, SHOPVAC , 16 gal., 6.5 HP
8	1	TABLE SAW, CRAFTSMAN 10" , w/extra blades
9	1	LOT OF TOOLBOXES , w/wrenches, sockets, etc.
10	1	LOT OF ELECTRIC HAND TOOLS: Dewalt drills, Craftsman Saw-All, Black & Decker Skillsaw, etc.
11	1	LOT OF PNEUMATIC TOOLS: nail guns, H.D. impact guns, grease gun
12	1	INDUSTRIAL BLOWER, COOK MDL. 165SON , 2,000 CFPM, 0.500 HP
13	1	PRESSURE WASHER HOSE REEL, HYDROTEK , stainless steel
14	1	TRASH PUMP, BRIGGS & STRATTON 2" , 3.5 HP, w/hose
15	1	PARTS WASH TANK
16	1	EMERGENCY EYEWASH STATION, FENDALL
17	1	FOREMAN'S DESK, PENCO
18	1	ROLLING CART , 3-tier
19	1	LOCKABLE ROLLING TOOLBOX
20	1	HYDRAULIC H-FRAME SHOP PRESS, BIG RED JAX 150 T. CAP. , elec. driven hyd. pump, bend tooling, 44-1/2" dist. btn. uprights, adj. height bed
21	1	TRAVELING COLUMN VERTICAL MACHINING CENTER, DECKEL MAHO MDL. DMF260/11, new 2013 , Siemens ERGOline 840D CNC control, 43.3" x 126" table, 8,818 lb. table load, 41.3" dia. built-in horiz. rotary table, 102.4" X, 43.3" Y & 35.4" Z-axis travels, B-axis spdl. tilt (+/- 100 deg.), CAT-50 taper, 10,000 RPM, 42.9 HP, 60 pos. ATC, paper filter coolant system, hi-pressure thru spdl. coolant, PP60 Infrared measuring probe, Blum tool length laser, 3D quick-set, 2-circuit hyd. clamping system, 2,823 in cycle hours, 10,495 pwr. on hours, S/N 15185263284
22	1	CNC ROTARY TABLE, MMK MATSUMOTO MDL. MBX453R-05 , 17.7" dia. platen, 10" center ht., 8" thru hole, Adjust-Tru 19-1/2" dia. 6-jaw chuck, tailstock
23	1	VERTICAL MACHINING CENTER, OKUMA MDL. MILLAC 852VII 4-AXIS , new 12/2013, installed new 2014, Fanuc 31i Mdl. B5 CNC control, 33.4" x 126" table, 8,360 lb. table load, 120" X, 33.4" Y & 29.5" Z-axis travels, CAT-50 "Big Plus" taper, 6,000 RPM, 18.5 HP, 30 pos. ATC, Renishaw auto. gaging, Tsudakoma 16" dia. 4-axis table w/approx. 7" hole, Adjust-Tru 19-1/2" dia. 6-jaw chuck, tailstock, MP Systems Mdl. RFW/MP1200 combined mist collection system & 1,000 PSI hi-pressure thru spdl. coolant system, chip conveyor, S/N 174062
24	1	CNC HOLLOW SPINDLE LATHE, WEILER MDL. E90X3000 , new 2013, Weiler/Siemens electronic control, 35.4" sw. over bed, 20.86" sw. over crossslide, 118" btn. centers, 10.31" spdl. bore, spds: 1-700 RPM, 45 kW, front & rear 27-1/2" hollow spdl. 4-jaw chucks, roller jaw steadyrest, boring block on turret, Aloris quick change toolpost w/approx. (9) toolholders, chip conveyor, 4,964 pwr. on hours, S/N IA02

SYSTRONIX INC. CATALOG

LOT	QTY	DESCRIPTION
25	1	VERTICAL MACHINING CENTER, MORI SEIKI MDL. NVX7000/50 4-AXIS , new 6/2014, DMG Mori FOIMD CNC control w/Mapps IV software, 28.3" x 66.9" table size, 4,409 lb. table load, 60.6" X, 29.9" Y & 26" Z-axis travels, CAT-50 taper, 10,000 RPM, 40 HP, Kitagawa 12" CNC rotary table w/approx. 4" spdl. thru hole, 12" dia. 3-jaw chuck & tailstock, Renishaw touch probe, Renishaw tool length measuring probe, Cool Jet hi-pressure thru spdl. coolant system, 30 pos. ATC, chip conveyor, S/N NV701140505
26	1	CNC LATHE, MORI SEIKI MULTI-AXIS MDL. NLX2500SY/1250 , new 10/2012, Mori Seiki M730BM CNC control, 36.2" sw. over bed, 29.2" sw. over crossslide, 13.7" turn dia., 49.2" turn length, +/- 2" Y-axis, 3.5" bar cap., 18 HP - 4,000 RPM main spdl., 11 HP - 6,000 RPM sub-spdl., 5 HP - 10,000 RPM milling, Cool Jet Mdl. AC24-FP-230 hi-pressure coolant system, chip conveyor, sub-spdl., ATS Mdl. ML3-580 magazine barfeed w/assorted liners, Kitagawa 10" thru hyd. chuck on main spdl., Kitagawa 6" thru hole hyd. chuck on sub-spdl., tool presetter, parts catcher, S/N NL25412102C
27	1	CNC LATHE, MORI SEIKI MULTI-AXIS MDL. NLX2500Y/700 , new 6/2012, Mori Seiki 720BM CNC control, 36.2" sw. over bed, 29.2" sw. over crossslide, 13.7" turn dia., 27.7" turn length, +/- 2" Y-axis, 3.5" bar cap., 18 HP - 4,000 RPM main spdl., 5 HP - 10,000 RPM milling, ATS ML3-580 CNC barfeed, Kitagawa 10" dia. 3-jaw thru hole chuck, hyd. tailstock, 12 pos. vert. turret w/live milling, Y-axis travel, Cool Jet hi-pressure coolant system, LNS Fox WS700 mist collection system, tool presetter, parts catcher, chip conveyor, S/N NL254120649
28	1	CNC LATHE, DOOSAN LYNX MDL. 220LC , new 3/2014, Fanuc 31i CNC control, 20.1" sw. over bed, 11.4" sw. over saddle, 12.6" turn dia., 20.7" turn length, 2.6" bar cap., 4,000 RPM, 20 HP, 12 pos. turret, Samchully 8" thru hole hyd. chuck, parts catcher, tool presetter, hyd. tailstock, chip conveyor, Fox Mdl. WS330 mist & fume collector, S/N ML0022-006052
29	1	PROGRAMMABLE EDM/TAP DISINTEGRATOR, CHEVALIER , 15 amp, w/head, mag. base & various accessories
30	1	CABINET KILN, PARAGON PROFESSIONAL SERIES DRAGON 24 MDL. 706111BACD , Sentry 2.0 microprocessor, 2,350 max. F. max. temp., fired brick lined, elec. fired, brake-away control cabinet, S/N 439828
31	1	OVERHEAD BRIDGE CRANE SYSTEM, GORBEL 4,000 LB. X 26'-6" SPAN , new 2014, sgl. bridge, manual bridge motions, 29'-4" ttl. runway length, approx. 7' ht. under hook, DeMag elec. chain hoist w/pendant control & bucket
32	1	SCREW TYPE AIR COMPRESSOR, CHICAGO PNEUMATIC , 15 HP, ORS-15, 150 gal. tank
33	1	JIB CRANE, GORBEL 1,000 LB. CAP. , 15' ht., 12' arm reach, w/elec. hoist
33A	1	OVERHEAD BRIDGE CRANE SYSTEM, GORBEL 4,000 LB. X 26'-6" SPAN , new 2014, sgl. bridge, manual bridge motions, 29'-4" ttl. runway length, approx. 7' ht. under hook, DeMag elec. chain hoist w/pendant control & bucket
34	1	LOT OF CAT-50 TOOLING , approx. 5 (in one bin)
35	1	LOT OF CAT-50 TOOLING , approx. 5 (in one bin)
36	1	LOT OF CAT-50 TOOLING , approx. 5 (in one bin)
37	1	LOT OF CAT-50 TOOLING , approx. 5 (in one bin)
38	1	LOT OF CAT-50 TOOLING , approx. 5 (in one bin)
39	1	LOT OF CAT-50 TOOLING , approx. 5 (in one bin)
40	1	LOT OF CAT-50 TOOLING , approx. 5 (in one bin)

SYSTRONIX INC. CATALOG

LOT	QTY	DESCRIPTION
41	1	LOT OF CAT-50 TOOLING, approx. 5 (in one bin)
42	1	LOT OF CAT-50 TOOLING, approx. 5 (in one bin)
43	1	LOT OF CAT-50 TOOLING, approx. 5 (in one bin)
44	1	LOT OF CAT-50 TOOLING, approx. 5 (in one bin)
45	1	LOT OF CAT-50 TOOLING, approx. 5 (in one bin)
46	1	LOT OF CAT-50 TOOLING, approx. 5 (in one bin)
47	1	LOT OF CAT-50 TOOLING, approx. 5 (in one bin)
48	1	LOT OF CAT-50 TOOLING, approx. 5 (in one bin)
49	1	LOT OF CAT-50 TOOLING, approx. 5 (in one bin)
50	1	LOT OF CAT-50 TOOLING, approx. 5 (in one bin)
51	1	LOT OF CAT-50 TOOLING, approx. 5 (in one bin)
52	1	LOT OF CAT-50 TOOLING, approx. 5 (in one bin)
53	1	LOT OF CAT-50 TOOLING, approx. 5 (in one bin)
54	1	LOT OF CAT-50 TOOLING, approx. 5 (in one bin)
55	1	LOT OF CAT-50 TOOLING, approx. 5 (in one bin)
56	1	LOT OF CAT-50 TOOLING, approx. 5 (in one bin)
57	1	LOT OF CAT-50 TOOLING, approx. 5 (in one bin)
58	1	LOT OF CAT-50 TOOLING, approx. 5 (in one bin)
59	1	LOT OF CAT-50 TOOLING, approx. 5 (in one bin)
60	1	LOT OF CAT-50 TOOLING, approx. 5 (in one bin)
61	1	LOT OF CAT-50 TOOLING, approx. 5 (in one bin)
62	1	LOT OF CAT-50 TOOLING, approx. 5 (in one bin)
63	1	LOT OF CAT-50 TOOLING, approx. 5 (in one bin)
64	1	LOT OF CAT-50 TOOLING, approx. 5 (in one bin)
65	1	LOT OF CAT-50 TOOLING, approx. 5 (in one bin)
66	1	LOT OF CAT-50 TOOLING, approx. 5 (in one bin)
67	1	LOT OF CAT-50 TOOLING, approx. 5 (in one bin)
68	1	LOT OF CAT-50 TOOLING, approx. 5 (in one bin)
69	1	LOT OF CAT-50 TOOLING, approx. 5 (in one bin)
70	1	LOT OF CAT-50 TOOLING, approx. 5 (in one bin)
71	1	LOT OF CAT-50 TOOLING, approx. 5 (in one bin)
72	1	LOT OF CAT-50 TOOLING, approx. 5 (in one bin)
73	1	LOT OF CAT-50 TOOLING, approx. 5 (in one bin)
74	1	LOT OF CAT-50 TOOLING, approx. 5 (in one bin)
75	1	LOT OF CAT-50 TOOLING, approx. 5 (in one bin)
76	1	LOT OF CAT-50 TOOLING, approx. 5 (in one bin)
77	1	LOT OF CAT-50 TOOLING, approx. 5 (in one bin)
78	1	LOT OF CAT-50 TOOLING, approx. 5 (in one bin)
79	1	LOT OF CAT-50 TOOLING, approx. 5 (in one bin)
80	1	LOT OF CAT-50 TOOLING, approx. 5 (in one bin)
81	1	LOT OF CAT-50 TOOLING, approx. 5 (in one bin)
82	1	ANTI-CHATTER BORING BAR, SANDVIK COROMAT MDL. A570-3CD6406
83	1	ANTI-CHATTER BORING BAR, SANDVIK COROMAT SL MDL. A570-3CD4845
84	1	ANTI-CHATTER BORING BAR, SANDVIK COROMAT SL MDL. A570-3CD403440
85	1	ANTI-CHATTER BORING BAR, SANDVIK COROMAT SL MDL. A570-3CD322740
86	1	LOT OF LATHE BORING BARS, large & small (in one bin)
87	1	LOT OF LATHE BORING BARS, large & small (in one bin)
88	1	LOT OF LATHE BORING BARS, large & small (in one bin)
89	1	LOT OF LATHE BORING BARS, large & small (in one bin)
90	1	LOT OF LATHE BORING BARS, large & small (in one bin)

SYSTRONIX INC. CATALOG

LOT	QTY	DESCRIPTION
91	1	LOT OF LATHE BORING BARS, large & small (in one bin)
92	1	LOT OF LATHE BORING BARS, large & small (in one bin)
93	1	LOT OF LATHE BORING BARS, large & small (in one bin)
94	1	LOT OF LATHE BORING BARS, large & small (in one bin)
95	1	LOT OF LATHE BORING BARS, large & small (in one bin)
96	1	LOT OF LATHE BORING BARS, large & small (in one bin)
97	1	LOT OF LATHE BORING BARS, large & small (in one bin)
98	1	LOT OF LATHE BORING BARS, large & small (in one bin)
99	1	LOT OF LATHE BORING BARS, large & small (in one bin)
100	1	LOT OF LATHE BORING BARS, large & small (in one bin)
101	1	LOT OF LATHE BORING BARS, large & small (in one bin)
102	1	LOT OF LATHE BORING BARS, large & small (in one bin)
103	1	LOT OF LATHE BORING BARS, large & small (in one bin)
104	1	LOT CONSISTING OF: carbide insert boring bars & toolholders (in one bin)
105	1	LOT CONSISTING OF: carbide insert boring bars & toolholders (in one bin)
106	1	LOT CONSISTING OF: carbide insert boring bars & toolholders (in one bin)
107	1	LOT CONSISTING OF: carbide insert boring bars & toolholders (in one bin)
108	1	LOT CONSISTING OF: carbide insert boring bars & toolholders (in one bin)
109	1	LOT CONSISTING OF: carbide insert boring bars & toolholders (in one bin)
110	1	LOT CONSISTING OF: carbide insert boring bars & toolholders (in one bin)
111	1	LOT CONSISTING OF: carbide insert boring bars & toolholders (in one bin)
112	1	LOT CONSISTING OF: carbide insert boring bars & toolholders (in one bin)
113	1	LOT CONSISTING OF: carbide insert boring bars & toolholders (in one bin)
114	1	TOOLHOLDER, ALORIS MDL. DA-40-3000, w/36" bar, 3" dia.
115	1	TOOLHOLDER, ALORIS MDL. DA-40-3000, w/36" bar, 3" dia.
116	1	TOOLHOLDER, ALORIS MDL. DA-41, w/32" bar, 2" dia.
117	1	LOT OF TOOLHOLDERS (10), ALORIS MDL. E-3
118	1	LOT OF TOOLHOLDERS (9), ALORIS MDL. EA-1
119	1	LOT OF CHUCK JAWS, assorted
120	1	BENCH VISE, on swivel base
121	1	BENCH VISE, on swivel base
122	1	BENCH VISE, on swivel base
123	1	PNEUMATIC BENCH VISE, AIRLOX MDL. S50 382
124	1	BENCH VISE
125	1	BENCH VISE, on swivel base
126	1	BENCH VISE
127	1	BENCH VISE, WILTON, on swivel base
128	1	BENCH VISE
129	1	BENCH VISE, WILTON, on swivel base, removeable bushing
130	1	SWIVEL BASE, for vise
131	1	SWIVEL BASE, for vise
132	1	SWIVEL BASE, for vise
133	1	SWIVEL BASE, for vise
134	1	SWIVEL BASE, for vise
135	1	SWIVEL BASE, for vise
136	1	GAUGE CALIBRATION SYSTEM, GAGEMAKER, new 7/2014, Mdl. MIC TRAC MT4000 measuring center, computer control system, S/N 3292

SYSTRONIX INC. CATALOG

LOT	QTY	DESCRIPTION
137	1	FORKLIFT, TOYOTA 5,000 LB. CAP. MDL. 8FGCU25 , new 2012, LPG, 83"/189" triple mast SS, 42" forks, cushion tires, S/N 22777
138	1	FORKLIFT, TOYOTA 5,000 LB. CAP. MDL. 8FGCU25 , new 2012, LPG, 83"/189" triple mast SS, 42" forks, cushion tires, S/N 27289
139	1	FORKLIFT, HYSTER 3,000 LB. CAP. MDL. H30FT , new 2005, LPG, 62" standard mast, 90" lift ht., S/N F001V01629C
140	1	FORKLIFT, YALE 3,000 LB. CAP. MDL. GLP030 , new 2000, LPG, 62" standard mast, 90" lift ht., 42" forks, pneu. wheels w/solid rubber tires, S/N A810N05575X
141	1	ELECTRIC FORKLIFT, HYSTER 4,000 LB. CAP. MDL. J40XL , 36 v., S/N B168V01574G (battery charger not working)