

ECOLOGICAL SERVICES INTERNATIONAL, INC. CATALOG

| LOT | QTY | DESCRIPTION                                                                                                                                                                                                                                                                                                                                        |
|-----|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 4   | 1   | <b>VERTICAL BANDSAW, POWERMATIC MDL. 87</b> , 20" throat depth, assorted blades, S/N 487076                                                                                                                                                                                                                                                        |
| 5   | 1   | <b>ENGINE LATHE, BIRMINGHAM 16" X 40" MDL. YCL1640</b> , new 2004, 8" sw. over crossslide, spds: 25-2000 RPM, 2-1/2" spdl. hole, 10" dia. 3-jaw chuck, 10" dia. 4-jaw chuck, steadyrest, S/N 311212                                                                                                                                                |
| 6   | 1   | <b>HAND FEED SURFACE GRINDER, KENT 6" X 18" MDL. KGS618</b> , new 12/2003, perm. magnetic chuck, coolant system, 1 HP direct drive wheel, S/N KT30445                                                                                                                                                                                              |
| 7   | 1   | <b>GRINDER WHEEL DRESSER</b> , S/N 3406                                                                                                                                                                                                                                                                                                            |
| 8   | 1   | <b>AUTOMATIC KILN, SELECT FIRE MDL. EX226SF</b> , 240 v., 6,400 watts, 2,350 deg. F. max. cone temp., quench tank, S/N 007152                                                                                                                                                                                                                      |
| 9   | 1   | <b>STABILIZING OVEN, PHOENIX DRY ROD</b>                                                                                                                                                                                                                                                                                                           |
| 9A  | 1   | <b>CABINET OVEN, OMEGALUX MDL. LMF-M526</b>                                                                                                                                                                                                                                                                                                        |
| 10  | 1   | <b>ROCKWELL HARDNESS TESTER, ENCO MDL. EXPNR</b> , S/N 84/528B                                                                                                                                                                                                                                                                                     |
| 11  | 1   | <b>CNC VERTICAL MACHINING CENTER, CAMPRO MDL. CSP-550I</b> , new 2007, Fanuc Series 0i-MC CNC control, 17" x 25-1/2" table, 660 lb. table load, 21.6" X-axis travel, 16.9" Y-axis travel, 18.8" Z-axis travel, CAT-40 spdl. taper, 8,000 RPM, 15 HP motor, 20 pos. ATC, S/N MVAA-029 (Note: Fanuc control & machine motors under service contract) |
| 12  | 1   | <b>CNC VERTICAL MACHINING CENTER, CAMPRO MDL. CSP-550I</b> , new 2007, Fanuc Series 0i-MC CNC control, 17" x 25-1/2" table, 660 lb. table load, 21.6" X-axis travel, 16.9" Y-axis travel, 18.8" Z-axis travel, CAT-40 spdl. taper, 8,000 RPM, 15 HP motor, 20 pos. ATC, S/N MVAA-030 (Note: Fanuc control & machine motors under service contract) |
| 13  | 1   | <b>LOT CONSISTING OF:</b> Campro #40 taper toolholders (approx. 25), milling ends, wooden table, etc.                                                                                                                                                                                                                                              |
| 14  | 1   | <b>SPIN INDEXER, Type PF70</b>                                                                                                                                                                                                                                                                                                                     |
| 15  | 1   | <b>SPIN INDEXER, PHASE II</b> , S/N H-0220                                                                                                                                                                                                                                                                                                         |
| 16  | 1   | <b>INDEXING HEAD, 7"</b> , S/N 0373                                                                                                                                                                                                                                                                                                                |
| 17  | 1   | <b>INDEXING HEAD, 6-1/2"</b>                                                                                                                                                                                                                                                                                                                       |
| 18  | 1   | <b>INDEXING HEAD, 15"</b>                                                                                                                                                                                                                                                                                                                          |
| 19  | 1   | <b>MACHINE VISE</b>                                                                                                                                                                                                                                                                                                                                |
| 20  | 1   | <b>MACHINE VISE</b>                                                                                                                                                                                                                                                                                                                                |
| 21  | 1   | <b>MACHINE VISE</b>                                                                                                                                                                                                                                                                                                                                |
| 22  | 1   | <b>ANGLE MILLING VISE</b> , adj.                                                                                                                                                                                                                                                                                                                   |
| 23  | 1   | <b>INSPECTION SYSTEM, MAGNAFINE</b> , including: Sony Hi-Resolution Mdl. CCD-IRIS w/Hitachi monitor                                                                                                                                                                                                                                                |
| 24  | 1   | <b>LOT CONSISTING OF:</b> endmills, hold-down clamps, nuts, bolts, etc.                                                                                                                                                                                                                                                                            |
| 25  | 1   | <b>VERTICAL BEAM OPTICAL COMPARATOR, NIKON MDL. 6C</b> , 12" screen, micrometer stage, S/N 42432                                                                                                                                                                                                                                                   |
| 26  | 1   | <b>LOT CONSISTING OF:</b> #40 taper toolholders, collet holder, collets, endmills                                                                                                                                                                                                                                                                  |
| 27  | 1   | <b>LOT CONSISTING OF:</b> drill bits, nuts, bolts, hold-down clamps, etc.                                                                                                                                                                                                                                                                          |

ECOLOGICAL SERVICES INTERNATIONAL, INC. CATALOG

| LOT | QTY | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-----|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 28  | 1   | <b>LOT OF Q.C. EQUIPMENT:</b> 36" x 24" x 4" thk. surface plate, internal & external micrometers, etc. (fourteen items)                                                                                                                                                                                                                                                                                                         |
| 28A | 1   | <b>LOT OF Q.C. EQUIPMENT:</b> dial indicators, height gauges, micrometer (seven tools)                                                                                                                                                                                                                                                                                                                                          |
| 28B | 1   | <b>CNC LATHE, HWACHEON MDL. HI-TECH-200</b> , new 2004, Fanuc 0i-TB CNC control, 19.7" sw. over bed, 13.8" max. turning dia., 15.7" turning length, 3" bar cap., 3,500 RPM, 30 HP, 12-station turret w/live tooling, C-axis spdl., hyd. tailstock, parts catcher, 10" dia. 3-jaw hyd. chuck, MTA International Mdl. V65LE magazine barfeeder, S/N M15352B1FR (Note: control & motor under service agreement)                    |
| 28C | 1   | <b>BARFEED, MTA INTERNATIONAL MDL. V-65LW</b> , new 2003, S/N 6192,2                                                                                                                                                                                                                                                                                                                                                            |
| 29  | 1   | <b>CNC LATHE, HWACHEON MDL. HI-TECH-220</b> , new 2004, Fanuc 18T CNC control, 19.7" sw. over bed, 13.8" max. turning dia., 15.7" turn length, 3" bar cap., 3,500 RPM, 30 HP, 8" dia. 3-jaw hyd. chuck, sub-spdl. w/6" dia. hyd. chuck, 12 pos. vert. turret, MTA International Mdl. V65le magazine barfeeder, chip conveyor, parts catcher, S/N M058352G4KD (Note: Fanuc control & motors under service agreement has expired) |
| 30  | 1   | <b>BARFEEDER, MTA INTERNATIONAL MDL. V-65LE</b> , new 2004, .25" to 2056" bar dia., 60" max. height, S/N 6305                                                                                                                                                                                                                                                                                                                   |
| 30A | 1   | <b>RECIPROCATING TYPE AIR COMPRESSOR, SAYLOR BEALL MDL. PL-451512</b> , new 2007, 15 HP motor, 60 gal. horiz. tank, Saylor Beall Mdl. SBD75 refrigerated air dryer, S/N 45Y-6-V07                                                                                                                                                                                                                                               |
| 31  | 1   | <b>LOT OF TOOLING</b> , for the Hwacheon Mdl. Hi-Tech 200 & Hi-Tech 220 (ten units)                                                                                                                                                                                                                                                                                                                                             |
| 32  | 1   | <b>LOT OF LIVE TOOLING</b> , for the Hwacheon Mdl. Hi-Tech 200 & Hi-Tech 220 (eight units)                                                                                                                                                                                                                                                                                                                                      |
| 33  | 1   | <b>RAM TYPE TURRET LATHE, WARNER &amp; SWASEY NO. 3</b> , Series M-22100, S/N 1839967                                                                                                                                                                                                                                                                                                                                           |
| 34  | 1   | <b>LOT OF STEEL DROPS:</b> plate, tube, solid rod, etc.                                                                                                                                                                                                                                                                                                                                                                         |
| 35  | 1   | <b>FLOOR DRILL, DAYTONA MDL. 30MT4</b> , S/N 07834                                                                                                                                                                                                                                                                                                                                                                              |
| 36  | 1   | <b>ELECTRIC DIE LIFT, PRESTO</b>                                                                                                                                                                                                                                                                                                                                                                                                |
| 37  | 1   | <b>FLOOR STANDING STORAGE CABINET</b> , 72" x 48" x 72", dbl. door                                                                                                                                                                                                                                                                                                                                                              |
| 38  | 1   | <b>CNC VERTICAL MACHINING CENTER, MILLTRONICS MDL. RH30</b> , new 2004, Fanuc Series 0i-MC CNC control, 24" x 73" table, 3,000 lb. table load, 60" X-axis travel, 30" Y-axis travel, 28" Z-axis travel, CAT-40 spdl. taper, 8,000 RPM, 15 HP motor, 24 pos. ATC, full machine enclosure, coolant system, chip conveyor, S/N 8294 (Note: Fanuc control & motors under service contract)                                          |
| 39  | 1   | <b>LOT CONSISTING OF:</b> chuck jaws, right angle plate, etc.                                                                                                                                                                                                                                                                                                                                                                   |
| 40  | 1   | <b>VERTICAL TURRET MILLING MACHINE, BIRMINGHAM MDL. BPV-1054</b> , new 2003, 10" x 54" table, pwr. feed, 2-axis D.R.O., spds: 60-4300 RPM, 3 HP motor, S/N 031240                                                                                                                                                                                                                                                               |

| LOT | QTY | DESCRIPTION                                                                                                                                                                              |
|-----|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 41  | 1   | <b>VERTICAL TURRET MILLING MACHINE, ACER MDL. ULTIMA-4VK</b> , new 1993, 10" x 50" table, 3-axis D.R.O., #40 taper spdl., spds: 70-3600 RPM, 3 HP motor, S/N 9802013II                   |
| 42  | 1   | <b>TURRET DRILL, FEELER TYPE FPC-12 6-STATION</b> , spds: 300-3900 RPM, 1 HP motor, cabinet base, S/N 180510                                                                             |
| 43  | 1   | <b>VERTICAL TURRET MILLING MACHINE, MILLPORT</b> , new 1985, 9" x 48" table, belt driven head, spds: 80-5440 RPM, 1 HP motor, S/N 85467                                                  |
| 44  | 1   | <b>INDEXING HEAD</b> , 8" dia. 3-jaw                                                                                                                                                     |
| 45  | 1   | <b>VERTICAL TURRET MILLING MACHINE, NT</b> , spdl. spds: 78-4800 RPM, 1-1/2 HP motor, belt driven head, 9" x 42" table, pwr. long feed, hardened & ground ways                           |
| 46  | 1   | <b>MACHINE VISE</b>                                                                                                                                                                      |
| 47  | 1   | <b>LOT OF TOOLING FOR #40 TAPER MACHINES:</b> Acermill, Milltronics RH30 & Campro CSP-550, mtd. in yellow rolling cart                                                                   |
| 48  | 1   | <b>LOT CONSISTING OF:</b> vise, drill bits, hyd. cylinder, etc., on rolling steel cart                                                                                                   |
| 49  | 1   | <b>ROLLING STEEL CART</b> , w/electrical drop cords & air hoses                                                                                                                          |
| 50  | 1   | <b>PARTS WASHER, ALLIED</b> , 30" x 20" x 10" tank                                                                                                                                       |
| 51  | 1   | <b>SELF-DUMPING HOPPER</b>                                                                                                                                                               |
| 52  | 1   | <b>RIM MOLDING PRESS, CUSTOM C-FRAME TILT FRAME</b> , approx. 50 T. cap., 30"W. x 27" dp. platen size, approx. 24" daylight, unitized hyd. system, hyd. tilt, directional control valves |
| 53  | 1   | <b>RIM MOLDING PRESS, CUSTOM C-FRAME TILT FRAME</b> , approx. 50 T. cap., 30"W. x 27" dp. platen size, approx. 24" daylight, unitized hyd. system, hyd. tilt, directional control valves |
| 54  | 1   | <b>RIM MOLDING PRESS, CUSTOM C-FRAME TILT FRAME</b> , approx. 50 T. cap., 30"W. x 27" dp. platen size, approx. 24" daylight, unitized hyd. system, hyd. tilt, directional control valves |
| 55  | 1   | <b>RIM MOLDING PRESS, CUSTOM C-FRAME TILT FRAME</b> , approx. 50 T. cap., 30"W. x 27" dp. platen size, approx. 24" daylight, unitized hyd. system, hyd. tilt, directional control valves |
| 56  | 1   | <b>RIM MOLDING PRESS, CUSTOM C-FRAME TILT FRAME</b> , approx. 50 T. cap., 30"W. x 27" dp. platen size, approx. 24" daylight, unitized hyd. system, hyd. tilt, directional control valves |
| 57  | 1   | <b>RIM MOLDING PRESS, CUSTOM C-FRAME TILT FRAME</b> , approx. 50 T. cap., 30"W. x 27" dp. platen size, approx. 24" daylight, unitized hyd. system, hyd. tilt, directional control valves |
| 58  | 1   | <b>RIM MOLDING PRESS, CUSTOM C-FRAME TILT FRAME</b> , approx. 50 T. cap., 30"W. x 27" dp. platen size, approx. 24" daylight, unitized hyd. system, hyd. tilt, directional control valves |
| 58A | 1   | <b>LOT OF CHEMICALS:</b> Specflex NE357 Isocyanate (1), Specflex NR874 poly, 7-40-lb Mesamoll (in 55 gal. drums - used for 2-part RIM process)                                           |
| 59  | 1   | <b>DRY TYPE TRANSFORMER, CUTLER-HAMMER CLASS</b> , 3-phase, 480 v. primary, 75 KVA, S/N J99J1692                                                                                         |
| 60  | 1   | <b>DRY TYPE TRANSFORMER, FEDERAL PACIFIC MDL. 36B</b> , 480 v. primary, 112.5 KVA                                                                                                        |

ECOLOGICAL SERVICES INTERNATIONAL, INC. CATALOG

| LOT | QTY | DESCRIPTION                                                                                                                                    |
|-----|-----|------------------------------------------------------------------------------------------------------------------------------------------------|
| 61  | 1   | <b>DRUM TYPE BARREL CART</b>                                                                                                                   |
| 62  | 1   | <b>DRUM TYPE BARREL CART</b>                                                                                                                   |
| 63  | 1   | <b>TOOL CABINET, LYON, 27" x 25" x 2" drawers, 8-drawer</b>                                                                                    |
| 64  | 1   | <b>ROLLING CART, steel fabricated, w/hand tools, chains, etc.</b>                                                                              |
| 65  | 1   | <b>GRANITE SURFACE PLATE, 48" x 36" x 4" thk., mtd. on steel fabricated stand</b>                                                              |
| 66  | 1   | <b>ROLLING CART, steel fabricated</b>                                                                                                          |
| 67  | 1   | <b>TOOLBOX, steel fabricated, w/production drill bits</b>                                                                                      |
| 68  | 1   | <b>LOT OF TRAILER BALLS: 3 pt. &amp; gooseneck (in two boxes)</b>                                                                              |
| 68A | 1   | <b>SNATCH BLOCK</b>                                                                                                                            |
| 69  | 1   | <b>WORKTABLE, steel fabricated</b>                                                                                                             |
| 70  | 1   | <b>WORKTABLE, wood fabricated, w/cutter heads, hand tools, etc.</b>                                                                            |
| 71  | 1   | <b>BENCH TYPE DRILL PRESS, CENTRAL MACHINERY 8", S/N 010307Q529</b>                                                                            |
| 72  | 1   | <b>BENCH TYPE DRILL PRESS, CENTRAL MACHINERY 8", S/N 010307Q254</b>                                                                            |
| 73  | 1   | <b>BENCH TYPE DRILL PRESS, CENTRAL MACHINERY 8", S/N 122006Q037</b>                                                                            |
| 74  | 1   | <b>LOT OF BENCH GRINDERS (2), 6", w/table</b>                                                                                                  |
| 75  | 1   | <b>LOT OF PNEUMATIC BARREL PUMPS (2), w/rolling table</b>                                                                                      |
| 76  | 1   | <b>FLOOR TYPE DRILL PRESS, BIRMINGHAM 16" MDL. DE-16NF, S/N 975716</b>                                                                         |
| 77  | 1   | <b>FLOOR TYPE DRILL PRESS, UNKNOWN MFG.</b>                                                                                                    |
| 77A | 1   | <b>VERTICAL BANDSAW, DELTA 14"</b>                                                                                                             |
| 77B | 1   | <b>C-FRAME HYDRAULIC PRESS, DENISON 2 T. CAP. MDL. WUA-2 TR, fabricated steel stand, dual palm button controls, S/N 6377</b>                   |
| 78  | 1   | <b>HYDRAULIC POWER UNIT, MILLER MDL. 60010, 700 PSI, 10 gal. tank, 1 HP motor, S/N 91509143</b>                                                |
| 79  | 1   | <b>LOT OF ROLL-AROUND STANDS (7), w/conveyor</b>                                                                                               |
| 80  | 1   | <b>LOT OF HOLD-DOWN CLAMPS</b>                                                                                                                 |
| 81  | 1   | <b>SHELF, steel fabricated, 8' x 2' x 102" ht. x 4-tier</b>                                                                                    |
| 82  | 1   | <b>CHILLER WATER UNIT, consisting of: Weather King Mdl. 10AJB36A01 condenser w/insulated water holding stainless steel tank w/cooling coil</b> |
| 82A | 1   | <b>HOT WATER MOLD TEMPERATURE SYSTEM, w/tank heater &amp; control</b>                                                                          |
| 83  | 1   | <b>AIR COMPRESSOR, INGERSOLL-RAND MDL. T30, 5 HP drive motor, 60 gal. vert. tank, tank mtd., S/N 30T-630248</b>                                |
| 84  | 1   | <b>LOT OF LADDERS (3), assorted</b>                                                                                                            |
| 85  | 1   | <b>LOT OF CHEMICALS: Voracor CE108 Isocyanate (4), Voralux HE150 Isocyanate (2), etc. (in 55 gal. drums - used for 2-part RIM process)</b>     |
| 86  | 1   | <b>ENVIRONMENTALLY CONTROLLED STORAGE CONTAINER, 20', steel fabricated, w/heater, fan, Solid State temp. indicator</b>                         |
| 87  | 1   | <b>WORKTABLE, 8' x 4', steel fabricated</b>                                                                                                    |
| 88  | 1   | <b>PEDESTAL SHOP FAN</b>                                                                                                                       |
| 89  | 1   | <b>LOT OF RIM C-FRAME MOLDING PRESSES (2) (for parts use)</b>                                                                                  |
| 90  | 1   | <b>SHOP BOX FAN</b>                                                                                                                            |

| LOT | QTY | DESCRIPTION                                                                                                                                             |
|-----|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| 91  | 1   | <b>LOT OF PALLET RACK SECTIONS (3), 9'W. x 4' dp. X 13' ht. x 3-tier</b>                                                                                |
| 92  | 1   | <b>AUTOMATIC HYDRAULIC SURFACE GRINDER, KIKINDA MDL. URB-550A</b> , perm. magnetic chuck, magnetic coolant system, over-the-wheel dresser, S/N 6289     |
| 93  | 1   | <b>VERTICAL TURRET MILLING MACHINE, MILLPORT MDL. 3V</b> , 9" x 42" table, spds: 60-4250 RPM, 1-1/2 HP motor, 3-axis D.R.O., long pwr. feed, S/N 810150 |
| 94  | 1   | <b>HORIZONTAL BANDSAW, YANG MDL. BS-15A</b> , auto infeed, 47-250 FPM, 15" rd. max. cutting dia., pwr. Roller infeed w/elec. stop switch, 1" blade      |
| 95  | 1   | <b>HYDRAULIC VERTICAL SHOP PRESS, SIMPLEX 100 T. CAP.</b> , 24" dist. btn. housing                                                                      |
| 96  | 1   | <b>TOOL &amp; CUTTER GRINDER, CINCINNATI MONOSET</b> , S/N 2D1C55-68                                                                                    |
| 96A | 1   | <b>PALLET SHELVING SECTION</b> , 14' x 18" x 72" x 4' ht.                                                                                               |
| 97  | 1   | <b>HAND FEED SURFACE GRINDER, MILLPORT 6" X 18" MDL. 618</b> , perm. magnetic chuck, S/N 02B-4374                                                       |
| 98  | 1   | <b>RAM TYPE EDM MACHINE, SOUTHBEND LATHE MDL. C2000</b> , 60 amp pwr. supply, rotating spdl., 42" x 23" x 12" tank, S/N 27406                           |
| 99  | 1   | <b>LOT CONSISTING OF:</b> metal shelf sections (9), sewing machines (2), parts & hardware (located in mezzanine)                                        |
| 100 | 1   | <b>HYDRAULIC H-FRAME MOLDING COMPRESSOR/MOLDING PRESS, RIDGID</b> , 38" x 12" bed, down-acting, plumb for hot water temp. control                       |
| 101 | 1   | <b>HYDRAULIC H-FRAME MOLDING COMPRESSOR/MOLDING PRESS, RIDGID</b> , 38" x 12" bed, down-acting, plumb for hot water temp. control                       |
| 102 | 1   | <b>HYDRAULIC H-FRAME MOLDING COMPRESSOR/MOLDING PRESS, RIDGID</b> , 38" x 12" bed, down-acting, plumb for hot water temp. control                       |
| 103 | 1   | <b>HYDRAULIC H-FRAME MOLDING COMPRESSOR/MOLDING PRESS, RIDGID</b> , 38" x 12" bed, down-acting, plumb for hot water temp. control                       |
| 104 | 1   | <b>HYDRAULIC H-FRAME MOLDING COMPRESSOR/MOLDING PRESS, RIDGID</b> , 38" x 12" bed, down-acting, plumb for hot water temp. control                       |
| 105 | 1   | <b>HYDRAULIC H-FRAME MOLDING COMPRESSOR/MOLDING PRESS, RIDGID</b> , 38" x 12" bed, down-acting, plumb for hot water temp. control                       |
| 106 | 1   | <b>HYDRAULIC H-FRAME MOLDING COMPRESSOR/MOLDING PRESS, RIDGID</b> , 38" x 12" bed, down-acting, plumb for hot water temp. control                       |
| 107 | 1   | <b>HYDRAULIC C-FRAME PRESS</b> , steel fabricated, 30" x 27" sgl. platen, down-acting cylinder                                                          |
| 108 | 1   | <b>HYDRAULIC C-FRAME PRESS</b> , steel fabricated, 30" x 27" sgl. platen, down-acting cylinder                                                          |

| LOT  | QTY | DESCRIPTION                                                                                                                                                                                                                                                                                                                        |
|------|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 108A | 1   | <b>WALL MOUNTED JIB CRANE, 20'</b>                                                                                                                                                                                                                                                                                                 |
| 109  | 1   | <b>HYDRAULIC POWER UNIT, NORMAN MDL. NE89-116</b> , 1.5 to 12 GPM, 4,700/700 PSI, 150 deg. F. max. temp, 7-1/2 motor, S/N 1881                                                                                                                                                                                                     |
| 110  | 1   | <b>BLAST CABINET, DAYTON MDL. 3Z848</b> , 18" x 16", w/stand                                                                                                                                                                                                                                                                       |
| 111  | 1   | <b>COMBINATION BELT/DISC SANDER, JET MDL. J-4210K</b> , 6" belt, 10" disc, tilting tables, fabricated base, S/N 10040107                                                                                                                                                                                                           |
| 112  | 1   | <b>RAM TYPE TURRET LATHE, JONES &amp; LAMSON NO. 3</b> , 6 pos. turret, S/N 200279                                                                                                                                                                                                                                                 |
| 113  | 1   | <b>LOT CONSISTING OF:</b> misc. tooling & mtd. arbor pressed wooden worktable                                                                                                                                                                                                                                                      |
| 114  | 1   | <b>STORAGE CABINET</b> , 2-door, w/contents                                                                                                                                                                                                                                                                                        |
| 115  | 1   | <b>CNC LATHE, VIPER MDL. VT28-BLM</b> , new 2007, Fanuc 21i-TB CNC control, 27" sw. over bed, 19" max. turn dia., 41" dist. btn. centers, 3.03" bar cap., 3,500 RPM, 35 HP, 12" thru hole hyd. chuck, 12 pos. turret w/live tooling, chip conveyor, parts catcher, MTA International Mdl. V65LE magazine barfeeder, S/N 6330703011 |
| 116  | 1   | <b>BAR FEEDER, MTA INTERNATIONAL MDL. V-65LE</b> , new 2005, .25" to 2.65" bar dia., 60" bar length, S/N 6622                                                                                                                                                                                                                      |
| 117  | 1   | <b>CNC LATHE, VIPER MDL. VT33-BLM</b> , new 10/2010, Fanuc Series 21i-TB CNC control, 27" sw. over bed, 19" max. turn dia., 41" dist. btn. centers, 4.5" bar cap., 2,400 RPM, 35 HP, 15" thru hole hyd. chuck, tailstock, 12 pos. turret w/live tooling, chip conveyor, parts catcher, S/N5341004011                               |
| 118  | 1   | <b>LOT OF LIVE TOOLING</b> , for Viper machines (four units)                                                                                                                                                                                                                                                                       |
| 119  | 1   | <b>LOT OF TOOLING</b> , for Viper machines                                                                                                                                                                                                                                                                                         |
| 120  | 1   | <b>LOT OF TOOLING</b> , for Viper machines                                                                                                                                                                                                                                                                                         |
| 121  | 1   | <b>CANTILEVER STORAGE RACK</b> , 94"W. x 17" dp. x 5-tier, 2-sided (contents not included)                                                                                                                                                                                                                                         |
| 122  | 1   | <b>ENGINE LATHE, MILLPORT 12" X 36" MDL. 1236</b> , thdng., cabinet base, S/N 2383                                                                                                                                                                                                                                                 |
| 123  | 1   | <b>HORIZONTAL MILLING MACHINE, BROWN &amp; SHARPE</b> , 50" x 12" T-slotted table                                                                                                                                                                                                                                                  |
| 123A | 1   | <b>LOT OF HORIZONTAL MILLING MACHINE CUTTER HEADS</b>                                                                                                                                                                                                                                                                              |
| 124  | 1   | <b>HORIZONTAL BORING MACHINE, UNIVERSAL 3"</b> , 4' x 2" T-slotted table                                                                                                                                                                                                                                                           |
| 125  | 1   | <b>MULTI-SPINDLE BORING MACHINE, ACCU-CUT MDL. 3X15M-1 3-SPINDLE</b> , 36" honing dia., 4 pos. indexing table, Allen Bradley Panelview 600 programmable control, S/N BSM-0307                                                                                                                                                      |
| 126  | 1   | <b>OBI PUNCH PRESS, ROUSSELLE 60 T. CAP.</b> , 6" stroke, 50-1/2" shut ht., 3-1/2" adj., 110 SPM, air clutch & brake, dual palm button controls, S/N 22481                                                                                                                                                                         |
| 127  | 1   | <b>ANGLE BENDING ROLL, HENDLEY &amp; WHITTEMORE MDL. 24</b> , 7" roll dia., manual adj., S/N 7559                                                                                                                                                                                                                                  |
| 128  | 1   | <b>INDUCTION HEATING SYSTEM, ULTRAFLEX MDL. ULTRAHEAT UPT-S5</b> , 250 v. AC (50-200 KHz), 1 GPM min. water flow, 420 amp output, 5.5 KW, Ultraflex Mdl. UPT-M10 control, S/N 0994-002652                                                                                                                                          |

ECOLOGICAL SERVICES INTERNATIONAL, INC. CATALOG

| <b>LOT</b> | <b>QTY</b> | <b>DESCRIPTION</b>                                                                                                                                      |
|------------|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| 128A       | 1          | <b>CHILLER UNIT, KOOLANT KOOLERS MDL. SV3000-0</b> , 2 HP motor, pump, 3 HP compressor, galvanized steel enclosure, S/N 51500                           |
| 129        | 1          | <b>PORTABLE MIXER</b>                                                                                                                                   |
| 130        | 1          | <b>TIG WELDER, LINCOLN PRECISION MDL. TIG275</b> , new 2004, 275 amps, TIG runner base, S/N U1040204724                                                 |
| 131        | 1          | <b>LOT OF PUNCHES, misc.</b>                                                                                                                            |
| 132        | 1          | <b>OBI BENCH TYPE PUNCH PRESS, BENCHMASTER 4 T. CAP.</b>                                                                                                |
| 133        | 1          | <b>COMBINATION DOUBLE END BUFFER/GRINDER, STANDARD</b>                                                                                                  |
| 134        | 1          | <b>HYDRAULIC POWER UNIT</b> (not in service)                                                                                                            |
| 135        | 1          | <b>BLOWER</b>                                                                                                                                           |
| 136        | 1          | <b>COIL HOOK</b>                                                                                                                                        |
| 137        | 1          | <b>PLAIN CYLINDRICAL GRINDER, NORTON 6" X 18" MDL. CTU</b> , S/N 1939                                                                                   |
| 138        | 1          | <b>UNIVERSAL SHAPER, GOULD &amp; EBERHARDT</b> , 24" stroke, H.D. shaper vise, tilting table, S/N N.A.                                                  |
| 139        | 1          | <b>OBI PUNCH PRESS, ROUSSELLE 15 T. CAP. NO. 2</b> , 2" stroke, 7-3/4" shut ht., 1-1/2" adj., 170 SPM (for parts use only)                              |
| 140        | 1          | <b>OBI PUNCH PRESS, ROUSSELLE 15 T. CAP. NO. 2</b> , 2" stroke, 7-3/4" shut ht., 1-1/2" adj., 170 SPM, S/N 18934 (for parts use only)                   |
| 141        | 1          | <b>BATTERY CHARGER, POWERFLOW MDL. 181E75C22</b> , 18-cell, 180 DC amps, S/N F32627                                                                     |
| 142        | 1          | <b>LOT OF DRUM TYPE DUST COLLECTORS (2), CENTRAL MDL. 45378</b>                                                                                         |
| 143        | 1          | <b>HYDRAULIC SHOP PRESS, 30"W.</b> , hyd. pwr. unit, S/N 12-03-99                                                                                       |
| 144        | 1          | <b>HAND FEED SURFACE GRINDER, BOYER &amp; SHULTZ 6" X 12" MDL. 612</b> , 6" x 18" electromagnetic chuck, direct drive spdl., S/N 23524                  |
| 145        | 1          | <b>UP-ACTING COLD SAW, KALTENBACH</b> , swivel table, mitering (for parts use only)                                                                     |
| 146        | 1          | <b>PRESSBRAKE, VERSON MDL. 2078</b> , 7-1/2" shut ht., 2-1/2" stroke, 3" adj., 8'L. bed, 6'-6" dist. btn. housings, foot treadle control, S/N 8882-2078 |
| 147        | 1          | <b>OBI PUNCH PRESS, ROUSSELLE 20 T. CAP.</b> , air clutch & brake, dual palm button controls, S/N 13247                                                 |
| 148        | 1          | <b>OBI PUNCH PRESS, ALMA ALLEN 12 T. CAP. MDL. BT12</b> , S/N FC27715                                                                                   |
| 149        | 1          | <b>LOT OF CHAIN FALL HOISTS (3), CM 2 T. CAP.</b> , w/trolley                                                                                           |
| 150        | 1          | <b>PORTABLE HOIST</b> , steel fabricated, 100"W. x 9' clear ht., Yale chain fall hoist                                                                  |
| 151        | 1          | <b>WORKTABLE</b> , steel fabricated, 42" x 45" x 36" ht., w/mtd. Columbian 10" vise                                                                     |
| 152        | 1          | <b>LOT CONSISTING OF:</b> punches, etc.                                                                                                                 |
| 153        | 1          | <b>HYDRAULIC PLATE SHEAR, AMERICAN HERCULES 10' X 1/2"</b> , 3/8" stainless cap., 5/8" aluminum cap., 30 HP hydraulics, 36" pwr. Backgauge, S/N N.A.    |
| 153A       | 1          | <b>LOT OF SHEAR BLADES (4), HERCULES 124" X 4"</b>                                                                                                      |

ECOLOGICAL SERVICES INTERNATIONAL, INC. CATALOG

| LOT  | QTY | DESCRIPTION                                                                                                                      |
|------|-----|----------------------------------------------------------------------------------------------------------------------------------|
| 154  | 1   | <b>WELDING MACHINE, MILLER MILLERMATIC MDL. 185</b> , 150 amps @ 23 v., 60% duty cycle, running gear, bottle racks, S/N KK026776 |
| 155  | 1   | <b>WELDING MACHINE, MILLER MILLERMATIC MDL. 185</b> , 150 amps @ 23 v., 60% duty cycle, running gear, bottle racks, S/N KG179839 |
| 156  | 1   | <b>WELDING MACHINE, MILLER MILLERMATIC MDL. 185</b> , 150 amps @ 23 v., 60% duty cycle, running gear, bottle racks, S/N LB175930 |
| 157  | 1   | <b>WELDING MACHINE, MILLER MILLERMATIC MDL. 185</b> , 150 amps @ 23 v., 60% duty cycle, running gear, bottle racks, S/N LB020842 |
| 158  | 1   | <b>WELDING MACHINE, MILLER MILLERMATIC MDL. 185</b> , 150 amps @ 23 v., 60% duty cycle, running gear, bottle racks, S/N LB175929 |
| 159  | 1   | <b>WELDING MACHINE, MILLER MILLERMATIC MDL. 185</b> , 150 amps @ 23 v., 60% duty cycle, running gear, bottle racks, S/N LA283975 |
| 160  | 1   | <b>WELDING MACHINE, MILLER MILLERMATIC MDL. 185</b> , 150 amps @ 23 v., 60% duty cycle, running gear, bottle racks, S/N KJ129083 |
| 161  | 1   | <b>WELDING MACHINE, MILLER MILLERMATIC MDL. 185</b> , 150 amps @ 23 v., 60% duty cycle, running gear, bottle racks, S/N LB176238 |
| 161A | 1   | <b>WELDING MACHINE, MILLER MILLERMATIC MDL. 185</b> , 150 amps @ 23 v., 60% duty cycle, running gear, bottle racks, S/N LB176237 |
| 162  | 1   | <b>WELDING MACHINE, MILLER MILLERMATIC MDL. 185</b> , 150 amps @ 23 v., 60% duty cycle, running gear, bottle racks, S/N LA233452 |
| 163  | 1   | <b>WELDING MACHINE, MILLER MILLERMATIC MDL. 185</b> , 150 amps @ 23 v., 60% duty cycle, running gear, bottle racks, S/N LB176199 |
| 164  | 1   | <b>WELDING MACHINE, MILLER MILLERMATIC MDL. 185</b> , 150 amps @ 23 v., 60% duty cycle, running gear, bottle racks, S/N KH372287 |
| 165  | 1   | <b>WELDING MACHINE, MILLER MILLERMATIC MDL. 185</b> , 150 amps @ 23 v., 60% duty cycle, running gear, bottle racks, S/N KH339331 |
| 166  | 1   | <b>WELDING MACHINE, MILLER MILLERMATIC MDL. 185</b> , 150 amps @ 23 v., 60% duty cycle, running gear, bottle racks, S/N KK026779 |
| 166A | 1   | <b>INTEGRATED MIG WELDER, MILLER MILLERMATIC MDL. 210</b> , 200 amps, running gear, bottle racks, S/N LB310995                   |
| 166B | 1   | <b>INTEGRATED MIG WELDER, MILLER MILLERMATIC MDL. 210</b> , 200 amps, running gear, bottle racks, S/N LC081709                   |
| 166C | 1   | <b>INTEGRATED MIG WELDER, MILLER MILLERMATIC MDL. 210</b> , 200 amps, running gear, bottle racks, S/N LC152488                   |



ECOLOGICAL SERVICES INTERNATIONAL, INC. CATALOG

| LOT  | QTY | DESCRIPTION                                                                                                                                                                                             |
|------|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 166D | 1   | <b>INTEGRATED MIG WELDER, MILLER MILLERMATIC MDL. 210</b> , 200 amps, running gear, bottle racks, S/N LB279385                                                                                          |
| 167  | 1   | <b>INTEGRATED MIG WELDER, MILLER MILLERMATIC MDL. 210</b> , 200 amps, running gear, bottle racks, S/N LB279385                                                                                          |
| 168  | 1   | <b>INTEGRATED MIG WELDER, MILLER MILLERMATIC MDL. 210</b> , 200 amps, running gear, bottle racks, S/N LB310992                                                                                          |
| 169  | 1   | <b>INTEGRATED MIG WELDER, MILLER MILLERMATIC MDL. 210</b> , 200 amps, running gear, bottle racks, S/N LC108314                                                                                          |
| 170  | 1   | <b>INTEGRATED MIG WELDER, MILLER MILLERMATIC MDL. 210</b> , 200 amps, running gear, bottle racks, S/N LB279404                                                                                          |
| 171  | 1   | <b>INTEGRATED MIG WELDER, MILLER MILLERMATIC MDL. 210</b> , 200 amps, running gear, bottle racks, S/N LC108309                                                                                          |
| 172  | 1   | <b>INTEGRATED WELDER, LINCOLN POWERMIG MDL. 200</b> , 200 amps @ 22 v., 30% duty cycle, running gear, bottle racks, S/N M1010120064                                                                     |
| 173  | 1   | <b>INTEGRATED WELDER, LINCOLN POWERMIG MDL. 200</b> , 200 amps @ 22 v., 30% duty cycle, running gear, bottle racks, S/N M101020457                                                                      |
| 174  | 1   | <b>INTEGRATED WELDER, LINCOLN POWERMIG MDL. 200</b> , 200 amps @ 22 v., 30% duty cycle, running gear, bottle racks, S/N M1010120456                                                                     |
| 175  | 1   | <b>PORTABLE WELDER, LINCOLN MDL. RANGER 8</b> , new 2002, gasoline pwr., Kohler gasoline engine, 225 amps @ 25 v., 100% duty cycle, running gear, bottle jacks, S/N U1020334438                         |
| 176  | 1   | <b>PORTABLE WELDER, LINCOLN MDL. RANGER 8</b> , new 2001, gasoline pwr., Kohler gasoline engine, 225 amps @ 25 v., 100% duty cycle, running gear, bottle jacks, S/N U101115353                          |
| 177  | 1   | <b>AUTOMATIC COLD SAW, SCOTCHMAN BEWO MDL. CP0345RFA/LT</b> , 24" throat depth, 5 HP motor, 12" blade, auto. barfeed system, auto. magazine barfeed system, outfeed table w/elec. stop, S/N 1202RFA1102 |
| 178  | 1   | <b>C-FRAME HYDRAULIC PRESS, DENISON MULTI-PRESS 8 T. CAP. MDL. WR87M404-FSI</b> , fabricated steel stand, foot pedal control, S/N 31293                                                                 |
| 180  | 1   | <b>VERTICAL SANDER, DELTA 6"</b>                                                                                                                                                                        |
| 181  | 1   | <b>FLOOR FAN, NOVA 30"</b>                                                                                                                                                                              |
| 182  | 1   | <b>FLOOR FAN, NOVA 30"</b>                                                                                                                                                                              |
| 183  | 1   | <b>HORIZONTAL MITERING BANDSAW, SCOTCHMAN</b> , 1" blade, pwr. clamping, 20' infeed conveyor, 12" rd. cap., approx. 12" x 18" rect. cap.                                                                |
| 184  | 1   | <b>LOT OF WORKTABLES (6)</b> , metal fabricated, misc.                                                                                                                                                  |
| 185  | 1   | <b>COMBINATION BENCH TYPE MILLING/DRILLING MACHINE</b> , 28" x 8" T-slotted table, machine vise                                                                                                         |
| 186  | 1   | <b>OBI PUNCH PRESS, UNKNOWN MFG. (EST.) 40 T. CAP.</b> , 24" x 14" bed area, S/N 4707-4R                                                                                                                |
| 187  | 1   | <b>COIL CRADLE STRAIGHTENER, ROWE MDL. A10-C3000J</b> , .020" to .105" cap., 3,000 lb. coil cap., 10" max. width, S/N 14484                                                                             |

| LOT  | QTY | DESCRIPTION                                                                                                                                                                                                                                                            |
|------|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 188  | 1   | <b>CNC PLASMA PIPE COPING MACHINE, CUSTOM</b> , Fanuc 0M CNC control, approx. 3" cap., plasma cutting head w/Hypertherm Powermax 1000 pwr. supply; plasma cutting torch, approx. 22' max. material length, control provides carriage motion & pipe rotation for coping |
| 189  | 1   | <b>PRESSBRAKE, CINCINNATI MECHANICAL SERIES 50X12</b> , 14' overall, 12'-6" dist. btn. housings, 3" stroke, S/N 15570                                                                                                                                                  |
| 190  | 1   | <b>GANG DRILL, CINCINNATI MDL. INFASPEED 24 SLIDING HEAD 2-SPINDLE</b> , 24" throat depth, variable spdl. spds., large oil groove table w/elevating mechanism, S/N N.A.                                                                                                |
| 191  | 1   | <b>ENGINE LATHE, MONARCH 10" X 20" MDL. 10EE PRECISION</b> , variable spds: 0-4000 RPM, taper attach., 3-jaw chuck, tailstock, S/N 39721                                                                                                                               |
| 192  | 1   | <b>DOUBLE END DRILL SHARPENER, DAREX</b>                                                                                                                                                                                                                               |
| 193  | 1   | <b>FLOOR DRILL PRESS, 16-spd.</b>                                                                                                                                                                                                                                      |
| 194  | 1   | <b>FLOOR DRILL PRESS, TRANSPower MDL. RX-180</b>                                                                                                                                                                                                                       |
| 195  | 1   | <b>ENGINE LATHE, SHELDON 12" X 36"</b> , cabinet base                                                                                                                                                                                                                  |
| 196  | 1   | <b>STORAGE SHELF</b> , steel fabricated, w/contents                                                                                                                                                                                                                    |
| 196A | 1   | <b>BOX FAN, 48"</b>                                                                                                                                                                                                                                                    |
| 197  | 1   | <b>COMBINATION BENCH TYPE MILLING/DRILLING MACHINE, H.D.</b> , 22" x 8" T-slotted table, machine vise                                                                                                                                                                  |
| 198  | 1   | <b>STORAGE CABINET</b> , steel fabricated, 9" x 14-1/2" x 3" dp. Drawers, 30-drawer                                                                                                                                                                                    |
| 199  | 1   | <b>COMBINATION BENCH TYPE MILLING/DRILLING MACHINE, H.D.</b> , 22" x 8" T-slotted table                                                                                                                                                                                |
| 200  | 1   | <b>MACHINE VISE, 6"</b>                                                                                                                                                                                                                                                |
| 201  | 1   | <b>HYDRAULIC PRESS, 12" x 10" bed area</b>                                                                                                                                                                                                                             |
| 201A | 1   | <b>STORAGE CABINET</b> , steel fabricated, w/contents                                                                                                                                                                                                                  |
| 202  | 1   | <b>BENCH TYPE DRILL, CLAUSING MDL. 2257</b> , 18" x 16" T-slotted table, S/N 519616                                                                                                                                                                                    |
| 203  | 1   | <b>LOT OF SHELVES (5)</b> , misc.                                                                                                                                                                                                                                      |
| 204  | 1   | <b>HORIZONTAL TUBE BENDER, PINES NO. 3</b> , turret depth stop, directional controls, S/N 107-51-59-2983.                                                                                                                                                              |
| 204B | 1   | <b>LOT OF TOOLING</b> , for Pines tube bender (Lot 204)                                                                                                                                                                                                                |
| 205  | 1   | <b>VERTICAL TUBE BENDER, BEMA LUISAGO</b> , rotating depth stop, currently arranged for (4) tubes per cycle, built-in hyd. unit system, S/N 0833                                                                                                                       |
| 206  | 1   | <b>VERTICAL TUBE BENDER, WLM MDL. CR-T50D</b> , new 2003, adj. head w/up to approx. 60" spread, auto. timers, programmable control system, S/N 92804                                                                                                                   |
| 207  | 1   | <b>TUBE BENDER, COAST</b> , approx. 4" cap., H.D. fabricated steel construction, hyd. mandrel extractor.                                                                                                                                                               |
| 208  | 1   | <b>LOT OF PALLET RACK SECTIONS (3)</b> , 9'W. x 4' dp. X 160" ht. x 2-tier                                                                                                                                                                                             |
| 209  | 1   | <b>C-FRAME HYDRAULIC PRESS, DENISON 12 T. CAP., MDL. WT120MC304FS1</b> , S/N 26797                                                                                                                                                                                     |
| 210  | 1   | <b>STORAGE SHELF</b> , steel fabricated, 8' x 2' x 4' ht.                                                                                                                                                                                                              |

| LOT  | QTY | DESCRIPTION                                                                                                                                                                                                                                             |
|------|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 211  | 1   | <b>HYDRAULIC PRESS, DENISON 12 T. CAP., MDL. WS120LC304FSD367CE22236100303</b> , 10 HP drive motor, 18" daylight, 8" throat, 12" stroke, S/N A572A235S321                                                                                               |
| 212  | 1   | <b>HYDRAULIC PRESS, DENISON APPROX. 3 T. CAP.</b>                                                                                                                                                                                                       |
| 213  | 1   | <b>C-FRAME HYDRAULIC PRESS, MAQUINAS MEXICANAS 5 T. CAP. MDL. PA5</b> , S/N 162                                                                                                                                                                         |
| 214  | 1   | <b>HORIZONTAL BELT SANDER, MULTI-TOOLS MDL. GNHD6DE</b> , 6" belt, S/N 0218046                                                                                                                                                                          |
| 215  | 1   | <b>OBI PUNCH PRESS, V&amp;O 15 T. CAP.</b> , 16" x 13" bolster area, air clutch & brake, dual palm button station, S/N 15ST-100                                                                                                                         |
| 216  | 1   | <b>VIBRATORY DEBURRING MACHINE, ULTRAMATIC MDL. SVB3.5</b> , 3-1/2 cu. ft., controls & dam, S/N 8421                                                                                                                                                    |
| 217  | 1   | <b>BOX FAN, 48"</b>                                                                                                                                                                                                                                     |
| 218  | 1   | <b>HAND RAIL GRINDER, SCOTCHMAN MDL. GN3DE</b> , 3"W. belt, adj. hand rail fixture, S/N 0328051                                                                                                                                                         |
| 219  | 1   | <b>LOT OF METAL STORAGE SHELVES</b> , w/contents                                                                                                                                                                                                        |
| 220  | 1   | <b>ROBOTIC WELDING SYSTEM, MOTOMAN ARC WORLD</b> , new 2003, horiz. rotating welding fixture, 103" dist. btn. rotating arms, Motoman Mdl. UP20 6-axis robot welder, XRC2001 CNC control, Miller Auto Invision II welding pwr. supply, S/N S2K525-1-8    |
| 221  | 1   | <b>ROBOTIC WELDING SYSTEM, MOTOMAN ARC WORLD</b> , new 2003, horiz. rotating welding fixture, 103" dist. btn. rotating arms, Motoman Mdl. UP20 6-axis robot welder, XRC2001 CNC control, Miller Auto Invision II welding pwr. supply, S/N S2K642-1-5    |
| 222  | 1   | <b>ROBOTIC WELDING SYSTEM, MOTOMAN ARC WORLD</b> , new 2003, Motoman 3,000 lb. cap. Mdl. MR300 vert. turntable fixture, 60" dia. rotating table, Motoman 6-axis Mdl. UP20 welding robot, Miller Invision II welding pwr. supply, S/N S3M921-1-8         |
| 223  | 1   | <b>ROBOTIC WELDING SYSTEM, MOTOMAN ARC WORLD</b> , new 2003, Motoman 3,000 lb. cap. Mdl. MR300 vert. turntable fixture, 60" dia. rotating table, Motoman 6-axis Mdl. UP20 welding robot, Miller Invision II welding pwr. supply, S/N S2K166-1-3         |
| 224  | 1   | <b>ROBOTIC WELDING SYSTEM, MOTOMAN ARC WORLD</b> , new 2000, horiz. rotating fixture, 103" dist. btn. rotating arms, Motoman Mdl. SK16X 6-axis welding robot, Motoman SenseArc ES500 welding pwr. supply, Yasnac XRC16X robot controller, S/N S0308002  |
| 225  | 1   | <b>ROBOTIC WELDING SYSTEM, MOTOMAN ARC WORLD</b> , new 2004, horiz. rotating fixture, 103" dist. btn. rotating arms, Motoman Mdl. EA1900N 6-axis CNC robot, Miller Axxess 300 welding pwr. supply, Type ERCR-HP20-AB00 robot controller, S/N S4M188-1-1 |
| 226  | 1   | <b>ROBOTIC WELDING SYSTEM, MOTOMAN ARC WORLD</b> , new 2004, horiz. rotating fixture, 63" dist. btn. rotating arms, Miller Axxess 300 welding pwr. supply, Motoman Mdl. EA1400N 6-axis welding robot, NX100/EA1400N control system, S/N S4M172-1-6      |
| 227  | 1   | <b>LOT OF PALLET RACK SECTIONS (5)</b> , 9"W. x 4" dp. x 15' ht. x 2 & 3 tier                                                                                                                                                                           |
| 227A | 1   | <b>HAND CARTS (5)</b>                                                                                                                                                                                                                                   |

| LOT | QTY | DESCRIPTION                                                                                                                                                                                                            |
|-----|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 228 | 1   | <b>LOT OF PALLET RACK SECTIONS (3), 9' x 4' x 13 ht. x 4 tier</b>                                                                                                                                                      |
| 229 | 1   | <b>DOUBLE BOX SHOP FAN, 52"</b>                                                                                                                                                                                        |
| 230 | 1   | <b>SHOT BLAST MACHINE, LS INDUSTRIES SPINNER/HANGER, (2)</b><br>20 HP up-blasting direct drive wheels, 90" rotating part carrier w/(4) rods, integrated dust collection system, S/N N.A.                               |
| 231 | 1   | <b>SHOT BLAST MACHINE, PANGBORN ROTOBLAST MDL. LN SWING TABLE, (2)</b> 48" dia. swing-in worktables, belt driven head w/approx. 30 HP drive, recirculating shot system, integrated dust collection unit, S/N 4LN-781   |
| 232 | 1   | <b>SHOT BLAST MACHINE, LS INDUSTRIES SPINNER/HANGER, (2)</b><br>20 HP up-blasting direct drive wheels, integrated dust collection system, 42" dia. X 60"L. rotating parts carousel, timers & controls, S/N 01-11-15925 |
| 233 | 1   | <b>CONTINUOUS TABLE BLASTING MACHINE, WHEELABRATOR, 10-</b><br>station rotary spdls., belt driven blast wheel, circulating shot system, integrated dust collector, S/N A129668                                         |
| 234 | 1   | <b>LOT OF WELDERS PENCILS, SILVER MINE</b> (140 boxes - holding 50 pencils ea.)                                                                                                                                        |
| 235 | 1   | <b>LOT OF WELDERS PENCILS, SILVER MINE</b> (140 boxes - holding 50 pencils ea.)                                                                                                                                        |
| 236 | 1   | <b>LOT OF WELDERS PENCILS, SILVER MINE</b> (140 boxes - holding 50 pencils ea.)                                                                                                                                        |
| 237 | 1   | <b>LOT OF WELDERS PENCILS, SILVER MINE</b> (140 boxes - holding 50 pencils ea.)                                                                                                                                        |
| 238 | 1   | <b>LOT OF WELDERS PENCILS, SILVER MINE</b> (140 boxes - holding 50 pencils ea.)                                                                                                                                        |
| 239 | 1   | <b>LOT OF WELDERS PENCILS, SILVER MINE</b> (140 boxes - holding 50 pencils ea.)                                                                                                                                        |
| 240 | 1   | <b>LOT OF WELDERS PENCILS, SILVER MINE</b> (140 boxes - holding 50 pencils ea.)                                                                                                                                        |
| 241 | 1   | <b>LOT OF WELDERS PENCILS, SILVER MINE</b> (140 boxes - holding 50 pencils ea.)                                                                                                                                        |
| 242 | 1   | <b>LOT OF WELDERS PENCILS, SILVER MINE</b> (140 boxes - holding 50 pencils ea.)                                                                                                                                        |
| 243 | 1   | <b>LOT OF WELDERS PENCILS, SILVER MINE</b> (140 boxes - holding 50 pencils ea.)                                                                                                                                        |
| 244 | 1   | <b>LOT OF WELDERS PENCILS, SILVER MINE</b> (140 boxes - holding 50 pencils ea.)                                                                                                                                        |
| 245 | 1   | <b>LOT OF WELDERS PENCILS, SILVER MINE</b> (140 boxes - holding 50 pencils ea.)                                                                                                                                        |
| 246 | 1   | <b>HEAVY DUTY BOX COLUMN DRILL, CLEEREMAN 24"</b> , steel table                                                                                                                                                        |
| 247 | 1   | <b>HEAVY DUTY BOX COLUMN DRILL, CLEEREMAN 24"</b> , steel table, S/N GR1-10494                                                                                                                                         |
| 248 | 1   | <b>HEAVY DUTY BOX COLUMN DRILL, CINCINNATI BICKFORD 24"</b><br>"SUPER SERVICE", 30" x 27" H.D. table, No. 3 & No. 4 MT w/spdl. feed, S/N 2L3135                                                                        |

ECOLOGICAL SERVICES INTERNATIONAL, INC. CATALOG

| LOT | QTY | DESCRIPTION                                                                                                                                                               |
|-----|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 249 | 1   | <b>HEAVY DUTY BOX COLUMN DRILL, CINCINNATI BICKFORD 24" "SUPER SERVICE", 30" x 27" H.D. table, No. 3 &amp; No. 4 MT w/spdl. feed, S/N 2L2244</b>                          |
| 250 | 1   | <b>HEAVY DUTY BOX COLUMN DRILL, CINCINNATI BICKFORD 24" "SUPER SERVICE", 30" x 27" H.D. table, No. 3 &amp; No. 4 MT w/spdl. feed, N.A.</b>                                |
| 252 | 1   | <b>VERTICAL PRESS, AMERICAN 15 T. CAP., S/N 3195</b>                                                                                                                      |
| 260 | 1   | <b>FORKLIFT, HYSTER 5,200 LB. CAP. MDL. H60XM, diesel pwr., 3-stage mast, 193" max. lift, 48" forks, side shift, load grate, S/N D177B17243S</b>                          |
| 261 | 1   | <b>ELECTRIC FORKLIFT, TOYOTA 2,400 LB. CAP. MDL. 5FBCU15, 36 v., 2,400 lb. cap. @ 24" L.C., 217" max. lift ht., battery charger, side shift, 21,334 H.O.M., S/N 60753</b> |
| 262 | 1   | <b>PANEL SAW, HOZ-HER 48" X 144" MDL. 1203</b>                                                                                                                            |
| 263 | 1   | <b>WELDING TANK, steel fabricated, 54" dp. x 48" ht. tank, split over bottom drain</b>                                                                                    |
| 264 | 1   | <b>MIXING TANK, steel fabricated, 50" dp. X 48" ht tank, split cover, bottom drain, leg mtd.</b>                                                                          |
| 265 | 1   | <b>MIXING TANK, steel fabricated, 50" dp. X 48" ht tank, split cover, bottom drain, leg mtd.</b>                                                                          |
| 266 | 1   | <b>DUST COLLECTOR, DONALDSON TORIT, w/interchangeable cartridge</b>                                                                                                       |
| 267 | 1   | <b>DUST COLLECTOR, DONALDSON TORIT, w/interchangeable cartridge</b>                                                                                                       |
| 268 | 1   | <b>BLOWER, 15 HP motor</b>                                                                                                                                                |
| 269 | 1   | <b>BLOWER, 15 HP motor</b>                                                                                                                                                |
| 270 | 1   | <b>DUST COLLECTOR, ENCO MDL. 00371211, 2 HP motor, S/N 041999</b>                                                                                                         |
| 271 | 1   | <b>DUST COLLECTOR, ENCO MDL. 00371211, 2 HP motor, S/N 32935</b>                                                                                                          |
| 272 | 1   | <b>PANEL SAW, HOZ-HER 60" X 144", integrated dust collector</b>                                                                                                           |
| 273 | 1   | <b>ROLLER CONVEYOR SECTION, 2'W. x 10'L., leg mtd.</b>                                                                                                                    |
| 274 | 1   | <b>OBI PUNCH PRESS, L&amp;J NO. 4, 28" x 18" bed area, S/N 1205</b>                                                                                                       |
| 275 | 1   | <b>VERTICAL SAW, BUNN, 20" throat, 48" x 30" bed area</b>                                                                                                                 |
| 276 | 1   | <b>FLOOR DRILL</b>                                                                                                                                                        |
| 277 | 1   | <b>LOT OF PVC ELBOWS (5)</b>                                                                                                                                              |
| 278 | 1   | <b>VERTICAL BANDSAW, WILTON 14", S/N 1165806</b>                                                                                                                          |
| 279 | 1   | <b>SPOT WELDER, TECHNA, new 2003, 20 KVA @ 50% duty cycle, 12" throat depth, S/N 4603NA</b>                                                                               |
| 280 | 1   | <b>HYDRAULIC HOSE CRIMPER, VALPOWER</b>                                                                                                                                   |
| 281 | 1   | <b>WORKTABLE, wood fabricated</b>                                                                                                                                         |
| 282 | 1   | <b>WASH CABINET, BETTER ENGINEERING MDL. 2145, 40" dia. rotating carousel, 2-tier racks, 53" ttl. ht., S/N 71171</b>                                                      |
| 283 | 1   | <b>LOT CONSISTING OF: sewing machines (6) &amp; spare sewing machine tables (2)</b>                                                                                       |
| 284 | 1   | <b>OBI PUNCH PRESS, WALSH (EST.) 20 T. CAP., 22" x 12" bed area</b>                                                                                                       |
| 285 | 1   | <b>BENCH TYPE ARBOR PRESS</b>                                                                                                                                             |

ECOLOGICAL SERVICES INTERNATIONAL, INC. CATALOG

| LOT | QTY | DESCRIPTION                                                                                                                                                                                                                                                           |
|-----|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 286 | 1   | <b>VERTICAL SANDER, 6"</b> , S/N 26008                                                                                                                                                                                                                                |
| 287 | 1   | <b>FLOOR DRILL, RIDGID MDL. DP15000</b> , S/N 0849-1004752                                                                                                                                                                                                            |
| 288 | 1   | <b>FLOOR DRILL, RIDGID MDL. DP15000</b> , S/N N.A.                                                                                                                                                                                                                    |
| 289 | 1   | <b>FLOOR DRILL, UNKNOWN MFG.</b>                                                                                                                                                                                                                                      |
| 290 | 1   | <b>CONVEYOR OVEN, NATIONAL SCREEN PRINTING EQUIPMENT MDL. N36</b> , 36"W., sgl. zone, S/N 1219                                                                                                                                                                        |
| 291 | 1   | <b>REFRIGERATOR, MANITOW</b> , stainless steel, dbl. door                                                                                                                                                                                                             |
| 292 | 1   | <b>DOUBLE BOX SHOP FAN, 40"</b>                                                                                                                                                                                                                                       |
| 293 | 1   | <b>ROTATOR MACHINE, CUSTOM</b>                                                                                                                                                                                                                                        |
| 294 | 1   | <b>GARDEN TRACTOR, CASE MDL. 444</b> , S/N 9660662                                                                                                                                                                                                                    |
| 295 | 1   | <b>ROTARY SCREW TYPE AIR COMPRESSOR, INGERSOLL-RAND MDL. SSR-2000</b> , 250 CFM cap., 66 HP motor, S/N 28911U81BJ                                                                                                                                                     |
| 296 | 1   | <b>ROTARY SCREW TYPE AIR COMPRESSOR, SAYLOR BEALL MDL. 40RSD</b> , new 2007, 40 HP motor, refrigerated air dryer, S/N 07H070                                                                                                                                          |
| 297 | 1   | <b>VERTICAL AIR COMPRESSOR, INGERSOLL-RAND</b> , 2-stage, 5 HP motor, sgl. cylinder, tank mtd., S/N 992579                                                                                                                                                            |
| 298 | 1   | <b>DIESEL POWERED GENERATOR SYSTEM, CONSISTING OF:</b> (2) Kato Mdl. 250SX9E generators, 250 kW, 312 KVA, 2400/4160 v., 1,800 RPM, Detroit Mdl. 1271 12-cyl. diesel engine, water cooled, skid mtd., 528 H.O.M, S/N 63560-2 - 528 H.O.M. & S/N 63560-1 - 2,583 H.O.M. |
| 300 | 1   | <b>BENCH TYPE PIPE THREADER, NORTHERN MDL. 89134</b>                                                                                                                                                                                                                  |
| 301 | 1   | <b>VERTICAL BELT SANDER, BLACK &amp; DECKER</b>                                                                                                                                                                                                                       |
| 302 | 1   | <b>LOT OF STORAGE RACKS (3)</b> , w/contents                                                                                                                                                                                                                          |
| 303 | 1   | <b>ANODIZING SYSTEM</b> , consisting of: (13) 60"L. x 24"W. x 18" dp. rubber lined plating tanks, various emersion heaters, pumps, controls, anodizing racks, rack handler system, chiller unit, (2) Rapid DC rectifiers (sold as empty & cleaned by ESI)             |
| 304 | 1   | <b>FORKLIFT, TAYLOR 30,000 LB. CAP. MDL. Y-30-WO</b> , gasoline pwrtd., 30,000 lb. cap. @ 24" L.C., 2-section boom, S/N 5238                                                                                                                                          |
| 305 | 1   | <b>CARRY DECK CRANE, DROTT (EST.) 30 T. CAP. MDL. 3333B</b> , 3-stage telescoping boom, diesel engine, outriggers, S/N 62225515                                                                                                                                       |
| 306 | 1   | <b>LOT OF GALVANIZED PIPE, 4' dia. X 20'L.</b> (2 bundles - 25 sections - 1" & 2")                                                                                                                                                                                    |
| 308 | 1   | <b>ROLLING CART</b> , steel fabricated                                                                                                                                                                                                                                |
| 309 | 1   | <b>PRODUCTION DRILL, CLEEREMAN 24"</b> , I.D. No. 826994                                                                                                                                                                                                              |
| 310 | 1   | <b>PRODUCTION DRILL, CLEEREMAN 24"</b> , S/N GR8223                                                                                                                                                                                                                   |
| 311 | 1   | <b>OBI PUNCH PRESS, FEDERAL 45 T. CAP. NO. 45</b> , 3" stroke, 11" die space, 18" x 28" bed, 120 SPM, air clutch & brake, S/N 45174                                                                                                                                   |
| 312 | 1   | <b>PALLET RACK SECTION, 9'W. x 4' dp. X 10' ht. x 4-tier</b> , w/contents                                                                                                                                                                                             |
| 313 | 1   | <b>PALLET RACK SECTION, 12'W. x 3' dp. X 9' ht. x 2-tier</b>                                                                                                                                                                                                          |
| 314 | 1   | <b>PORTABLE GENERATOR, VANGUARD MDL. 10,000 LONG RUN</b> , 16 HP gasoline engine, fuel tank, roller frame                                                                                                                                                             |
| 315 | 1   | <b>HAND-HELD VIBRATORY CONCRETE SCREEN</b>                                                                                                                                                                                                                            |

| LOT | QTY | DESCRIPTION                                                                                                                           |
|-----|-----|---------------------------------------------------------------------------------------------------------------------------------------|
| 316 | 1   | <b>LOT OF SNOW CHAINS</b> , for 10 x 22 tires (on one pallet)                                                                         |
| 317 | 1   | <b>LOT OF SNOW CHAINS</b> , for 10 x 22 tires (on one pallet)                                                                         |
| 318 | 1   | <b>LOT OF SNOW CHAINS</b> , for 10 x 22 tires (on one pallet)                                                                         |
| 319 | 1   | <b>ROLLING WORKTABLE</b> , steel fabricated                                                                                           |
| 320 | 1   | <b>WIRE FEEDER, LINCOLN MDL. LN-7</b>                                                                                                 |
| 321 | 1   | <b>WELDING MACHINE, MILLER MILLERMATIC MDL. 185</b> , 150 amps @ 23 v., 60% duty cycle, running gear, bottle racks, S/N LB139300      |
| 322 | 1   | <b>MIG WELDER, HOBART FABSTAR MDL. 2620</b> , w/wire feeder, S/N 91WS13106                                                            |
| 323 | 1   | <b>MIG WELDER, LINCOLN POWERWAVE</b> , new 2007, 450 amps @ 38 v., 100% duty cycle, Lincoln LN7 wire feeder, S/N U1070206959          |
| 324 | 1   | <b>MIG WELDER, HOBART FABSTAR MDL. 2620</b> , w/wire feeder, S/N 395WS41970                                                           |
| 325 | 1   | <b>WELDING MACHINE, MILLER MDL. SRH333 DC</b> , 300 amps, S/N HH058965                                                                |
| 326 | 1   | <b>WELDING MACHINE, AIRCO MDL. CV300II DC</b> , 300 amps, S/N RH107256                                                                |
| 327 | 1   | <b>MIG WELDER, HOBART FABSTAR MDL. 2620</b> , w/wire feeder, S/N 259WS10020                                                           |
| 328 | 1   | <b>MIG WELDER, HOBART FABSTAR MDL. 2620</b> , w/wire feeder, S/N 91WS74167                                                            |
| 329 | 1   | <b>MIG WELDER, HOBART FABSTAR MDL. 2620</b> , w/wire feeder, S/N 93WS25986                                                            |
| 330 | 1   | <b>MIG WELDER, HOBART FABSTAR MDL. 2620</b> , w/wire feeder, S/N 92WS20205                                                            |
| 331 | 1   | <b>MIG WELDER, HOBART FABSTAR MDL. 2620</b> , w/wire feeder, S/N N.A.                                                                 |
| 332 | 1   | <b>WELDING MACHINE, LINCOLN MDL. CV400 DC</b> , 450 amps @ 38 v., 60% duty cycle & 400 amps @ 36 v., 100% duty cycle, S/N U1071109806 |
| 333 | 1   | <b>WELDING MACHINE, LINCOLN MDL. CV400 DC</b> , 450 amps @ 38 v., 60% duty cycle & 400 amps @ 36 v., 100% duty cycle, S/N U1970164638 |
| 334 | 1   | <b>WELDING MACHINE, LINCOLN MDL. CV400 DC</b> , 450 amps @ 38 v., 60% duty cycle & 400 amps @ 36 v., 100% duty cycle, S/N U1050316870 |
| 335 | 1   | <b>WELDING MACHINE, LINCOLN MDL. CV400 DC</b> , 450 amps @ 38 v., 60% duty cycle & 400 amps @ 36 v., 100% duty cycle, S/N U1970104635 |
| 336 | 1   | <b>VACUUM PUMP, UNOZAWA MDL. TRB405</b> , 3,500 RPM, S/N 881368                                                                       |
| 337 | 1   | <b>VIBRATORY BOWL CLEANER, ULTRAMATIC 20"</b> , S/N 1452                                                                              |
| 338 | 1   | <b>LOT CONSISTING OF: 6" sprinkler valves (5)</b> , etc.                                                                              |
| 339 | 1   | <b>ENGINE LATHE JIG</b> , customized                                                                                                  |
| 340 | 1   | <b>LOT OF SPRINKLER VALVES (4)</b> , 8'                                                                                               |
| 341 | 1   | <b>LOT OF DC GEAR MOTORS (6)</b>                                                                                                      |
| 342 | 1   | <b>VACUUM PUMP</b> , 3.5 KW motor                                                                                                     |

ECOLOGICAL SERVICES INTERNATIONAL, INC. CATALOG

| LOT | QTY | DESCRIPTION                                                                                                                                                                                                                                                                        |
|-----|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 343 | 1   | <b>VACUUM PUMP</b> , 3.5 KW motor                                                                                                                                                                                                                                                  |
| 344 | 1   | <b>LOT OF COIL CRADLES (2), ROWE MDL. 1340</b> , 36" max. O.D. & 1,200 lb. max. weight each, S/N 6370 & S/N 3868                                                                                                                                                                   |
| 345 | 1   | <b>LOT OF COIL CRADLES (2), ROWE MDL. 1340</b> , 36" max. O.D. & 1,200 lb. max. weight each, S/N 8172 & S/N 6372                                                                                                                                                                   |
| 346 | 1   | <b>LOT OF COIL CRADLES (2), ROWE MDL. 1340</b> , 36" max. O.D. & 1,200 lb. max. weight each, S/N 9809 & S/N N.A.                                                                                                                                                                   |
| 347 | 1   | <b>CRADLE STRAIGHTENER, ROWE 2,000 LB. CAP. MDL. 25-618</b> , 10"W x 40" coil. O.D, S/N 25-618                                                                                                                                                                                     |
| 348 | 1   | <b>LOT OF VIBRATORY PARTS FEEDERS (2), SERVICE ENGINEERING</b>                                                                                                                                                                                                                     |
| 349 | 1   | <b>SECONDARY LATHE, HARDINGE</b>                                                                                                                                                                                                                                                   |
| 350 | 1   | <b>2-HEAT ZONE, PVI PLASTIVAC MDL. 403XX</b> , 8' x 4' bed, vacuum pump, vacuum tank, S/N P403XX-1003-280                                                                                                                                                                          |
| 351 | 1   | <b>CNC PRESSBRAKE, KNUTH 160 METRIC T. CAP. MDL. AHK A32160</b> , 126" overall length of bed & ram, sgl. axis CNC control, 106" dist. btn. uprights, utilizes European style ground tooling, bed crowning, including full length 4-way die & light curtain safety device, S/N N.A. |
| 352 | 1   | <b>HYDRAULIC PIPE BENDER, WALLACE 6"</b> , approx. 6" tube cap., configured for bending square tube, hyd. mandrel extractor, operator's control pedestal                                                                                                                           |
| 353 | 1   | <b>INCLINED PLATE BLASTER, BCP MDL. A4-7940</b> , new 1997, will accept 80" max. plate width, 168" max. plate length, integrated dust collection system, (4) 25 HP direct drive blast wheels, input/output pwr. plate handling stands, plate carrier, S/N 1862                     |