

12-15-16 MULTI-LOCATION ONLINE ONLY CATALOG

LOT	QTY	DESCRIPTION
1	1	CNC LATHE, DAEWOO PUMA MDL. 400B , new 2013, 18" chuck, 40" dist. btn. centers, chip conveyor, S/N ML0126-004835 (Location A)
2	1	CNC VERTICAL MACHINING CENTER, KIA MDL. KV40A-OMB , new 11/1989, Fanuc OM-B CNC control, 24" x 14" x 18" working cap., 20 pos. ATC, chip conveyor, S/N 94086 (Location A)
3	1	CNC HORIZONTAL MACHINING CENTER, OKUMA-HOWA MDL. MILLAC-4H , new 10/1981, Fanuc 6M CNC control, 20" x 16" x 16" travels, 15-3/4" sq. twin shuttle pallets, 360,000 [pos rotary 4th axis, 24 pos. ATC, chip conveyor, S/N 7056577 (Location A)
4	1	CNC HORIZONTAL MACHINING CENTER, OKUMA-HOWA MDL. MILLAC-4H , new 4/1984, Fanuc 6M CNC control, 20" x 16" x 16" travels, 15-3/4" sq. twin shuttle pallets, 5 deg. rotary 4th axis, 24 pos. ATC, chip conveyor, S/N 7115201 (Location A)
5	1	CNC LATHE, MORI SEIKI MDL. SL-5 , (est) new 1980's, 12" chuck, 40" dist. btn. centers, chip conveyor, S/N N.A. (Location A)
6	1	CNC LATHE, KITAKO VARIANT TURN , new 1980, Fanuc 6TB CNC control, 10" chuck, 22" dist. btn. centers, 12 pos. turret, tailstock, chip conveyor, S/N 7038618 (Location A)
7	1	CNC LATHE, PRATT & WHITNEY MDL. STARTURN 1800 , Fanuc 18T CNC control, 18" chuck, 80" dist. btn. centers, 12 pos. turret, coolant thru turret, tailstock, chip conveyor, S/N 5072-0069 (Location A)
8	1	CNC CHUCKER, PRATT & WHITNEY MDL. STARTURN 1800 , Mitsubishi Meldas 50 (M50) Series CNC control, 18" chuck, 80" dist. btn. centers, 12 pos. turret, chip conveyor, S/N 5072-0065 (Location A)
9	1	CNC LATHE, PRATT & WHITNEY MDL. STARTURN 1800 , Mitsubishi Meldas 50 (M50) Series CNC control, 18" chuck, 80" dist. btn. centers, 12 pos. turret, coolant thru turret, tailstock, chip conveyor, S/N 5072-0043 (Location A)
10	1	HEAVY DUTY ENGINE LATHE, LEBLOND 16" , 18" chuck, 108" dist. btn. centers, taper attach., tailstock, (est.) 2" hole thru spdl., S/N 2NE576 (Location A)
11	1	MAGNETIC PARTICLE INSPECTION MACHINE, MAGWERKS MDL. PSAH-545 WET MAG TYPE , w/full enclosure, 4,000 watt output, 5,000 max. watt HW5000 for demaging, sgl. phase, 48" max. part length, S/N 070502 (Location A)
12	1	AIR COMPRESSOR, HUSKY PRO , 80 gal. tank, 7-1/2 HP motor, 175 max. PSI (Location A)
13	1	AIR COMPRESSOR, HUSKY PRO , 80 gal. tank, 7-1/2 HP motor, 175 max. PSI (Location A)

12-15-16 MULTI-LOCATION ONLINE ONLY CATALOG

LOT	QTY	DESCRIPTION
15	1	CHILLER UNIT, HANKINSON (common shared by the air compressors) (Location A)
16	1	JIB CRANE, ABELL-HOWE 1 T. CAP. , Yale 1 T. cap. elec. chain hoist w/pendant control (Location A)
17	1	JIB CRANE, HANDLING SYSTEMS 1/2 T. CAP. , 1/2 T. cap. elec. chain hoist w/pendant control (Location A)
18	1	JIB CRANE, GAFFEY 1/2 T. CAP. , elec. chain hoist w/pendant control (Location A)
19	1	FORKLIFT, DAEWOO 6,000 LB. CAP. MDL. GC30S-2 , LP gas pwrtd., 3-stage mast, 173" lift ht., 4' forks, cushion tires, S/N 06-04004 (Location A)
20	1	CHOP SAW, EVERETT 10" , extra blades (Location A)
21	1	COMBINATION BELT/DISC GRINDER, LINCOLN , 1 HP motor (Location A)
22	1	LOT OF GRINDERS: double end & drill (Location A)
23	1	LOT OF BORING BAR SLEEVES , assorted (on one pallet) (Location A)
24	1	LOT CONSISTING OF: tools, Jacobs chuck, tap & die handles (Location A)
25	1	LOT OF SOFT JAWS , 1.5mm, 60 deg., 15" to 18" (Location A)
26	1	LOT OF SOFT & HARD JAWS, SQUARE KEY , 15" to 18" (Location A)
27	1	LOT OF SPECIAL JAWS, ACME KEY , 15" to 18" (Location A)
28	1	DOUBLE END MACHINE VISE (Location A)
29	1	MACHINE VISE, KURT 6" (Location A)
30	1	TILTING VISE (Location A)
31	1	BENCH VISE (Location A)
31A	1	CHUCK, BISON , 15" dia. 4-jaw (Location A)
31B	1	CHUCK, BISON , 15" dia. 4-jaw (Location A)
31C	1	SUPER SPACER , w/tailstock (Location A)
31D	1	ANGLE PLATE , w/8" dia. 3-jaw chuck (Location A)
31E	1	BENCH VISE, WILTON 4" (Location A)
31F	1	LOT OF SOFT JAWS , 1.5mm, 60 deg., 12" (Location A)
31G	1	LOT OF SOFT JAWS , 1.5mm, 60 deg., 10" (Location A)
31H	1	LOT OF V BLOCKS (Location A)
31I	1	ANGLE PLATE , 15" (Location A)
31J	1	ANGLE PLATE , 12" x 14" (Location A)
31K	1	ANGLE PLATE , 15" (Location A)
31L	1	LOT OF CLAMPS & DEAD BLOWS (Location A)
31M	1	LIVE CENTER (Location A)
31N	1	LIVE CENTER (new in box) (Location A)
31O	1	LIVE CENTER (Location A)
31P	1	LOT OF DEAD CENTERS (Location A)
31Q	1	LOT OF DEAD CENTERS (Location A)
32	1	TOOLPOST, ALORIS , w/toolholders (Location A)
33	1	LOT OF TOOLHOLDERS , 1" sq. (Location A)

12-15-16 MULTI-LOCATION ONLINE ONLY CATALOG

LOT	QTY	DESCRIPTION
34	1	LOT OF TOOLHOLDERS, 1-1/4" sq. (Location A)
35	1	LOT OF DYNA FILES, PNEUMATECH (Location A)
36	1	LOT OF DIE GRINDERS, PNEUMATECH (Location A)
37	1	LOT OF DIE GRINDERS, PNEUMATECH (Location A)
38	1	LOT OF DIE GRINDERS, PNEUMATECH (Location A)
39	1	LOT OF DIE GRINDERS, PNEUMATECH (Location A)
40	1	LOT OF DIE GRINDERS, PNEUMATECH (Location A)
41	1	LOT CONSISTING OF: dremel tool & (3) Pneumatech pencils (Location A)
42	1	LOT OF AIR NOZZLES, assorted (Location A)
43	1	LOT OF LETTER/NUMBER STENCILS (Location A)
44	1	LOT OF SOFT JAWS, ACME KEY, 15" to 18" (Location A)
45	1	LOT CONSISTING OF: Allen wrenches & hold-down tooling (Location A)
45A	1	LOT OF COLLET JAWS (Location A)
45B	1	LOT CONSISTING OF: CAT-40 toolholders, studs & collets (Location A)
45C	1	LOT OF BORING HEADS, KENNAMETAL (Location A)
45D	1	LOT OF BORING HEADS, KENNAMETAL (Location A)
45E	1	LOT OF BORING HEADS, KENNAMETAL (Location A)
45F	1	LOT OF BORING HEADS, KENNAMETAL (Location A)
45G	1	CARBIDE BARS, DEVIBE (Location A)
45H	1	LOT OF BORING BARS, KENNAMETAL (Location A)
45I	1	LOT OF BORING BARS, KENNAMETAL (Location A)
45J	1	LOT OF BORING BARS, KENNAMETAL (Location A)
45K	1	LOT OF BORING BARS, KENNAMETAL (Location A)
45L	1	LOT OF BORING BARS, KENNAMETAL (Location A)
45M	1	LOT OF BORING BARS, KENNAMETAL (Location A)
45N	1	LOT OF BORING BARS, KENNAMETAL (Location A)
45O	1	LOT OF BORING BARS, KENNAMETAL (Location A)
45P	1	LOT OF BORING BARS, KENNAMETAL (Location A)
45Q	1	LOT OF BORING BARS, KENNAMETAL (Location A)
46	1	LOT OF BORING BARS, KENNAMETAL (Location A)
47	1	LOT OF BORING BARS, KENNAMETAL (Location A)
48	1	LOT OF BORING BARS, KENNAMETAL (Location A)
49	1	LOT OF BORING BARS, KENNAMETAL (Location A)
50	1	LOT OF BORING BARS, KENNAMETAL (Location A)
51	1	LOT OF BORING BARS, KENNAMETAL (Location A)
52	1	LOT OF BORING BARS, KENNAMETAL (Location A)
53	1	LOT OF BORING BARS, KENNAMETAL (Location A)
54	1	LOT OF BORING BARS, KENNAMETAL (Location A)
55	1	LOT OF BORING BARS, KENNAMETAL (Location A)
56	1	LOT OF BORING BARS, KENNAMETAL (Location A)
57	1	LOT OF BORING BARS, KENNAMETAL (Location A)
58	1	LOT OF BORING BARS, KENNAMETAL (Location A)
59	1	LOT OF BORING BARS, KENNAMETAL (Location A)
60	1	LOT OF ABRASIVES, assorted (Location A)

12-15-16 MULTI-LOCATION ONLINE ONLY CATALOG

LOT	QTY	DESCRIPTION
60A	1	LOT OF SPADE DRILLS, ALLIED TA (Location A)
60B	1	LOT OF THREADING INSERTS, TMNA (Location A)
60C	1	LOT OF INSERTS: grove & part-off (Location A)
60D	1	LOT OF C STYLE TURNING INSERTS (Location A)
60E	1	LOT CONSISTING OF: milling holders & inserts (Location A)
60F	1	LOT OF TURNING INSERTS (Location A)
60G	1	LOT OF TURNING INSERTS (Location A)
60H	1	LOT OF TURNING INSERTS (Location A)
60I	1	LOT OF GROOVING INSERTS, TMNA (Location A)
60J	1	LOT OF THREADING INSERTS (Location A)
60K	1	LOT CONSISTING OF: O-Rings & seals (Location A)
60L	1	RING GROVE INSPECTION TOOL, GAGEMAKER (Location A)
60M	1	RING GROVE INSPECTION TOOL, GAGEMAKER (Location A)
60N	1	LOT OF THREAD INSPECTION BALLS, GAGEMAKER (Location A)
60O	1	COMBINATION SET (Location A)
60P	1	LOT OF INDICATORS, assorted (Location A)
60Q	1	DIAL INDICATORS, 5" (Location A)
61	1	LOT OF I.D GROVE INDICATORS (Location A)
62	1	LOT OF I.D GROVE INDICATORS (Location A)
63	1	LOT OF I.D GROVE INDICATORS (Location A)
64	1	LOT OF STANDARDS, 1" to 12" (Location A)
65	1	LOT OF STANDARDS, 1" to 14" (Location A)
66	1	LOT OF GAUGE BLOCKS (Location A)
67	1	LOT OF SET BLOCKS (Location A)
68	1	LOT OF TELESCOPING GAUGES (Location A)
69	1	I.D. MICROMETER, STARRETT, 2" to 12" (Location A)
70	1	INTRA-MICROMETER, FOWLER, 1-3/8" to 2" (Location A)
70A	1	INTRA-MICROMETER, MITUTOYO, .8" to 2" (Location A)
70B	1	INTRA-MICROMETER, MITUTOYO, 2" to 8" (Location A)
70C	1	I.D. MICROMETER, STARRETT, 8" to 32" (Location A)
70D	1	LOT OF O.D. MICROMETERS, 12" to 18", w/standards (Location A)
70E	1	LOT OF O.D. MICROMETERS & BLADE MICROMETERS (Location A)
70F	1	THREAD DIAMETER MEASUREMENT GAUGE, GAGEMAKER (Location A)
70G	1	EXTERNAL TAPER GAUGE, GAGEMAKER ET-7000 (Location A)
70H	1	LOT OF ALLEN GAUGES, w/thread form gauges (Location A)
70I	1	LOT OF DIGITAL DEPTH GAUGES (2), MITUTOYO (Location A)
70J	1	LOT OF DEPTH MICROMETERS (2), 0" to 6" (Location A)

12-15-16 MULTI-LOCATION ONLINE ONLY CATALOG

LOT	QTY	DESCRIPTION
70K	1	LOT OF DEPTH MICROMETERS (2), STARRETT, 0" to 6" (Location A)
70L	1	LOT OF DEPTH MICROMETERS (2), BROWN & SHARPE, 0" to 4" (Location A)
70M	1	LOT OF THREAD GAUGES, assorted (Location A)
70N	1	BORE GAUGE, FRONTIER, 2" to 6" (Location A)
70O	1	BORE GAUGE, FRONTIER, 2" to 6" (Location A)
70P	1	BORE GAUGE, FRONTIER, 2" to 6" (Location A)
70Q	1	BORE GAUGE, FRONTIER, 2" to 6" (Location A)
70R	1	BORE GAUGE, FRONTIER, 2" to 6" (Location A)
70S	1	BORE GAUGE, FRONTIER, 2" to 6" (Location A)
70T	1	BORE GAUGE, FRONTIER, 2" to 6" (Location A)
70U	1	SURFACE PLATE, 18" x 12" (Location A)
70V	1	LOT OF TOOLING (on one pallet) (Location A)
70W	1	VERNIER CALIPER, 24" (Location A)
70X	1	DIAL CALIPER, ASIMETO 12" (Location A)
70Y	1	LOT OF DIAL CALIPERS (2), 8" (Location A)
70Z	1	LOT OF DIAL CALIPERS (2), 6" & 8" (Location A)
71	1	DIAL CALIPER, MITUTOYO 12" (Location A)
72	1	DIAL CALIPER, MITUTOYO 12" (Location A)
73	1	DIAL CALIPER, MITUTOYO 12" (Location A)
74	1	DIAL CALIPER, MITUTOYO 12" (Location A)
75	1	DIAL CALIPER, MITUTOYO 12" (Location A)
76	1	DIAL CALIPER, MITUTOYO 12" (Location A)
77	1	LOT OF O.D. MICROMETERS, 9" to 15" (Location A)
78	1	LOT OF O.D. MICROMETERS, 0" to 8" (Location A)
78A	1	MICROMETER TRACK, GAGEMAKER (Location A)
78B	1	MICROMETER TRACK, GAGEMAKER (Location A)
78C	1	EXTERNAL TAPER GAUGE, GAGEMAKER (Location A)
78D	1	EXTERNAL TAPER GAUGE, GAGEMAKER (Location A)
78E	1	TOOL CABINET, 14-drawer (Location A)
78F	1	TOOL CABINET, 17-drawer (Location A)
78G	1	TOOL CABINET, 14-drawer (Location A)
78H	1	FLAMMABLE STORAGE CABINET (Location A)
78I	1	SHOP PRESS, 20 T. cap. (Location A)
78J	1	LOT CONSISTING OF: toolboxes & tool cart (Location A)
78K	1	TOOLBOX, KOBALT, 8-drawer (Location A)
78L	1	TOOLBOX, KENNEDY (Location A)
78M	1	LOT CONSISTING OF: drum barrel, rack & jack stand (Location A)
78N	1	LOT OF SHOP TABLES, 5' x 2' (approx. 8) (Location A)
78O	1	LOT OF SHOP TABLES, 5' x 2' (approx. 4) (Location A)
78P	1	SPILL KIT, OIL-DRI (Location A)
78Q	1	LOT OF SHOP FANS (approx. 4) (Location A)

12-15-16 MULTI-LOCATION ONLINE ONLY CATALOG

LOT	QTY	DESCRIPTION
79	1	SMTCL 20" X 21" MODEL HTC4554A , new 2007, Fanuc Oi-TC control, 20.47" Swing over bed, 12.59" Swing over cross slide, 17.71" Max. cutting dia., 21.6" Max. cutting length, 10.83" X-axis travel, 23.6" Z-axis travel, A2-8 Spindle nose, 3.15" Spindle bore, Spindle speeds: 30-3000 rpm, 20 HP Spindle motor, 12 Pos. Turret, Heavy Duty Box Ways, 2-Speed geared headstock, 12" 3-jaw hydraulic chuck, Automatic Tool Presetter, Coolant system, Chip conveyor, Programmable Tailstock, Set of tool holders. S/N GN12301305G.(Video available) (Location ____)
80	1	MECHANICAL INITIAL PINCH PLATE ROLL, BERTSCH 8' X 15/32" , 98" roll length, 19/32" cap. mild steel, 15/32" cap. boiler duty, 60,000 PSI max. tensile pipe cap., 15 HP main motor, 7.5 HP geared rear roll adj., air drop end, 12" dia. type position indicator, lower rolls grooved longitudinally (Location C)
81	1	HOLLOW SPINDLE LATHE, LEHMANN 28" X 196" , 12" hole thru spdl., 27.5" max. sw., 16" max. sw. over crossslide, spdl. spds: 8-300 RPM, thds: 5/8-36 TPI, fds: .0055-.327 IPR, taper attach., rapid traverse, kick-out, thread dial, hard bed, tailstock, coolant, front & rear 24" dia. 4-jaw chucks (Location C)
81A	1	VERTICAL TURRET LATHE, BULLARD CUTMASTER 42" , 42" plain tbl., 5-pos. pwr. turret, spds.: 5.5-200 RPM, side head w/4-pos. turret, 30 HP main drive motor, S/N 27355, (Location C)
81B	1	CNC SLANT BED LATHE, MORI SEIKI MDL. LL-7 , Fanuc 6TB CNC control, 42.9" sw. over bed, 20.4" swing over cross slide, 6.75" hole through spindle, 31.5" dia. chuck, 50 HP motor, spndl. spds.: 6-1,150 RPM, (2) 4-pos. turrets, chip conveyor, splash guards and doors, S/N 150, (Location C)
82	1	VERTICAL TURRET HEAD VERTICAL BORING MILL, KING 62" , 62" 4-jaw table, 66" max. swing, 45" max. ht. under rail, table spds: 1-123 RPM, fds: .010-.500 IPR, 55 deg. ram swivel, 30 deg. turret swivel, 75 HP main motor, 5 pos. swiveling, turret head, 4 pos. swiveling ram head, side head, pendant controls, pwr. clamping, misc. turret tooling, pit required, electrical cabinet, transfer (Location D)
83	1	VERTICAL BORING MILL, BETTS 10' , single jaw, dual ram head, 120" tbl, approx. 144" max. swing, 8' under rail, pendant control, 40 HP motor, S/N E5169-3 (Location E)
84	1	HYDRAULIC PRESSBRAKE, CHICAGO DRIES & KRUMP 200 T. CAP. MDL. 200F12 , 14' overall, 12'-6" dist. btn. housings, manual backgauge, lower die rail, light curtain safety device, 2-spd. hydraulics, S/N H1325 (Location F)

12-15-16 MULTI-LOCATION ONLINE ONLY CATALOG

LOT	QTY	DESCRIPTION
85	1	AUTOMATIC TILT FRAME VERTICAL BANDSAW, MARVEL SERIES MDL. V10A , auto. Indexing feed, multi-cycle counter, out-of-stock switch, S/N D129910-W (Location F)
86	1	VERTICAL ANGLE BENDING ROLL, BUFFALO NO. 2 , huge assortment of angle bending rolls, shims, spacers, pipe dies (Location F)
87	1	HYDRAULIC SHEAR, CINCINNATI 12' X 3/4" , pneu. lift ball table, front operated 48" pwr. backgauge w/indicator, S/N 41213 (Location F)
88	1	RADIAL ARM DRILL, POLAMCO 6' X 19" , #5 MT spdl., pwr. clamping & elevation, spds: 30-1700 RPM, S/N N.A. (Location F)
90	1	WIRELINE SETTING TOOL , Number 20, S/N CS-20-03 (Location F)
91	1	WIRELINE SETTING TOOL , Number 20, S/N CS-20-04 (Location F)
92	1	WIRELINE SETTING TOOL , Number 20, S/N CS-20-05 (Location F)
93	1	WIRELINE SETTING TOOL , Number 10, S/N CS-10-01 (Location F)
94	1	WIRELINE SETTING TOOL , Number 10, S/N CS-10-011 (Location F)
95	1	WIRELINE SETTING TOOL , Number 10, S/N CS-10-04 (Location F)
96	1	APPLIED FREE POINT TOOL , 11/16", S/N CS-FP-07 (Location F)
97	1	APPLIED FREE POINT TOOL , 11/16", S/N CS-FP-08 (Location F)
98	1	INDUCTION BILLET HEATER, PILLAR , 1,000 KWA, 8" & 10" coils walking beam heats billets 2,400 deg. F. auto. .1-10" billet every 20 seconds, (10) extra coils, pwr. units, transformer (Location G)
99	1	FORGING PRESS, BALDWIN 800 TO 1,200 T. CAP. , dies for tool joints, API fracking elbows & swivels .60" stroke, 30" x 30" bed w/knockout, injector system for high spd. extruding, 100,000 lbs. approx. weight (Location G)
101	1	VERTICAL MILL, LAGUN MDL. FTV-4 , 11" x 58" table, #40 Quick Switch spdl., Accu-Rite D.R.O. (Location H)
102	1	VERTICAL MILL, LAGUN MDL. FTV-F3-L , 11" x 58" table, R-8 spdl., Y-axis pwr. fd. only (Location H)
103	1	VERTICAL MILL, BRIDGEPORT SERIES T J-HEAD , 9" x 42" table, R-8 spdl., 6" swivel base vise, no pwr. feed (Location H)

12-15-16 MULTI-LOCATION ONLINE ONLY CATALOG

LOT	QTY	DESCRIPTION
104	1	CNC VERTICAL MACHINING CENTER OKK MDL. MCV-520 , OKK Matic-G CNC control, 22" x 52" table, 30 pos. tool changer, (26) V-flange toolholders, S/N 342 (Location H)
105	1	CNC VERTICAL MACHINING CENTER OKK MDL. MCV-820 , OKK Matic-G CNC control, 32" x 72" table, 60 pos. tool changer, (35) V-flange toolholders, S/N 205 (Location H)
105A	1	MACHINE VISE, PYM 8" (Location H)
105B	1	MACHINE VISE, KURT 6" (Location H)
105C	1	MACHINE VISE, KURT 6" (Location H)
105D	1	MACHINE VISE, KURT 6" (Location H)
105E	1	MACHINE VISE, KURT 6" (Location H)
105F	1	MACHINE VISE, KURT 6" (Location H)
106	1	HORIZONTAL/VERTICAL SUPER SPACER, 12" (Location H)
107	1	HORIZONTAL/VERTICAL SUPER SPACER, 8" (Location H)
108	1	LOT OF V-BLOCKS, 7" x 12" x 8" ht. (one pair) (Location H)
109	1	LOT OF V-BLOCKS, 4" x 8" x 5-1/2" ht. (two pair) (Location H)
110	1	CNC LATHE, HAAS MDL. SL-30 , new 2006, Haas CNC control, 12" dia. 3-jaw chuck, 8 pos. turret, 30 HP 2-spd. gear drive, tailstock, assorted tooling, S/N 3075723 (Location H)
110A	1	ENGINE LATHE, SUMMIT 30" X 96" , 4" spdl. Hole, steadyrest, Q.C. toolpost w/assorted toolholders, S/N N.A. (Location H)
111	1	CNC LATHE, OKUMA 24" X 60" MDL. LH35-N , Okuma CNC control, 4-way toolpost, tailstock, assorted tooling, S/N 1602 (Location H)
112	1	CNC HORIZONTAL MACHINING CENTER, OKK MDL. MCH800 , OKK Matic-G CNC control, 31" x 31" indexing table, 80 tool changer, (18) assorted toolholders, S/N 232 (Location H)
113	1	PORTABLE AIR COMPRESSOR, KOBALT , 1 HP motor, 20 gal. tank, 150 max PSI (Location H)
114	1	SURFACE GRINDER, OKAMOTO MDL. DIVRS , 12" x 24" magnetic chuck, S/N 7956864X (Location H)
115	1	SURFACE GRINDER, TOS MDL. BRH-40B , 15" x 58" magnetic chuck, Machine No. 600-905 (Location H)
116	1	GRINDER, OERLIKON MATTISON MDL. ROTARY-Z4 , 36" magnetic chuck, S/N EV-24-0608 (Location H)
117	1	O.D. GRINDER , approx. 6" dia. x 40" center, Machine No. 1432A (Location H)
118	1	CNC LATHE, MORI SEIKI APPROX. 40" X 120" MDL. LB-7 , Fanuc 6T CNC controls, 4-way toolpost, tailstock, S/N 57 (Location H)
119	1	ENGINE LATHE, MONARCH 24" X 54" (Location H)

12-15-16 MULTI-LOCATION ONLINE ONLY CATALOG

LOT	QTY	DESCRIPTION
120	1	TOOL GRINDER, STANDARD MDL. SPY TYPE 10C-TDY, S/N 50041 (Location H)
121	1	ENGINE LATHE, MONARCH 26" X 168" MDL. 20 , followrest, Q.C. toolpost, 24" dia. 4-jaw chuck, S/N 35750 (Location H)
122	1	JIB CRANE , approx. 12' arm, 1/2 T. cap. elec. chain hoist (Location H)
123	1	ENGINE LATHE, TOS 32" X 190" MDL. SUS80 , 4-way toolpost, steadyrest, 30" dia. 4-jaw chuck, S/N N.A. (Location H)
124	1	HORIZONTAL BORING MILL, GIDDINGS & LEWIS MDL. 350-T , 60" x 96" table, Anilam Wizard D.R.O., S/N 5978 (Location H)
125	1	HORIZONTAL BORING MILL, CINCINNATI GILBERT , 53" x 78" table, Sargon D.R.O., Machine No. 552 (Location H)
126	1	HORIZONTAL BORING MILL, CINCINNATI GILBERT , 43" x 65" table, Mitutoyo D.R.O., S/N N.A. (Location H)
127	1	RADIAL ARM DRILL SSOYT APPROX. 44" X 60" , #Z3050X16 (Location H)
128	1	GAP BED ENGINE LATHE, OLDFIELD & SCHOFIELD , approx. 66" sw. x 20" in gap, 20" sw. x 120" centers outside gap, tailstock, steadyrest, 64" T-slotted faceplate (Location H)
129	1	JIB CRANE , approx. 12' arm, 1/2 T. cap. chain hoist (Location H)
130	1	ENGINE LATHE, LANG , approx. 52" sw. x 15" in gap, approx. 32" x 144" centers outside gap, 36" dia. 4-jaw chuck, tailstock, S/N N.A. (Location H)
131	1	HORIZONTAL BORING MILL, GIDDINGS & LEWIS MDL. 340-F , 10' x 14' table, work risers, 13" x 56" x 30" ht., S/N 7415 (Location H)
132	1	KEYSEATER, MITTS & MERRILL MDL. 3A-HYD , assorted tooling & cutters, S/N G27426 (Location H)
133	1	JIB CRANE , approx. 16' arm, 1/2 T. cap. chain hoist (Location H)
134	1	HORIZONTAL MILL, CINCINNATI , S/N 2A3PIK (Location H)
135	1	LOT OF PORTABLE SHOP FANS (2), MAXX AIR 36" (Location H)
136	1	HORIZONTAL BORING MILL, CINCINNATI GILBERT , 43" x 62" table, Machine No. 112 (Location H)
137	1	VERTICAL MILL, CINCINNATI MILACRON , 16" x 80" table, Cincinnati Accra-Matic push button controls, Machine No. 420-16 (Location H)
138	1	ENGINE LATHE, MONARCH 22" X 72" MDL. 16 , Q.C. toolpost, 15" dia. 4-jaw chuck, tailstock, S/N N.A. (Location H)

12-15-16 MULTI-LOCATION ONLINE ONLY CATALOG

LOT	QTY	DESCRIPTION
139	1	ENGINE LATHE, MONARCH 18" X 54" MDL. 16 , Q.C. toolpost, tailstock, 15" dia. 4-jaw chuck, S/N 35862 (Location H)
140	1	HORIZONTAL MILL, CINCINNATI , 20" x 84" table (Location H)
141	1	VERTICAL MILL, CINCINNATI , 20" x 94" table (Location H)
142	1	GAP BED ENGINE LATHE, CADILLAC , approx. 62" x 10" in gap, 40" x 80" outside gap, 30" dia. 4-jaw chuck, Q.C. toolpost, tailstock, followrest (Location H)
143	1	SAW, KYSOR JOHNSON AUTO-MATIC MDL. HA-400 , 1-1/4" blade, 16" rds., 16" flats, S/N 402862 (Location H)
144	1	BANDSAW, ROLL-IN (Location H)
145	1	CNC VERTICAL MACHINING CENTER, OKK , OKK Matic-G CNC control, 32" x 78" table, 30 pos. tool changer, S/N 382 (Location H)
146	1	KEYSEATER, HANSFORD MDL. 5 , S/N 5-1372 (Location H)
147	1	DRILL GRINDER, MOHAWK MDL. 100 , S/N 288 (Location H)
148	1	CNC LATHE, MAZAK APPROX. 20" X 24" MDL. QUICKTURN 20 , Fanuc 10T CNC control, 8 pos. turret, S/N 63358 (Location H)
149	1	CNC LATHE, TAKISAWA MDL. DTX-3 , 15" dia. 3-jaw chuck, 8 pos. turret, Machine No. TLNN0226 (currently out of service) (Location H)
150	1	BRIDGE CRANE, SECO APPROX. 46' SPAN MDL. 3474 , top running, Detroit 3 T. elec. Hoist (Bridge & hoist only) (Location H)
151	1	ELECTRIC CHAIN HOIST, HITACHI 1/2 T. CAP. (Location H)
152	1	AIR COMPRESSOR, CHAMPION , 15 HP motor, 120 gal. tank, 220/460, 3 ph. (Location H)
153	1	ROTARY SCREW AIR COMPRESSOR, SULLAIR MDL. 1509E/A , ISO 9001, 17,701 H.O.M., S/N 20070220061 (Location H)
154	1	FORKLIFT, KOMATSU 5,000 LB. CAP. MDL. FC250-11 , gas engine, 130" lift ht., 5,270 H.O.M., S/N 469212A (Location H)
155	1	FORKLIFT, KOMATSU 10,000 LB. CAP. MDL. SPACESAVER 100 , 130" lift ht. (Location H)
156	1	OVERHEAD BRIDGE CRANE, F&G INDUSTRIES 10 T. X APPROX. 50' SPAN MDL. CR3795 , top running, Shawbox 10 T. cap. Hoist (bridge & hoist only) (Location H)
157	1	SELF-DUMPING HOPPER, WRIGHT , 1/2 cu. yd. cap. (Location H)
158	1	SELF-DUMPING HOPPER, WRIGHT , 1/3 cu. yd. cap. (Location H)

12-15-16 MULTI-LOCATION ONLINE ONLY CATALOG

LOT	QTY	DESCRIPTION
159	1	SELF-DUMPING HOPPER, WRIGHT, 1/3 cu. yd. cap. (Location H)
160	1	SELF-DUMPING HOPPER, WRIGHT, 1/3 cu. yd. cap. (Location H)
161	1	PLASMA CUTTER, AIRCO MDL. 4805 , approx. 48" x 48", HL-8 Linatrol (Location H)
162	1	METAL ROLL, CUSTOM , approx. 4" rolls x 4'W (Location H)
163	1	BELT SANDER, 2" x 48' , on stand (Location H)
164	1	BELT SANDER, 2" x 48' , bench mtd. (Location H)
165	1	BELT SANDER, 2" x 48' , bench mtd. (Location H)
166	1	BENCH GRINDER, 8" (Location H)
167	1	BENCH GRINDER, 6" (Location H)
168	1	PORTABLE CYCLONE SANDBLASTER (Location H)
169	1	PEDESTAL GRINDER, 8" (Location H)
170	1	PIPE THREADER OSTER , Machine No. 655 (Location H)
171	1	OXY./AC. CART , w/torch & gauges (Location H)
172	1	COMPOUND MITER SAW, SKIL 10" (Location H)
173	1	WELDING MACHINE, MILLER MDL. MP-65E , Miller 60 Series wire feeder (no leads) (Location H)
174	1	WELDING MACHINE, AIRCO MDL. CV-600 (no leads) (Location H)
175	1	ARC WELDER, LINCOLN IDEALARC MDL. TM4001400 (no leads) (Location H)
176	1	ARC WELDER, LINCOLN IDEALARC MDL. TM4001400 (no leads) (Location H)
177	1	MANIPULATOR, ARONSON LOCUST (Location H)
178	1	WIRE WELDER, MILLER MDL. CP200 , Miller Millermatic 10A wire feeder (Location H)
179	1	WELDING MACHINE, MILLER DELTAWELD MDL. 451 , Miller 60 Series wire feed (Location H)
180	1	TIG/RIG WELDER, MILLER (Location H)
181	1	ARC WELDER, LINCOLN IDEALARC MDL. 250 (Location H)
182	1	PEDESTAL DRILL PRESS ROCKWELL SERIES 15-665 (Location H)
183	1	LOT CONSISTING OF: welding wire & rods (Location H)
184	1	STEEL BANDING , w/tools & ratchet chain boomer (Location H)
185	1	BRIDGE CRANE, SECO 5 T. X APPROX. 40' SPAN , bottom running, Detroit 5 T. cap. hoist (bridge & hoist only) (Location H)
186	1	LOT CONSISTING OF PARTS MACHINES: Norgon O.D. grinder , (2) OKK vertical CNC mills, Mori Seiki TL-5, Cincinnati horiz. mill, pedestal tool grinder (Location H)

12-15-16 MULTI-LOCATION ONLINE ONLY CATALOG

LOT	QTY	DESCRIPTION
187	1	LOT CONSISTING OF PARTS MACHINES: OKK machining center, Cincinnati horiz. mill, surface grinder, engine lathe, boring mill attachs., misc. machine parts (Location H)
188	1	GOOSENECK TRAILER, AMERITRAIL MDL. GN40-20ED42, 24,000 lb. cap., 40'L. x 8'W., wood deck, stake pockets, dual axle, bail in winch & landing gear, rear ramps, VIN 17YGN40231B021952 (Location I)
189	1	FORKLIFT, CLARK 8,000 LB. CAP., diesel engine, 2-stage mast, 4' forks, solid rubber tires, 8,062 H.O.M., S/N Y685-325-4475 (Location I)
190	1	PLASMA CUTTER, LINCOLN ELECTRIC MDL. VIPER, 480 v., S/N U1010820956 (Location I)
191	1	ARC WELDER, LINCOLN ELECTRIC AC/DC, 225/125 (Location I)
192	1	ARC WELDER, LINCOLN ELECTRIC AC/DC, 225/125 (Location I)
193	1	BATTERY CHARGER, SCHUMACHER ELECTRIC, 200 amp engine start, 2 amp slow charge (Location I)
193A	1	TRUCK TOOLBOX COMBO, CRAFTSMAN, headache rack, large toolbox, small side box, S/N N.A. (Location I)
193B	1	PNEUMATIC SANDBLAST POT, w/hose (Location I)
194	1	LARGE CAPACITY YARD TYPE FORKLIFT, HYSTER 46,000 LB. CAP. MDL. H460B, 314 H.O.M. since rebuild, 15' mast, diesel, 46,000 lb. cap. @ 48" L.C., S/N B8P-2082B (Location J)
195	1	RIGGING STYLE FORKLIFT, LOWRY 22,000 LB. CAP. MDL. L220RS, new 2001, 10' mast, LPG, 22,000 lb. cap. @ 24" L.C., 2,080 H.O.M., S/N L2206540202 (Location J)
196	1	RIGGING STYLE FORKLIFT, HOIST 18,000 LB. CAP. MDL. F180, new 2000, 10' mast, LPG, 18,000 lb. cap. @ 24" L.C., 205 H.O.M., S/N 21650 (Location J)
197	1	FORKLIFT, TOYOTA 17,500 LB. CAP. MDL. 8FD80U, new 2014, diesel engine, 132" standard mast, dual drive pneu. Tires, 355 H.O.M. S/N 10241 (Location K)
199	1	FORKLIFT, TOYOTA 10,000 LB. CAP. MDL. 7FGCU45-BCS, new 2004, LPG engine, 87/199 triple mast side shift, cushion tire, S/N 62303 (Location K)
200	1	FORKLIFT, MITSUBISHI 5,000 LB. CAP. MDL. FGC25K, new 2003, LPG engine, 83/188 triple mast side shift, cushion tire, S/N AF82D01530 (Location K)
201	1	FORKLIFT, MITSUBISHI 5,000 LB. CAP. MDL. FGC25N, new 2004, LPG engine, 87/199 triple mast side shift, cushion tires, S/N AF82F00897 (Location K)
202	1	FORKLIFT, TOYOTA 5,000 LB. CAP. MDL. 8FGCU25, new 2012, LPG engine, 83/189 triple mast side shift, cushion tire, 4,441 H.O.M., S/N 40727 (Location K)

12-15-16 MULTI-LOCATION ONLINE ONLY CATALOG

LOT	QTY	DESCRIPTION
203	1	FORKLIFT, HYUNDAI 5,000 LB. CAP. MDL. HLF25C-11 , new 2005, LPG engine, 89/197 triple mast side shift, cushion tire, S/N HC4012246 (Location K)
204	1	FORKLIFT, YALE 5,000 LB. CAP. MDL. GLC050 , new 2003, LPG engine, 84/240 quad. Mast side shift, cushion tire, S/N E187V19937A (Location K)
205	1	FORKLIFT, NISSAN 5,000 LB. CAP. MDL. MCU1F2A25LV , new 2008, LPG, 83/187 triple mast, cushion tire, S/N CU1F2-9Q0166, (Location K)
206	1	FORKLIFT, YALE 5,000 LB. MDL. ESC035 , new 2005, 36 volt electric, 82/189 triple mast side shift, S/N A883N02397C, (Location K)
207		TELESCOPING BOOM MANLIFT, JLG MDL. 600S , new 2002, 60' 3-section boom lift, Duetz 4 cyl. diesel engine, pwr. to platform, 4,888 H.O.M., S/N 300063981 (Location K)
208	1	TELESCOPING BOOM MANLIFT, GENIE MDL. S40 , new 1998, 40' 2-section boom lift, Ford 4 cyl. LPG engine, pwr. to platform, 5,783 H.O.M., S/N 3082 (Location K)
212	1	VERTICAL TURRET LATHE, SCHEISS 48" , 4-jaw table, 54" max swing, 44" under rail, 20 HP 3 PH motor, over all approx. dimensions: height = 13 ft; width = 8 ft.; length = 8 ft; weight = 50,000 lb. (Location L)
213	1	VERTICAL TURRET LATHE, SCHEISS 42" , 4-jaw table, 52" max swing, 44" under rail, 30 HP 3 PH main motor, over all approx. dimensions: height = 13 ft; width = 8 ft.; length = 8 ft; weight = 45,000 lb. (Location L)
214	1	WELDING MACHINE, MILLER 750 AMP (Location M)
215	1	WELDING MACHINE, AIRCO 750 AMP (Location M)
216	1	WET GRIT BLAST, KLEIBER & SHULTZ , 10'W. x 11'L. x 10' ht., S/N 132 (Location M)
217	1	BIT SHARPENER, GIDDINGS & LEWIS , S/N 940-0294-94 (Location M)
218	1	LOADING DOCK 79" w x 88" l (Location M)
219	1	MILLING MACHINE, KEARNEY & TRECKER , 10HP-3CH, S/N 2-7280 (Location M)
220	1	VERTICAL BORING MILL, DEFUME MILL , Type KNA 110/135S, NR FABR 7854 (Location M)
221	1	LATHE, K. MARTIN TYPE DLZ603 , KOM NO 17218, APP NO 13893 (Location M)
222	1	MILLING MACHINE, SUMMIT RAM V2 (Location M)